

Page 1 of 16

CAPACITORS, VARIABLE, CONCENTRIC TRIMMER, SAPPHIRE DIELECTRIC, 0.3 TO 1.2pF, BODY DIAMETER 1.9mm

ESCC Detail Specification No. 3010/017

Issue 3 July 2018



Document Custodian: European Space Agency – see https://escies.org



LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2018. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Agency and provided that it is not used for a commercial purpose, may be:

- copied in whole, in any medium, without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.

ESCC Detail Specification

No. 3010/017

PAGE 3

ISSUE 3

DOCUMENTATION CHANGE NOTICE

(Refer to https://escies.org for ESCC DCR content)

DCR No.	CHANGE DESCRIPTION
1165	Specification updated to incorporate changes per DCR.







TABLE OF CONTENTS

1	GENERAL	5
1.1	SCOPE	5
1.2	APPLICABLE DOCUMENTS	5
1.3	TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS	5
1.4	THE ESCC COMPONENT NUMBER AND COMPONENT TYPE VARIANTS	5
1.4.1	The ESCC Component Number	5
1.4.2	Component Type Variants	5
1.5	MAXIMUM RATINGS	6
1.6	PHYSICAL DIMENSIONS	7
1.6.1	Component Type Variants 01 and 02	7
1.6.2	Component Type Variants 03 and 04	7
1.6.3	Component Type Variants 05 and 06	8
1.6.4	Component Type Variants 07 and 08	9
1.6.5	Component Type Variants 09 and 10	9
1.6.6	Component Type Variants 11 and 12	10
1.7	FUNCTIONAL DIAGRAM	10
1.8	MATERIALS AND FINISHES	10
1.8.1	Case	10
1.8.2	Terminals	10
2	REQUIREMENTS	11
2.1	GENERAL	11
2.1.1	Deviations from the Generic Specification	11
2.1.1.1	Deviations from Qualification and Periodic Tests – Chart F4	11
2.2	MARKING	11
2.3	ROBUSTNESS OF TERMINATIONS	11
2.4	RESISTANCE TO SOLDERING HEAT	11
2.5	ELECTRICAL AND MECHANICAL MEASUREMENTS AT ROOM, HIGH AND LOW TEMPER.	ATURES 12
2.5.1	Room Temperature Electrical and Mechanical Measurements	12
2.5.2	High and Low Temperatures Electrical Measurements	12
2.6	INTERMEDIATE AND END-POINT ELECTRICAL AND MECHANICAL MEASUREMENTS	13
2.7	BURN-IN CONDITIONS	15
2.8	OPERATING LIFE CONDITIONS	15
APPENDI	X 'A'	16



1 **GENERAL**

1.1 SCOPE

This specification details the ratings, physical and electrical characteristics, and test and inspection data for the component type variants specified below. It supplements the requirements of, and shall be read in conjunction with, the ESCC Generic Specification listed under Applicable Documents.

1.2 <u>APPLICABLE DOCUMENTS</u>

The following documents form part of this specification and shall be read in conjunction with it:

(a) ESCC Generic Specification No. 3010.

1.3 TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS

For the purpose of this specification, the terms, definitions, abbreviations, symbols and units specified in ESCC Basic Specification No. 21300 shall apply.

1.4 THE ESCC COMPONENT NUMBER AND COMPONENT TYPE VARIANTS

1.4.1 The ESCC Component Number

The ESCC Component Number shall be constituted as follows:

Example: 301001704

• Detail Specification Reference: 3010017

Component Type Variant Number: 04 (as required)

1.4.2 <u>Component Type Variants</u>

The Component Type Variants applicable to this specification are as follows:

Type Variant	Minimum and Maximum Specified Capacitance (pF)		Temperature Coefficient (10 ⁻⁶ /°C)	Weight Max (g)
	Cm	СМ		
01	0.3	1.2	-75 ±75	0.2
02	0.3	1.2	400 ±100	0.2
03	0.3	1.2	-75 ±75	0.2
04	0.3	1.2	400 ±100	0.2
05	0.3	1.2	-75 ±75	0.2
06	0.3	1.2	400 ±100	0.2
07	0.3	1.2	-75 ±75	0.2
08	0.3	1.2	400 ±100	0.2
09	0.3	1.2	-75 ±75	0.2
10	0.3	1.2	400 ±100	0.2
11	0.4	1.2	-75 ±75	0.2
12	0.4	1.2	400 ±100	0.2



1.5 <u>MAXIMUM RATINGS</u>

The maximum ratings shall not be exceeded at any time during use or storage.

Maximum ratings shall only be exceeded during testing to the extent specified in this specification and when stipulated in Test Methods and Procedures of the ESCC Generic Specification.

Characteristics	Symbols	Maximum Ratings	Units	Remarks
Rated Voltage	U _R	500	V	
Operating Temperature Range	T _{op}	-55 to +125	°C	T _{amb}
Storage Temperature Range	T _{stg}	-55 to +125	°C	
Soldering Temperature	T _{sol}	+185	°C	Note 1
Operating Torque	T _{qm}	0.8	N.cm	Note 2


NOTES:

- Duration 5 seconds maximum.
- 2. Handling precautions are as follows:
 - An appropriate turning tool must be used.
 - The rotor shall not be disconnected from the stator.
 - Solvents must not be used for cleaning.



1.6 PHYSICAL DIMENSIONS


1.6.1 Component Type Variants 01 and 02



S1, S2 - Vibration and Shock axes

Symbols	Dimensions (mm)	
	Min	Max
А	5.5	6.1
ØB	•	1.9
С	3.91	4.1
D	1.2	1.4

1.6.2 Component Type Variants 03 and 04




S1, S2 - Vibration and Shock axes

Symbols	Dimensions (mm)	
	Min	Max
А	5.5	6.1
ØB	ı	1.9
С	1.9	2.1
ØD	•	2.5
Е	0.4	0.6
F	0.95	1.05
G	0.15	0.25
Н	5.6	5.8



1.6.3 Component Type Variants 05 and 06




S1, S2, S3 - Vibration and Shock axes

Symbols	Dimensions (mm)	
	Min	Max
А	5.5	6.1
ØB	•	1.9
С	1.8	2
ØD	•	2.5
Е	0.5	0.7
F	0.95	1.05
G	0.15	0.25
Н	2.2	2.4




1.6.4 Component Type Variants 07 and 08



S1, S2 - Vibration and Shock axes

Symbols	Dimensions (mm)		
	Min	Max	
А	5.5	6.1	
ØB	-	1.9	
С	1.5	1.7	
ØD	-	2.5	
E	0.2	0.4	
F	0.95	1.05	
G	0.15	0.25	
Н	5.6	5.8	

1.6.5 Component Type Variants 09 and 10



S1, S2 - Vibration and Shock axes


Symbols	Dimensions (mm)		
	Min	Max	
Α	5.5	6.1	
ØB	-	1.9	
С	1	1.2	



No.	301	0/01	17
-----	-----	------	----

Symbols	Dimensions (mm)	
	Min	Max
ØD	-	4.7
E	2.2	2.4
G	0.15	0.25

1.6.6 Component Type Variants 11 and 12



S1, S2, S3 - Vibration and Shock axes

Symbols	Dimensions (mm)	
	Min	Max
А	5.5	6.1
ØB	•	1.9
С	2.8	3.2
ØD	-	2.5
Е	3.9	4.1
F	0.95	1.05
G	0.15	0.25

1.7 <u>FUNCTIONAL DIAGRAM</u>



1.8 <u>MATERIALS AND FINISHES</u>

1.8.1 <u>Case</u>

The body of the components shall be sapphire.

1.8.2 <u>Terminals</u>

Terminals shall be gold plated or tinned.



2 **REQUIREMENTS**

2.1 GENERAL

The complete requirements for procurement of the components specified herein are as stated in this specification and the ESCC Generic Specification. Permitted deviations from the Generic Specification, applicable to this specification only, are listed below.

Permitted deviations from the Generic Specification and this Detail Specification, formally agreed with specific Manufacturers on the basis that the alternative requirements are equivalent to the ESCC requirement and do not affect the component's reliability, are listed in the appendices attached to this specification.

2.1.1 Deviations from the Generic Specification

2.1.1.1 Deviations from Qualification and Periodic Tests - Chart F4

(a) Mechanical Endurance: The 50 cycles shall be divided into 10 groups of 5 cycles. Upon completion of each group of 5 cycles, 1 minute of standing by shall be observed.

2.2 MARKING

The marking shall be in accordance with the requirements of ESCC Basic Specification No. 21700 and as follows.

The information to be marked on the component or its primary package shall be:

- (a) The ESCC qualified components symbol (for ESCC qualified components only).
- (b) The ESCC Component Number.
- (c) Traceability information.

2.3 ROBUSTNESS OF TERMINATIONS

Component Type Variants 01, 02, 09 and 10 shall be subjected to Robustness of Terminations as specified in the ESCC Generic Specification.

Not applicable to Component Type Variants 03, 04, 05, 06, 07, 08, 11, 12.

2.4 RESISTANCE TO SOLDERING HEAT

The test conditions for Resistance to Soldering Heat are as follows:

- Immersion depth: To within 1mm from the body.
- Immersion time: 3.5 ±0.5 seconds.

ISSUE 3

2.5 <u>ELECTRICAL AND MECHANICAL MEASUREMENTS AT ROOM, HIGH AND LOW TEMPERATURES</u>

Electrical and mechanical measurements shall be performed at room, high and low temperatures.

2.5.1 Room Temperature Electrical and Mechanical Measurements

The measurements shall be performed at $T_{amb} = +22 \pm 3^{\circ}C$.

Characteristics	Symbols	Test Method and	Limits		Units
		Conditions	Min	Max	
Minimum Capacitance	Cm	ESCC No. 3010 Frequency: 1 ±0.1MHz	-	Note 1	pF
Maximum Capacitance	СМ	ESCC No. 3010 Frequency: 1 ±0.1MHz	Note 1 -		pF
Change in Capacitance	-	ESCC No. 3010 Frequency: 1 ±0.1MHz	Note 2		-
Insulation Resistance	Ri	ESCC No. 3010 Test voltage = 500 ±25V	104 -		МΩ
Voltage Proof	VP	ESCC No. 3010	1000	-	V
Quality Factor	Q	ESCC No. 3010 5000 - Frequency: 250 ±5MHz Note 3		-	
Operating Torque	T _{qo}	ESCC No. 3010 C minimum to maximum	0.07	0.5	N.cm

NOTES:

- 1. See Para. 1.4.2.
- 2. The rate of change in capacitance as a function of the change in adjustment shall not change sign over the entire range of adjustment.
- 3. For Screening Tests, Quality Factor shall be performed on a randomly selected sample of 3 components with no failures allowed.

2.5.2 High and Low Temperatures Electrical Measurements

Characteristics		Test Method and Conditions	Limits		Units
		(Note 1)	Min	Max	
Insulation Resistance	Ri	ESCC No. 3010 Test voltage = 500 ±25V T _{amb} = +125 (+0 -3)°C	10 ³	-	ΜΩ
Temperature Coefficient	TC	ESCC No. 3010 Note 2			10 ⁻⁶ /°C
		Between -55°C and +22°C	Not	te 3	
		Between +22°C and +125°C	Not	te 3	

NOTES:

- 1. Measurements shall be performed on a sample of 5 components from each manufacturing lot with 0 failures allowed. In the event of any failure a 100% inspection may be performed.
- 2. Rotor set at approximately 75% of the maximum specified capacitance value and components may be connected in parallel so that a minimum of 7pF is obtained for this test.
- 3. See Para. 1.4.2.



2.6 INTERMEDIATE AND END-POINT ELECTRICAL AND MECHANICAL MEASUREMENTS Unless otherwise specified, the measurements shall be performed at $T_{amb} = +22 \pm 3^{\circ}C$.

Unless otherwise specified the test methods and test conditions shall be as per the corresponding test defined in Para. 2.5.1, Room Temperature Electrical and Mechanical Measurements.

Test Reference per ESCC	Characteristics	Characteristics Symbols		Limits	
No. 3010			Min	Max	
Rapid Change of Temperatur	е			•	
Initial Measurements	Capacitance	acitance CM Note 1		te 1	pF
Final Measurements	Capacitance	CM & Cm	Note 1		pF
	Capacitance Drift	ΔCM & ΔCm	-0.05	+0.05	pF
Vibration					
Initial Measurements	Capacitance (Note 2)	С	Record	Values	pF
Final Measurements	Capacitance (Note 2)	С	Record Values		pF
	Capacitance Drift	ΔC	-0.05	+0.05	pF
Shock					
Initial Measurements	Capacitance (Note 2)	С	Record Values		pF
Final Measurements	Capacitance (Note 2)	С	Record Values		pF
	Capacitance Drift	ΔC	-0.05	+0.05	pF
Resistance to Soldering Heat					
Initial Measurements	Capacitance (Note 2)	С	Record Values		pF
Final Measurements	Capacitance (Note 2)	С	Record Values		pF
	Capacitance Drift	ΔC	-0.05	+0.05	pF
	Voltage Proof	VP	Note 3	-	V
	Quality Factor	Q	Note 3	-	-
Climatic Sequence					
Initial Measurements	Capacitance (Note 2)	С	Record Values		pF
Final Measurements	Capacitance (Note 2)	С	Record	l Values	pF
	Capacitance Drift	ΔC	-0.05	+0.05	pF
	Quality Factor	Q	Note 3	-	-
	Insulation Resistance	Ri	10 ³	-	МΩ
	Voltage Proof	VP	Note 3	-	V
	Operating Torque	T _{qo}	No	te 3	N.cm
Damp Heat, Steady State (Note 4)					
Initial Measurements	Capacitance	CM & Cm	Note 1		pF



ISSUE 3

Test Reference per ESCC	Characteristics	Symbols	Limits		Units
No. 3010			Min	Max	
Damp Heat, Steady State Final Measurements	Capacitance	CM & Cm	Note 1		pF
	Capacitance Drift	ΔCM & ΔCm	-0.05	+0.05	pF
	Quality Factor	Q	Note 3	-	-
	Insulation Resistance	R _i CM & R _i Cm	10 ³	-	МΩ
	Voltage Proof	VP	Note 3	-	V
	Operating Torque	T _{qo}	Not	te 3	N.cm
Operating Life					
Initial Measurements	Capacitance	СМ	Note 1	-	pF
Intermediate Measurements	Capacitance	СМ	Note 1	-	pF
(500 hours) (Note 5) (500 and 1000 hours) (Note 6)	Capacitance Drift	ΔСМ	-0.05	+0.05	pF
	Insulation Resistance	R _i CM	Note 3	-	МΩ
	Voltage Proof	VP	Note 3	-	V
	Quality Factor	Q	Note 3	-	-
	Operating Torque	T _{qo}	Not	te 3	N.cm
Final Measurements		014	N		_
(1000 or 2000 hours) (Note 7)	Capacitance Capacitance Drift	CM ΔCM	Note 1 -0.05	- +0.05	pF pF
	Capacitance Dint	<u> ZCIVI</u>	-0.03	+0.03	ρι
	Insulation Resistance	R _i CM	Note 3	-	МΩ
	Voltage Proof	VP	Note 3	-	V
	Quality Factor	Q	Note 3	-	-
	Operating Torque	T _{qo}	Not	te 3	N.cm
Axial Thrust (Note 8)					
Initial Measurements	Capacitance (Note 2)	С	Record Values		pF
Measurements during Test	Capacitance (Note 2)	С	Record	Values	pF
	Capacitance Drift	ΔC	-0.05	+0.05	pF
Mechanical Endurance					
Measurements after	Voltage Proof	VP	Note 3	-	V
Mechanical Endurance Cycling	Change in Capacitance versus Rotation	-	Deviation ±10% max. (Note 9)		-
Final Measurements	Operating Torque	T _{qo}	0.03	0.7	N.cm
	Insulation Resistance (between rotor screw and mounting base)	Ri	Note 3	-	ΜΩ
	Quality Factor	Q	Note 3	-	-

ISSUE 3

Test Reference per ESCC	Characteristics	Symbols	Limits		Units
No. 3010			Min	Max	
Electrical and Mechanical	Minimum Capacitance	Cm	-	Note 1	pF
Measurements	Maximum Capacitance	СМ	Note 1	-	pF
	Change in Capacitance - Note 3		te 3	-	
	Insulation Resistance	Ri	Note 3	-	МΩ
	Voltage Proof	VP	Note 3	-	V
	Quality Factor	Q	Note 3	-	-
	Operating Torque T _{qo} Note 3		te 3	N.cm	
Temperature Coefficient		TC			10 ⁻⁶ /°C
(Note 2)	Between -55°C and +22°C		Note 1		
	Between +22°C and +125°C Note 1				
End-Stop Torque (Note 10)					
Final Measurements	Minimum Capacitance Cm - Note 1		Note 1	pF	
	Maximum Capacitance	СМ	Note 1	-	pF

NOTES:

- 1. As specified in Para. 1.4.2.
- 2. Measurements shall be made with the rotor set at approximately 75% of the maximum specified capacitance value.
- 3. As specified in Para. 2.5.1.
- Half the sample shall be measured with U_R applied and the remaining components shall be measured with no U_R applied.
- 5. 500 hours is applicable to Periodic Testing for extension of qualification.
- 6. 500 and 1000 hours is applicable to Qualification Testing, and to Periodic Testing for renewal of qualification after lapse.
- 7. 1000 hours is applicable to Periodic Testing for extension of qualification. 2000 hours is applicable to Qualification Testing, and to Periodic Testing for renewal of qualification after lapse.
- 8. Thrust: 1N
- 9. No reversals in direction.
- 10. Torque: 0.8N.cm

2.7 BURN-IN CONDITIONS

Characteristics	Symbols	Conditions	Units
Ambient Temperature	T _{amb}	+125 (+0 -3)	°C
Applied Voltage	V _A	750	V

2.8 OPERATING LIFE CONDITIONS

The conditions shall be as specified in Para. 2.7.



APPENDIX 'A' AGREED DEVIATIONS FOR EXXELIA TEMEX (F)

Item Affected	Description of Deviations
Para. 2.1.1, Deviations from the Generic Specification	 The following Deviations from Screening Tests – Chart F3 shall apply: Quality Factor per Electrical and Mechanical Measurements in ESCC Generic Specification No. 3010 and Para. 2.5.1 herein:
	Quality Factor measurements shall be performed at frequencies comprised between 100 and 400 MHz. The value of the Quality Factor shall be determined at 100MHz by using the following formula:
	$Qfo = Qm \times (fm/fo)^{3/2}$
	Where Qm is the Quality Factor read at frequency fm (fm is that frequency where the quarter-wave line, including the capacitance being measured, is resonating) and fo = 100MHz.
	The record sheet shall indicate the Quality Factor at 100MHz, as specified in Para. 2.5.1, as well as the frequency fm at which the Quality Factor was read.
Para. 2.1.1.1, Deviations from Qualification and Periodic Tests – Chart F4	Quality Factor per Electrical and Mechanical Measurements in ESCC Generic Specification No. 3010 and Para. 2.5.1 herein:
	Quality Factor measurements shall be performed at frequencies comprised between 100 and 400 MHz. The value of the Quality Factor shall be determined at 100MHz by using the following formula:
	$Qfo = Qm \times (fm/fo)^{3/2}$
	Where Qm is the Quality Factor read at frequency fm (fm is that frequency where the quarter-wave line, including the capacitance being measured, is resonating) and fo = 100MHz.
	The record sheet shall indicate the Quality Factor at 100MHz, as specified in Para. 2.5.1, as well as the frequency fm at which the Quality Factor was read.
	Electrical Subgroup (Subgroup 3), Electrical and Mechanical Measurements: Quality Factor measurements shall be performed prior to Solderability.