

Page i

# CAPACITORS, VARIABLE, CONCENTRIC

# TRIMMER, AIR DIELECTRIC, 1 TO 10 pF,

## **BODY DIAMETER 9.8mm**

# ESCC Detail Specification No. 3010/005

# ISSUE 1 October 2002



Document Custodian: European Space Agency - see https://escies.org



#### LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2002. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Ageny and provided that it is not used for a commercial purpose, may be:

- copied in whole in any medium without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



# european space agency agence spatiale européenne

Pages 1 to 17

# CAPACITORS, VARIABLE, CONCENTRIC

# TRIMMER, AIR DIELECTRIC, 1 TO 10 pF,

## **BODY DIAMETER 9.8mm**

ESA/SCC Detail Specification No. 3010/005



# space components coordination group

		Approved by				
Issue/Rev.	Date	SCCG Chairman	ESA Director General			
Issue 4	August 1995	Tomments	Hom			
Revision 'A'	June 1996	Jam (hitter	GA Som			
Revision 'B'	February 2002	7.805	Am			
<u>-</u>						



PAGE 2

## **DOCUMENTATION CHANGE NOTICE**

Rev. Letter	Rev. Date	CHANGE Reference Item	Approved DCR No.
		This Issue supersedes Issue 3 and incorporates all changes agreed in the following DCR's:- Cover page DCNTable 1(b): Notes rearrangedFigure 2: Clarity of Drawings improvedPara. 3: Test Voltage addedPara. 4.2.3: Title amended and deviations ref. Para. 9.3.3 deleted and incorporated as Note to Table 2Para. 4.2.4: Deviations ref. Para. 9.12 deleted and incorporated within Table 6Para. 4.3.3: Test conditions deletedPara. 4.3.5: Deleted in totoPara. 4.7: Title amendedPara. 4.7.3: New entry addedTable 2: Notes movedTable 3: Test Numbers and Temperature Coefficient amended and related Notes revisedTable 4: Columns and Symbol changedFigure 5: New entry addedPara. 4.8: Title amendedPara. 4.8: Title amendedPara. 4.8: Title amendedPara. 4.8: New entry addedPara. 4.8: Title amendedPara. 4.8.1 to 4.8.3: First sentence revisedPara. 4.8.5: New entry added	23748 221282 221282 23748 23748 23748 23748 23748 23748 23748 23748 23748 23748 23748
`A'	June '96	Para. 4.8.5       : New entry added         Table 6       : Reformatted         P1.       Cover Page       : Page count amended         P2.       DCN         P4.       T of C       : "None" deleted and Appendix 'A' entry added         P17.       Appendix 'A'       : New page added	23748 23748 221305 None 221305 221305
<b>'</b> B'	Feb. '02	P1. Cover Page : P2. DCN : P17. Annex 'A' : New sentence added	None None 221660

p	000000000000000000000000000000000000000				
	) See	ESA/SCC Detail Specification No. 3010/005		PAGE ISSUE	3
		TABLE OF CONTENTS		*****	
				F	Page
1.	GENERAL			-	5
1.1	Scope				~
1.2	Type Variants				5
1.3	Maximum Ratings				5 5
1.4	Parameter Derating Info	ormation			5
1.5	Physical Dimensions				5
1.6	Functional Diagram				5
	-				•
2.	APPLICABLE DOCUM	IENTS			5
•					
3.	TERMS, DEFINITIONS	S, ABBREVIATIONS, SYMBOLS AND U	<u>NITS</u>		5
4.	ne ol hnerstero				-
·•.	REQUIREMENTS				9
4.1	General				0
4.2	Deviations from Generic	Specification			9 9
4.2.1	Deviations from Special				9
4.2.2	Deviations from Final P				9
4.2.3	Deviations from Burn-in	and Electrical Measurements			9
4.2.4	Deviations from Qualific				9
4.2.5	Deviations from Lot Acc				9
4.3	Mechanical Requirement	nts			9
4.3.1	Dimension Check				9
4.3.2 4.3.3	Weight				9
4.3.3 4.3.4	Robustness of Terminal				9
4.3.4	Resistance to Soldering Materials and Finishes	Heat			10
4.4.1	Body				10
4.4.2	Terminals				10 10
4.5	Marking				10
4.5.1	General				10
4.5.2	The SCC Component N	lumber			10
4.5.3	Traceability Information				10
4.6	Electrical Measurement				11
4.6.1	Electrical Measurement				11
4.6.2	Electrical Measurement	s at High and Low Temperatures			11
4.6.3 4.7	Circuits for Electrical Me Burn-in Tests	easurements			11
4.7	Environmental and End	Kanoa Tooto			11
4.8.1		prance Tests pections on Completion of Environmental T	<sup>r</sup> ooto		14
4.8.2	Measurements and Insp	ections of Completion of Environmental bections at Intermediate Points during End	resis		14
4.8.3	Measurements and Insp	pections on Completion of Endurance Test	uranice rests		14 14
4.8.4	Conditions for Operating				14
4.8.5	Electrical Circuit for Ope				14
	•	-			, r

.

<b>See</b>	ESA/SCC Detail Specification No. 3010/005	Rev. 'A'	PAGE ISSUE	4
	No. 3010/005			

## <u>TABLES</u>

Page

.

2.

1(a) 1(b) 2 3 4 5 6	Type Variants Maximum Ratings Electrical Measurements at Room Temperature Electrical Measurements at High and Low Temperatures Parameter Drift Values Conditions for Operating Life Tests Measurements and Inspections on Completion of Environmental Tests and at Intermediate Points and on Completion of Endurance Testing	6 12 12 13 13 15
FIGURE	<u>S</u>	
1 2 3 4 5	Parameter Derating Information Physical Dimensions Functional Diagram Circuits for Electrical Measurements Electrical Circuit for Operating Life Tests	N/A 7 8 13 13
APPENC 'A'	DICES (Applicable to specific Manufacturers only) Agreed Deviations for Tekelec (F)	17



#### 1. <u>GENERAL</u>

#### 1.1 <u>SCOPE</u>

This specification details the ratings, physical and electrical characteristics, test and inspection data for Capacitors, Variable, Concentric Trimmer, Air Dielectric, 1 to 10 pF. It shall be read in conjunction with ESA/SCC Generic Specification No. 3010, the requirements of which are supplemented herein.

#### 1.2 <u>TYPE VARIANTS</u>

The type variants covered by this specification are scheduled in Table 1(a).

#### 1.3 MAXIMUM RATINGS

The maximum ratings, which shall not be exceeded at any time during use or storage, applicable to the capacitors specified herein are scheduled in Table 1(b).

1.4 PARAMETER DERATING INFORMATION (FIGURE 1)

Not applicable.

#### 1.5 PHYSICAL DIMENSIONS

The physical dimensions of the capacitors specified herein are shown in Figure 2.

#### 1.6 <u>FUNCTIONAL DIAGRAM</u>

The functional diagram for the capacitors specified herein is shown in Figure 3.

#### 2. <u>APPLICABLE DOCUMENTS</u>

The following documents form part of this specification and shall be read in conjunction with it:-

- (a) ESA/SCC Generic Specification No. 3010 for Capacitors, Variable, Concentric Trimmer.
- (b) IEC Publication No. 68-2-21, Robustness of Terminations.

#### 3. TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS

For the purpose of this specification, the terms, definitions, abbreviations, symbols and units specified in ESA/SCC Basic Specification No. 21300 shall apply. In addition the following symbols are used:-

 $T_{qo} = Operating Torque.$ 

 $V_T = Test Voltage.$ 



2.

,

#### TABLE 1(a) - TYPE VARIANTS

Variant		itance F)	Temperature Coefficient	Figure	
	Min.	Max.	(10−6/°C)	-	
01	1.0	10	± 20	2(a)	
02	1.0	10	± 20	2(b)	
03	1.0	10	± 20	2(c)	

#### TABLE 1(b) - MAXIMUM RATINGS

No.	Characteristics	Symbol	Limits		المتعال	Demorike	
	Undractenstics	Зупрог	Min.	Max.	Unit	Remarks	
1	Rated Voltage	U <sub>R</sub>	~	250	V	~	
2	Operating Temperature Range	T <sub>op</sub>	~ 55	+ 125	°C	Without derating	
3	Storage Temperature Range	T <sub>stg</sub>	- 55	+ 125	°C	-	
4	Soldering Temperature	T <sub>sol</sub>	~	+ 260	°C	Note 1	
5	Panel Mounting Nut Tightening Torque	~	~	70	cm.N	Note 2	
6	Sealing Cap Tightening Torque	~	-	10	cm.N	Note 2	

#### <u>NOTES</u>

- 1. Duration 5.0 seconds maximum.
- 2. Handling precautions:
  - Use appropriate turning tool.
  - Rotor shall not be disconnected from stator.
  - When cleaning with solvent, it is absolutely necessary to screw on a sealing cap.
  - Sealing cap shall not be used on flight units.
  - Sealing cap shall be supplied with all units.

#### FIGURE 1 - PARAMETER DERATING INFORMATION




2

.

#### FIGURE 2 - PHYSICAL DIMENSIONS


FIGURE 2(a) - VARIANT 01, LUG PANEL MOUNT



### S1, S2 - Vibration and shock axis

		ØA	В	С	D	E	F	ØG	н
mm	MIN.	-	10.50	6.30	1.50	9.90	-	2.15	7.40
	MAX.	9.80	10.90	6.40	1.70	10.10	9.80	2.25	7.50

#### FIGURE 2(b) - VARIANT 02, TURRET PANEL MOUNT




#### S1, S2 - Vibration and shock axis

		ØA	В	С	D	E	ØF	G	н
mm	MIN.	-	10.50	6.30	1.50	9.90	3.10	2.60	7.40
	MAX.	9.80	10.90	6.40	1.70	10.10	3.30	3.00	7.50



#### FIGURE 2 - PHYSICAL DIMENSIONS (CONTINUED)






S1, S2 - Vibration and shock axis

	***************************************	ØA	В	С	D	Е	F	G	н	J	к
mm	MIN.	~		17.50	10.90	0.35	0.75	7.85	9.40	-	7.40
	MAX.	9.80	11.30	18.10	11.30	0.45	0.85	7.95	-	0.60	7.50

#### FIGURE 3 - FUNCTIONAL DIAGRAM





2.

#### 4. <u>REQUIREMENTS</u>

#### 4.1 <u>GENERAL</u>

The complete requirements for procurement of the capacitors specified herein are stated in this specification and ESA/SCC Generic Specification No. 3010 for Capacitors, Variable, Concentric Trimmer. Deviations from the Generic Specification, applicable to this specification only, are listed in Para. 4.2.

Deviations from the applicable Generic Specification and this Detail Specification, formally agreed with specific Manufacturers on the basis that the alternative requirements are equivalent to the ESA/SCC requirements and do not affect the components' reliability, are listed in the appendices attached to this specification.

#### 4.2 DEVIATIONS FROM GENERIC SPECIFICATION

- 4.2.1 <u>Deviations from Special In-process Controls</u> None.
- 4.2.2 <u>Deviations from Final Production Tests (Chart II)</u>(a) Serialisation: Not applicable.
- 4.2.3 Deviations from Burn-in and Electrical Measurements (Chart III)
  - (a) Para. 7.1, "Burn-in": Not applicable.
  - (b) Para. 9.3.2, "Parameter Drift Value Measurements": Not applicable.
- 4.2.4 <u>Deviations from Qualification Tests (Chart IV)</u> None.
- 4.2.5 <u>Deviations from Lot Acceptance Tests (Chart V)</u> None.

#### 4.3 MECHANICAL REQUIREMENTS

#### 4.3.1 Dimension Check

The dimensions of the capacitors specified herein shall be verified in accordance with the requirements set out in Para. 9.5 of ESA/SCC Generic Specification No. 3010 and they shall conform to those shown in Figure 2 of this specification.

4.3.2 Weight

The maximum weight of the capacitors specified herein shall be 5.0 grammes.

#### 4.3.3 <u>Robustness of Terminations</u>

The requirements for robustness of terminations are specified in Section 9 of ESA/SCC Generic Specification No. 3010.

Applicable to Variant 03 only.



-

#### 4.3.4 Resistance to Soldering Heat

The requirements for resistance to soldering heat are specified in Section 9 of ESA/SCC Generic Specification No. 3010. The test conditions shall be as follows:-

Immersion Depth: To within 1.0mm from the body.

Immersion Time:  $3.5 \pm 0.5$  seconds.

#### 4.4 MATERIALS AND FINISHES

The materials and finishes shall be as specified herein. Where a definite material is not specified, a material which will enable the capacitors specified herein to meet the performance requirements of this specification shall be used. Acceptance or approval of any constituent material does not guarantee acceptance of the finished product.

4.4.1 <u>Body</u>

Ceramic.

4.4.2 Terminals

Terminals shall be gold-plated or tinned.

- 4.5 MARKING
- 4.5.1 General

The marking of components delivered to this specification shall be in accordance with the requirements of ESA/SCC Basic Specification No. 21700 and the following paragraphs. When the component is too small to accommodate all of the marking specified, as much as space permits shall be marked and the marking information, in full, shall accompany the component in its primary package.

The information to be marked and the order of precedence, shall be as follows:-

- (a) The SCC Component Number.
- (b) Traceability Information.

#### 4.5.2 The SCC Component Number

The SCC Component Number shall be constituted and marked as follows:-

#### 4.5.3 Traceability Information

Traceability information shall be marked in accordance with the requirements of ESA/SCC Basic Specification No. 21700.

- (a) Manufacturing Date Code.
- (b) Serial Number.
- (c) Manufacturer's Name.



----

.

#### 4.6 ELECTRICAL MEASUREMENTS

#### 4.6.1 <u>Electrical Measurements at Room Temperature</u>

The parameters to be measured at room temperature are scheduled in Table 2. Unless otherwise specified, measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.6.2 <u>Electrical Measurements at High and Low Temperatures</u>

The parameters to be measured at high and low temperatures are scheduled in Table 3.

- 4.6.3 <u>Circuits for Electrical Measurements</u> Not applicable.
- 4.7 <u>BURN-IN TESTS</u>



ISSUE 4

2.

,

#### TABLE 2 - ELECTRICAL MEASUREMENTS AT ROOM TEMPERATURE

No.	Characteristics	Symbol	ESA/SCC 3010	Test	Lin	nits	Unit
		- Oynioon	Test Method	Conditions	Min	Max	Unit
1	Minimum Capacitance	Cm	Para. 9.3.1.1	1.0 ± 0.1MHz	-	1.0	pF
2	Maximum Capacitance	CM	Para. 9.3.1.1	1.0 ± 0.1MHz	10	-	pF
3	Change in Capacitance	-	Para. 9.3.1.2	1.0 ± 0.1MHz Note 1	~	~	-
4	Insulation Resistance	R <sub>i</sub>	Para. 9.3.1.3	500V ± 25V	106	-	MΩ
5	Voltage Proof	VP	Para. 9.3.1.4	~	1000	~	V
6	Quality Factor	Q	Para. 9.3.1.5	100 ± 5.0MHz Note 2	2000	~	-
7	Operating Torque	Τ <sub>qo</sub>	Para. 9.3.1.6	C minimum to maximum	0.7	4.2	N.cm

#### <u>NOTES</u>

- 1. No change of sign over the entire adjustment range.
- 2. Sampling Level II, AQL = 1.0%.

## TABLE 3 - ELECTRICAL MEASUREMENTS AT HIGH AND LOW TEMPERATURES

8			***************************************			******	
No.	Characteristics	Symbol	ESA/SCC 3010	Test Conditions	Lin	nits	Unit
		-	Test Method	othod (Note 1)		Max	Unit
4	Insulation Resistance at T <sub>amb</sub> = + 125 ± 3 °C	R <sub>i</sub>	Para. 9.3.1.3	1000V ± 25V	105	~	MΩ
8(i)	Temperature Coefficient	TC1	Para. 9.18	Between ~55 and +22 °C Note 2	-20	+ 20	10 <sup>-6/°</sup> C
8(ii)	Temperature Coefficient	TC2	Para. 9.18	Between +22 and +125 °C Note 2	~20	+ 20	10~6/°C

#### <u>NOTES</u>

- 1. Inspection Level II, AQL 2.5%.
- 2. Trimmers set at approx. 75% of rated max. capacitance.



#### FIGURE 4 - CIRCUITS FOR ELECTRICAL MEASUREMENTS

Not applicable.

#### **TABLE 4 - PARAMETER DRIFT VALUES**

Not applicable.

## **TABLE 5 - CONDITIONS FOR OPERATING LIFE TESTS**

No.	Characteristic	Symbol	Condition	Unit	
1	Ambient Temperature	T <sub>amb</sub>	+ 125( + 0 - 3)	°C	
2	Test Voltage	VT	750	V	

## FIGURE 5 - ELECTRICAL CIRCUIT FOR OPERATING LIFE TESTS



2-

#### 4.8 <u>ENVIRONMENTAL AND ENDURANCE TESTS (CHARTS IV AND V OF ESA/SCC GENERIC</u> SPECIFICATION No. 3010)

#### 4.8.1 <u>Measurements and Inspections on Completion of Environmental Tests</u>

The parameters to be measured and inspections to be performed on completion of environmental tests are scheduled in Table 6. Unless otherwise specified, the measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.8.2 Measurements and Inspections at Intermediate Points during Endurance Tests

The parameters to be measured and inspections to be performed at intermediate points during endurance tests are scheduled in Table 6. Unless otherwise specified, the measurements shall be performed at  $T_{amb}$  = +22±3 °C.

#### 4.8.3 <u>Measurements and Inspections on Completion of Endurance Tests</u>

The parameters to be measured and inspections to be performed on completion of endurance testing are scheduled in Table 6. Unless otherwise specified, the measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.8.4 <u>Conditions for Operating Life Tests (Part of Endurance Testing)</u>

The requirements for operating life testing are specified in Section 9 of ESA/SCC Generic Specification No. 3010. The conditions for operating life testing shall be as specified in Table 5 for the Burn-in test

#### 4.8.5 <u>Electrical Circuit for Operating Life Tests (Figure 5)</u>



## TABLE 6 - MEASUREMENTS AND INSPECTIONS ON COMPLETION OF ENVIRONMENTAL TESTS AND AT INTERMEDIATE POINTS AND ON COMPLETION OF ENDURANCE TESTING

	ESA/SCC GENERIC SPEC. NO. 3010		MEASUREMENTS AND INSPECTIONS		<b>.</b>	LIMITS		1
NO.	ENVIRONMENTAL AND ENDURANCE TESTS (1)	TEST METHOD AND CONDITIONS	IDENTIFICATION	CONDITIONS	SYMBOL	MIN.	MAX.	UNIT
01	Rapid Change of Temperature	Para. 9.2	Initial Measurements Capacitance	Table 2 Items 1 & 2	CM & Cm	Tat	ble 2	pF
			Final Measurements Capacitance Drift	After a recovery period of $24 \pm 3$ hrs Table 2 Items 1 & 2	ΔCM & ΔCm	0.05 0.5	+ 0.05 + 0.5	pF or (4) %
02	Electrical and Mechanical Measurements	Para. 9.3.4	Electrical and Mechanical Measurements	Table 2		Tat	ole 2	******
03	Robustness of Terminations	Para. 9.6 & Para. 4.3.3 of this spec.	None	~	-	-	-	~
04	Solderability	Para. 9.7	Visual Examination	Magn. 10X to 30X	-	~	~	-
05	Resistance to Soldering Heat	Para. 9.8 & Para. 4.3.4 of this spec.	Initial Measurements Capacitance Final Measurements	Table 2 Item 1 at 0.75 CM After a recovery	с	-	-	pF
			Capacitance Drift	period of 24 ± 3 hrs Table 2 Item 1 at 0.75 CM	ΔC	~0.05 ~1.0	+0.05 +1.0	pF or (4) %
			Voltage Proof Quality Factor	Table 2 Item 5 Table 2 Item 6	Vp Q	1000 2000	-	V -
06	Vibration	Para. 9.9	Initial Measurements Capacitance	Table 2 Item 1 at 0.75 CM	с	-	-	pF
			During Test Visual Examination	No arcing or shorting >0.5ms	-	-	Ţ	-
			Final Measurements Capacitance Drift	Table 2 Item 1 at 0.75 CM	ΔC	- 0.05 - 1.0	+0.05 +1.0	pF or (4) %
07	Shock or Bump	Para. 9.10	Initial Measurements Capacitance	Table 2 Item 1 at 0.75 CM	с	-	~	pF
			During Test Visual Examination	No arcing or shorting >0.5ms	-	-	-	-
			Final Measurements Capacitance Drift	Table 2 Item 1 at 0.75 CM	ΔC	~ 0.05 ~ 1.0	+ 0.05 + 1 <i>.</i> 0	pF or (4) %
08	Climatic Sequence		Initial Measurements Capacitance During Test	Table 2 Item 1 at 0.75 CM Post Dry Heat	С	-	-	pF
			Visual Examination	& Cold Tests No evidence of mechanical damage	-	-	¥	-
			Final Measurements Visual Examination	After a recovery period of 24 ± 3 hrs No evidence of damage		۰	-	~
			Capacitance Drift	Table 2 Item 1 at 0.75 CM	۵C	0.05 1.0	+0.05 +1.0	pF or (4) %
			Quality Factor Insulation Resistance Voltage Proof Operating Torque	Table 2 Item 6 Table 2 Item 4 Table 2 Item 5 Table 2 Item 7	Q Rí Vp T <sub>qo</sub>	2000 10 <sup>5</sup> 1000 0.7	-4.2	- MΩ V N.cm

1. The tests in this Table refer to either Chart IV or V and shall be used as applicable. <u>NOTES</u>

No change of sign over the entire adjustment range.
 1000 hrs Intermediate and 2000 hrs Final relate to Qualification Testing (Chart IV) only.

4. Whichever is greater.



## TABLE 6 - MEASUREMENTS AND INSPECTIONS ON COMPLETION OF ENVIRONMENTAL TESTS AND AT INTERMEDIATE POINTS AND ON COMPLETION OF ENDURANCE TESTING (CONT'D)

	ESA/SCC GENERIC	SPEC. NO. 3010	MEASUREMENTS AND INSPECTIONS			LIMITS		<b></b>
NO.	ENVIRONMENTAL AND ENDURANCE TESTS (1)	TEST METHOD AND CONDITIONS	IDENTIFICATION	CONDITIONS	SYMBOL	MIN.	MAX.	UNIT
09	Damp Heat, Steady State	Para. 9.12 and Para. 4.3.5 of this specification Half of components	Initial Measurements Capacitance Final Measurements	Table 2 Items 1 & 2 After a recovery	CM & Cm	Tab	le 2	pF
		with $U_R$ applied, half of components without $U_R$ applied.	Capacitance Drift Quality Factor Insulation Resistance Insulation Resistance Voltage Proof Operating Torque	Table 2 Item 6 Table 2 Item 6 Table 2 Item 4 Table 2 Item 4 Table 2 Item 4 Table 2 Item 5 Table 2 Item 7	ΔCM & ΔCm Q Ri Cm Ri CM Vp T <sub>qo</sub>	0.05 2.0 2000 10 <sup>5</sup> 10 <sup>5</sup> 1000 0.7	+ 0.05 + 2.0 - - 4.2	pF or (4) % ΜΩ ΜΩ V N.cm
10	End Stop Torque	Para. 9.13 Torque: 5.0 N.cm Duration: 5.0±1s	Final Measurements Minimum Capacitance Maximum Capacitance External Visual Inspection	Table 2 Item 1 Table 2 Item 2 Para. 9.4 of ESA/SCC 3010	Cm CM -	- Tab.1(a) -	Tab.1(a) - -	pF pF -
11	Axial Thrust	Para. 9.14 Thrust: 10 N max.	Initial Measurements Capacitance During Test	Table 2 Item 1 at 0.75 CM With Thrust applied	С	-	~	pF
			Capacitance Drift	Table 2 Item 1 at 0.75 CM	ΔC	-0.05 -1.0	+0.05 +1.0	pF or (4) %
12	Mechanical Endurance	Para. 9.15	During Test Voltage Proof Capacitance vs Rotation Operating Torque Insulation Resistance	After initial 50 cycles Table 2 Item 5 Para. 9.15 of ESA/SCC 3010 Table 2 Item 7 Between rotor screw and base, Para. 9.15 of ESA/SCC 3010	Vp ΔC Τqo Ri	1000 Deviatior max. 0.35 Table 2	(2) 5.75	V - N.cm MΩ
			Final Measurements Voltage Proof Minimum Capacitance Maximum Capacitance Insulation Resistance Insulation Resistance Quality Factor	Table 2 Item 5 Table 2 Item 1 Table 2 Item 2 Table 2 Item 4 Table 2 Item 4 Table 2 Item 6	Vp Cm CM Ri Cm Ri CM Q	1000 - Tab.1(a) 10 <sup>6</sup> 10 <sup>6</sup> 2000	- Tab.1(a) - - -	V pF pF MΩ MΩ
13	Operating Life	Change limits relate to initial (0- hour)	Initial Measurements Capacitance Intermediate Measurements	Table 2 Item 1 500 & 1000 hrs (3) After a recovery period of 4 ± 2 hrs	СМ	Tab	le 2	pF
			Capacitance Drift Insulation Resistance Voltage Proof Quality Factor Operating Torque Final Measurements	Table 2 Item 1 Table 2 Item 4 Table 2 Item 5 Table 2 Item 6 Table 2 Item 7 1000 & 2000 hrs (3) After a recovery	ΔCM Ri CM Vp Q T <sub>qo</sub>	- 0.05 - 2.0 10 <sup>6</sup> 1000 2000 0.7	+0.05 +2.0 - - 4.2	pF or (4) % MΩ V - N cm
			Capacitance Drift Insulation Resistance Voltage Proof Quality Factor Operating Torque	period of 24 ± 2 hrs Table 2 Item 1 Table 2 Item 4 Table 2 Item 5 Table 2 Item 6 Table 2 Item 7	∆CM Ri CM Vp Q T <sub>go</sub>	-0.05 -2.0 10 <sup>6</sup> 1000 2000 0.7	+ 0.05 + 2.0	pF or (4) % ΜΩ V - N.cm
14	Temperature Coefficient	Para. 9.18	Temperature Coefficient	Table 3 Item 8(i) or 8(ii)	TC	Table	*****	10-6/°C

NOTES: See Page 15.



Rev. 'B'

PAGE 17

#### APPENDIX 'A'

Page 1 of 1

#### AGREED DEVIATIONS FOR TEKELEC (F)

Para. 9.3.1.5, Quality Factor of ESA/SCC Generic Specification No. 3010 and Table 2 of this specification.

Measurement of the Q factor shall be performed at frequencies comprised between 100 and 400 MHz.

The value of the Q factor shall be determined at 100MHz by using the following formula:

 $Qfo = Qm \times (fm/fo)^{3/2}$ 

where Qm is the Q factor read at frequency fm (fm is that frequency where the quarter-wave line, including the capacitance being measured, is resonating) and fo = 100MHz.

The record sheet shall indicate the Q factor at 100MHz, as required by Table 2 of this specification, as well as the frequency fm at which the Q factor was read.

For LAT level 3: The measurements of the Q factor required by Table 2 of this specification must be done before solderability.