

Page i

# DIODES, MICROWAVE, SILICON, TUNING VARACTOR, BASED ON TYPES ML4336 THRU ML4343 ESCC Detail Specification No. 5512/005

# ISSUE 1 October 2002





#### **ESCC Detail Specification**

| PAGE  | ii |
|-------|----|
| ISSUE | 1  |

#### **LEGAL DISCLAIMER AND COPYRIGHT**

European Space Agency, Copyright © 2002. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or allleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Ageny and provided that it is not used for a commercial purpose, may be:

- copied in whole in any medium without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



# european space agency agence spatiale européenne

Pages 1 to 24

# DIODES, MICROWAVE, SILICON, TUNING VARACTOR, BASED ON TYPES ML4336 THRU ML4343 ESA/SCC Detail Specification No. 5512/005



# space components coordination group

|                                       |          | Approved by   |                                    |  |
|---------------------------------------|----------|---------------|------------------------------------|--|
| lssue/Rev.                            | Date     | SCCG Chairman | ESA Director General or his Deputy |  |
| Issue 1                               | May 1993 | Tommens       | the                                |  |
| Revision 'A'                          | May 2000 | Sa mill       | Joons .                            |  |
| , , , , , , , , , , , , , , , , , , , |          |               |                                    |  |
|                                       |          |               |                                    |  |



Rev. 'A'

PAGE 2

ISSUE 1

# **DOCUMENTATION CHANGE NOTICE**

| Rev.<br>Letter | Rev.         | Reference  | CHANGE<br>Item  | Approved  |
|----------------|--------------|--|---|---|
| Rev.<br>Letter | Rev.<br>Date | P13. Para. 4.2.1 :  Para. 4.2.2 : Para. 4.2.3 : P16. Para. 4.7.3 :  P20. Table 5(a) : Table 5(b) : Figure 5 : Figure 5(b) : P21. Para. 4.8.3 : | CHANGE Item  Table 5(a) entry amended Table 5(b) entry amended to "5(a)" Figure 5 (b) entry added Deviations (a) and (b) paragraph reference amended Deviation (c) deleted and (d) renumbered as "(c)" Deviation deleted and "None" added Deviation (a) paragraph reference amended New paragraph added Existing paragraph renumbered as "4.7.4" and amended Title amended Title amended Existing Table deleted and new Table added Renumbered as "5(a)" New Figure added In the second sentence, "5(b)" amended to "5(a)" In the text, "5" amended to "5(a)" | Approved DCR No.  None None 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 221551 |
|                |              |  |   |   |



PAGE 3

ISSUE 1

#### TABLE OF CONTENTS

| 1.  | GENERAL   | <u>Page</u> <b>5</b>   |
|---|---|--|
| 1.1<br>1.2<br>1.3<br>1.4<br>1.5<br>1.6  | Scope Type Variants Maximum Ratings Parameter Derating Information Physical Dimensions Functional Diagram Handling Precautions  | 5<br>5<br>5<br>5<br>5<br>5<br>5  |
| 2.  | APPLICABLE DOCUMENTS  | 5  |
| 3.  | TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS  | 5  |
| 4   | REQUIREMENTS  | 13   |
| 4.1<br>4.2<br>4.2.1<br>4.2.2<br>4.2.3<br>4.2.4<br>4.2.5<br>4.3.3<br>4.3.1<br>4.3.2<br>4.3.3<br>4.4<br>4.4.1<br>4.5.2<br>4.5.3<br>4.5.4<br>4.6.1<br>4.6.2<br>4.6.3<br>4.7.1<br>4.7.2<br>4.7.3<br>4.8 | General Deviations from Generic Specification Deviations from Special In-process Controls Deviations from Final Production Tests Deviations from Burn-in and Electrical Measurements Deviations from Qualification Tests Deviations from Lot Acceptance Tests Mechanical and Environmental Requirements Dimension Check Weight Terminal Strength Materials and Finishes Case Lead Materials and Finish Marking General Cathode Identification The SCC Component Number Traceability Information Electrical Measurements at Room Temperature Electrical Measurements at High and Low Temperatures Circuits for Electrical Measurements Burn-in Tests Parameter Drift Values Conditions for High Temperature Reverse Bias Burn-in Electrical Circuit for High Temperature Reverse Bias Burn-in Electrical Circuit for High Temperature Reverse Bias Burn-in | 13<br>13<br>13<br>13<br>13<br>13<br>13<br>14<br>14<br>15<br>15<br>15<br>15<br>16<br>16<br>16<br>16<br>16<br>16<br>16<br>16<br>16<br>16 |
| 4.8.1<br>4.8.2<br>4.8.3<br>4.8.4<br>4.9<br>4.9.1<br>4.9.2<br>4.9.3<br>4.10  | Electrical Measurements on Completion of Environmental Tests Electrical Measurements at Intermediate Points and on Completion of Endurance Tests Conditions for Operating Life Tests Electrical Circuits for Operating Life Tests Total Dose Irradiation Testing Application Bias Conditions Electrical Measurements Special Testing  | 21<br>21<br>21<br>21<br>21<br>21<br>21<br>21   |



Rev. 'A'

PAGE 4 ISSUE 1

| TABLES | <u>s</u>  | Page |
|--------|---|------|
| 1(a)   | Type Variants   | 6    |
| 1(b)   | Maximum Ratings   | 8    |
| 2      | Electrical Measurements at Room Temperature - D.C. Parameters                         | 17   |
|        | Electrical Measurements at Room Temperature - A.C. Parameters                         | 17   |
| 3      | Electrical Measurements at High and Low Temperatures                                  | 18   |
| 4      | Parameter Drift Values  | 18   |
| 5(a)   | Conditions for High Temperature Reverse Bias Burn-in and Operating Life Tests         | 20   |
| 5(b)   | Conditions for Power Burn-in  | 20   |
| 6      | Electrical Measurements at Intermediate Points and on Completion of Endurance Testing | 22   |
| 7      | Electrical Measurements During and on Completion of Irradiation Testing               | 23   |
| FIGURE | <u>:S</u>   |      |
| 1      | Parameter Derating Information  | 8    |
| 2      | Physical Dimensions   | 9    |
| 3      | Functional Diagram  | 12   |
| 4      | Circuits for Electrical Measurements  | 19   |
| 5(a)   | Electrical Circuit for High Temperature Reverse Bias Burn-in and Operating Life Tests | 20   |
| 5(b)   | Electrical Circuit for Power Burn-in  | 20   |
| 6      | Bias Conditions for Irradiation Testing   | 22   |
| APPEN  | DICES (Applicable to specific Manufacturers only)                                     |      |
| 'A'    | Agreed Deviations for M/A-Com Ltd. (G.B.)   | 24   |



PAGE

ISSUE -

5

#### 1. **GENERAL**

#### 1.1 SCOPE

This specification details the ratings, physical and electrical characteristics, test and inspection data for a Diode, Microwave, Silicon, Tuning Varactor, based on Types ML4336 thru ML4343. It shall be read in conjunction with ESA/SCC Generic Specification No. 5010, the requirements of which are supplemented herein.

#### 1.2 TYPE VARIANTS

Variants of the basic diodes specified herein, which are also covered by this specification are given in Table 1(a).

#### 1.3 MAXIMUM RATINGS

The maximum ratings, which shall not be exceeded at any time during use or storage, applicable to the diodes specified herein, are as scheduled in Table 1(b).

#### 1.4 PARAMETER DERATING INFORMATION

The derating information applicable to the diodes specified herein is shown in Figure 1.

#### 1.5 PHYSICAL DIMENSIONS

The physical dimensions of the diodes specified herein are shown in Figure 2.

#### 1.6 FUNCTIONAL DIAGRAM

The functional diagram, showing lead identification, of the diodes specified herein, is shown in Figure 3.

#### 1.7 HANDLING PRECAUTIONS

These devices are susceptible to damage by electrostatic discharge. Therefore, suitable precautions shall be employed for protection during all phases of manufacture, testing, packaging, shipment and any handling.

These components are Categorised as Class 2 with a Minimum Critical Path Failure Voltage of 3400V.

#### 2. APPLICABLE DOCUMENTS

The following documents form part of this specification and shall be read in conjunction with it:-

- (a) ESA/SCC Generic Specification No. 5010 for Discrete Microwave Semiconductor Components.
- (b) MIL-STD-750, Test Methods and Procedures for Semiconductor Devices.

#### 3. TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS

For the purpose of this specification, the terms, definitions, abbreviations, symbols and units specified in ESA/SCC Basic Specification No. 21300 shall apply.



PAGE 6

ISSUE 1

# TABLE 1(a) - TYPE VARIANTS

| VARIANT (1) | (2)<br>BASED ON<br>TYPE | (3)<br>FIGURE | (4) TOTAL CAPACITANCE C <sub>T</sub> (pF) |      | TOTAL CAPACITANCE |       | TOTAL CAPACITANCE QUALITY |  | FACTOR<br>(Q) | (6)<br>BODY-LID<br>AND LEAD<br>MATERIAL<br>AND FINISH |
|-------------|-------------------------|---------------|---|------|-------------------|-------|---------------------------|--|---------------|---|
|             |                         |               | MIN                                       | MAX  | (                 |       |                           |  |               |   |
| 01          | ML4336 - 30             | 2(a)          | 2.30                                      | 3.10 | 1350              | A7-D2 |                           |  |               |   |
| 02          | ML4336 - 31             | 2(b)          | 2.30                                      | 3.10 | 1350              | A7-D2 |                           |  |               |   |
| 03          | ML4336 - 36             | 2(c)          | 2.30                                      | 3.10 | 1350              | A7-D2 |                           |  |               |   |
| 04          | ML4336 - 103            | 2(d)          | 2.40                                      | 3.20 | 1350              | A7-D2 |                           |  |               |   |
| 05          | ML4336 - 118            | 2(e)          | 2.34                                      | 3.14 | 1350              | A7    |                           |  |               |   |
| 06          | ML4336 - 186            | 2(f)          | 2.25                                      | 3.05 | 1350              | D2    |                           |  |               |   |
| 07          | ML4337 - 30             | 2(a)          | 2.85                                      | 3.75 | 1200              | A7-D2 |                           |  |               |   |
| 08          | ML4337 - 31             | 2(b)          | 2.85                                      | 3.75 | 1200              | A7-D2 |                           |  |               |   |
| 09          | ML4337 - 36             | 2(c)          | 2.85                                      | 3.75 | 1200              | A7-D2 |                           |  |               |   |
| 10          | ML4337 - 103            | 2(d)          | 2.95                                      | 3.85 | 1200              | A7-D2 |                           |  |               |   |
| 11          | ML4337 - 118            | 2(e)          | 2.89                                      | 3.79 | 1200              | A7    |                           |  |               |   |
| 12          | ML4337 - 186            | 2(f)          | 2.80                                      | 3.70 | 1200              | D2    |                           |  |               |   |
| 13          | ML4338 - 30             | 2(a)          | 3.40                                      | 4.40 | 1100              | A7-D2 |                           |  |               |   |
| 14          | ML4338 - 31             | 2(b)          | 3.40                                      | 4.40 | 1100              | A7-D2 |                           |  |               |   |
| 15          | ML4338 - 36             | 2(c)          | 3.40                                      | 4.40 | 1100              | A7-D2 |                           |  |               |   |
| 16          | ML4338 - 103            | 2(d)          | 3.50                                      | 4.50 | 1100              | A7-D2 |                           |  |               |   |
| 17 .        | ML4338 - 118            | 2(e)          | 3.44                                      | 4.44 | 1100              | A7    |                           |  |               |   |
| 18 ,        | ML4338 - 186            | 2(f)          | 3.35                                      | 4.35 | 1100              | D2    |                           |  |               |   |
| 19          | ML4339 - 30             | 2(a)          | 4.10                                      | 5.30 | 1000              | A7-D2 |                           |  |               |   |
| 20          | ML4339 - 31             | 2(b)          | 4.10                                      | 5.30 | 1000              | A7-D2 |                           |  |               |   |
| 21          | ML4339 - 36             | 2(c)          | 4.10                                      | 5.30 | 1000              | A7-D2 |                           |  |               |   |
| 22          | ML4339 - 103            | 2(d)          | 4.20                                      | 5.40 | 1000              | A7-D2 |                           |  |               |   |
| 23          | ML4339 - 118            | 2(e)          | 4.14                                      | 5.34 | 1000              | A7    |                           |  |               |   |
| 24          | ML4339 - 186            | 2(f)          | 4.05                                      | 5.25 | 1000              | D2 ·  |                           |  |               |   |
| 25          | ML4340 - 30             | 2(a)          | 4.90                                      | 6.30 | 1000              | A7-D2 |                           |  |               |   |
| 26          | ML4340 - 31             | 2(b)          | 4.90                                      | 6.30 | 1000              | A7-D2 |                           |  |               |   |
| 27          | ML4340 - 36             | 2(c)          | 4.90                                      | 6.30 | 1000              | A7-D2 |                           |  |               |   |
| 28          | ML4340 - 103            | 2(d)          | 5.00                                      | 6.40 | 1000              | A7-D2 |                           |  |               |   |
| 29          | ML4340 - 118            | 2(e)          | 4.94                                      | 6.34 | 1000              | A7    |                           |  |               |   |
| 30          | ML4340 - 186            | 2(f)          | 4.85                                      | 6.25 | 1000              | D2    |                           |  |               |   |
| 31          | ML4341 - 30             | 2(a)          | 5.90                                      | 7.70 | 900               | A7-D2 |                           |  |               |   |
| 32          | ML4341 - 31             | 2(b)          | 5.90                                      | 7.70 | 900               | A7-D2 |                           |  |               |   |
| 33          | ML4341 - 36             | 2(c)          | 5.90                                      | 7.70 | 900               | A7-D2 |                           |  |               |   |
| 34          | ML4341 - 103            | 2(d)          | 6.00                                      | 7.80 | 900               | A7-D2 |                           |  |               |   |
| 35          | ML4341 - 118            | 2(e)          | 5.94                                      | 7.74 | 900               | A7    |                           |  |               |   |
| 36          | ML4341 - 186            | 2(f)          | 5.85                                      | 7.65 | 900               | D2    |                           |  |               |   |



PAGE 7

ISSUE 1

# TABLE 1(a) - TYPE VARIANTS (CONT'D)

| VARIANT (1) | (2)<br>BASED ON<br>TYPE | (3)<br>FIGURE | (4)<br>TOTAL CAPACITANCE<br>C <sub>T</sub> (pF) |       | (5)<br>QUALITY<br>FACTOR<br>(Q)<br>(MINIMUM) | (6)<br>BODY-LID<br>AND LEAD<br>MATERIAL<br>AND FINISH |
|-------------|-------------------------|---------------|---|-------|--|---|
|             |                         |               | MIN   | MAX . | (Min min om)                                 | 7.112 1 1.11011                                       |
| 37          | ML4342 - 30             | 2(a)          | 7.20  | 9.20  | 850  | A7-D2   |
| 38          | ML4342 - 31             | 2(b)          | 7.20  | 9.20  | 850  | A7-D2   |
| 39          | ML4342 - 36             | 2(c)          | 7.20  | 9.20  | 850  | A7-D2   |
| 40          | ML4342 - 103            | 2(d)          | 7.30  | 9.30  | 850  | A7-D2   |
| 41          | ML4342 - 118            | 2(e)          | 7.24  | 9.24  | 850  | A7  |
| 42          | ML4342 - 186            | 2(f)          | 7.15  | 9.15  | 850  | D2  |
| 43          | ML4343 - 30             | 2(a)          | 8.70  | 11.30 | 800  | A7-D2   |
| 44          | ML4343 - 31             | 2(b)          | 8.70  | 11.30 | 800  | A7-D2   |
| 45          | ML4343 - 36             | 2(c)          | 8.70  | 11.30 | 800  | A7-D2   |
| 46          | ML4343 - 103            | 2(d)          | 8.80  | 11.40 | 800  | A7-D2   |
| 47          | ML4343 - 118            | 2(e)          | 8.74  | 11.34 | 800  | A7  |
| 48          | ML4343 - 186            | 2(f)          | 8.65  | 11.25 | 800  | D2  |



PAGE 8

ISSUE


#### **TABLE 1(b) - MAXIMUM RATINGS**

| No. | CHARACTERISTIC              | SYMBOL           | MAXIMUM<br>RATINGS | UNIT | REMARKS          |
|-----|-----------------------------|------------------|--------------------|------|------------------|
| 1   | D.C. Reverse Voltage        | V <sub>R</sub>   | - 40               | V    | Note 1           |
| 2   | Operating Temperature Range | T <sub>op</sub>  | -65 to +150        | °C   | T <sub>amb</sub> |
| 3   | Storage Temperature Range   | T <sub>stg</sub> | -65 to +150        | °C   |                  |
| 4   | Soldering Temperature       | T <sub>sol</sub> | + 230              | °C   | Note 2           |

#### **NOTES**

- 1. Measured at  $I_R = 10\mu A$  and  $T_{amb} = +25^{\circ}C$ . For derating at  $T_{amb} > +25^{\circ}C$ , see Figure 1.
- 2. Duration 5 seconds maximum (at a distance of not less than 1.5mm from the body for Variants 06, 12, 18, 24, 30, 36, 42 and 48) and the same termination shall not be resoldered until 3 minutes have elapsed.

#### FIGURE 1 - PARAMETER DERATING INFORMATION






PAGE


ISSUE 1

9


#### **FIGURE 2 - PHYSICAL DIMENSIONS**

#### FIGURE 2(a) - VARIANTS 01, 07, 13, 19, 25, 31, 37, 43







| SYMBOL   | MILLIMETRES |      |  |
|----------|-------------|------|--|
| STIVIBOL | MIN         | MAX  |  |
| Α        | 5.20        | 5.72 |  |
| В        | 2.16        | 2.46 |  |
| B1       | 0.41        | 0.61 |  |
| B2       | 0.15        | 0.25 |  |
| Ød       | 1.52        | 1.63 |  |
| ØD       | 3.00        | 3.23 |  |
| ØD1      | 1.95        | 2.11 |  |
| L        | 1.52        | 1.63 |  |




#### FIGURE 2(b) - VARIANTS 02, 08, 14, 20, 26, 32, 38, 44



| SYMBOL   | MILLIMETRES |      |  |
|----------|-------------|------|--|
| STINIBUL | MIN         | MAX  |  |
| Α        | 2.16        | 2.46 |  |
| B1       | 0.41        | 0.61 |  |
| B2       | 0.15        | 0.25 |  |
| ØD       | 3.00        | 3.23 |  |
| ØD1      | 1.95        | 2.11 |  |








PAGE 10

ISSUE 1

#### FIGURE 2 - PHYSICAL DIMENSIONS (CONTINUED)

FIGURE 2(c) - VARIANTS 03, 09, 15, 21, 27, 33, 39, 45



|        |              | -A             |          |
|--------|--------------|----------------|----------|
|        | <b>←</b> —L→ | <b>с</b> ——В—— | <b>→</b> |
| ØD1 Ød | B2→          |                | ØD       |
|        | O.           | allioue ello   |          |

| SYMBOL  | MILLIMETRES |      |  |
|---------|-------------|------|--|
| STVIDOL | MIN         | MAX  |  |
| Α       | 3.60        | 4.18 |  |
| В       | 2.16        | 2.46 |  |
| B1      | 0.41        | 0.61 |  |
| B2      | 0.15        | 0.25 |  |
| Ød      | 1.52        | 1.63 |  |
| ØD      | 3.00        | 3.23 |  |
| ØD1     | 1.95        | 2.11 |  |
| L       | 1.52        | 1.63 |  |






FIGURE 2(d) - VARIANTS 04, 10, 16, 22, 28, 34, 40, 46



| SYMBOL  | MILLIMETRES |      |  |  |
|---------|-------------|------|--|--|
| STWIBOL | MIN         | MAX  |  |  |
| Α       | 4.71        | 5.30 |  |  |
| В       | 1.47        | 1.80 |  |  |
| B1      | 0.41        | 0.61 |  |  |
| B2      | 0.20        | 0.30 |  |  |
| С       | 1.97        | 3.19 |  |  |
| ØD      | 3.00        | 3.23 |  |  |
| ØD1     | 2.49        | 2.59 |  |  |
| ØD2     | 1.60        | 2.00 |  |  |
| V       | 0.64        | 0.94 |  |  |








PAGE 11


ISSUE 1


# FIGURE 2 - PHYSICAL DIMENSIONS (CONTINUED)

FIGURE 2(e) - VARIANTS 05, 11, 17, 23, 29, 35, 41, 47



| SYMBOL  | MILLIM | ETRES |
|---------|--------|-------|
| STWIDOL | MIN    | MAX   |
| Α       | 4.19   | 4.70  |
| В       | 0.77   | 1.04  |
| B1      | 0.20   | 0.30  |
| B2      | 0.22   | 0.28  |
| С       | 2.21   | 3.29  |
| C1      | 0.38   | 0.64  |
| Ød      | 1.22   | 1.32  |
| ØD      | 2.49   | 2.59  |
| ØD1     | 1.60   | 2.00  |
| Q       | 0.64   | 1.14  |
| V       | 0.64   | 0.94  |









PAGE 12

ISSUE


#### FIGURE 2 - PHYSICAL DIMENSIONS (CONTINUED)

FIGURE 2(f) - VARIANTS 06, 12, 18, 24, 30, 36, 42, 48





| SYMBOL   | MILLIMETRES |      |  |
|----------|-------------|------|--|
| 3 TWIBOL | MIN         | MAX  |  |
| В        | 2.39        | 2.62 |  |
| d        | 0.07        | 0.15 |  |
| d1       | 0.48        | 0.56 |  |
| E        | 0.79        | 1.12 |  |
| E1       | 0.10        | 0.18 |  |
| L        | 3.30        | 5.84 |  |
| S        | 0.10        | -    |  |



**FIGURE 3 - FUNCTIONAL DIAGRAM** 



- 1. Anode
- 2. Cathode

#### **NOTES**

1. The cathode end shall be marked with a black dot or band. The marking will not be on the cathode connection but adjacent to it.



Rev. 'A'

PAGE 13

ISSUE 1

#### 4. **REQUIREMENTS**

#### 4.1 GENERAL

The complete requirements for procurement of the diodes specified herein shall be as stated in this specification and ESA/SCC Generic Specification No. 5010 for Discrete Microwave Semiconductor Components. Deviations from the Generic Specification applicable to this specification only, are listed in Para. 4.2.

Deviations from the applicable Generic Specification and this Detail Specification, formally agreed with specific Manufacturers on the basis that the alternative requirements are equivalent to the ESA/SCC requirements and do not affect the components' reliability, are listed in the appendices attached to this specification.

#### 4.2 <u>DEVIATIONS FROM GENERIC SPECIFICATION</u>

#### 4.2.1 <u>Deviations from Special In-process Controls</u>

- (a) Para. 5.2.3, Total Dose Irradiation Testing: Shall be performed during qualification and extension of qualification.
- (b) Para. 5.2.3, Total Dose Irradiation Testing: Shall be performed during procurement on a lot acceptance basis at the total dose irradiation level specified in the purchase order.
- (c) Quality Factor Measurement (Q): 3 randomly chosen samples shall be encapsulated in the type of package shown in Figure 2(a) of this specification. After encapsulation, Quality Factor measurements shall be performed using the method shown in Figure 4 of this specification with  $V_R = -4.0V$ . The limits specified in Table 1(a) of this specification shall be met.

#### 4.2.2 Deviations from Final Production Tests (Chart II)

None.

#### 4.2.3 <u>Deviations from Burn-in and Electrical Measurements (Chart III)</u>

(a) Para. 9.21, High Temperature Reverse Bias Burn-in: Shall be performed at 50% of rated V<sub>R</sub>.

#### 4.2.4 <u>Deviations from Qualification Tests</u> (Chart IV)

(a) Para. 9.23, Special Testing: Shall not be performed.

#### 4.2.5 <u>Deviations from Lot Acceptance Tests (Chart V)</u>

(a) Para. 9.23, Special Testing: Shall not be performed.

#### 4.3 MECHANICAL AND ENVIRONMENTAL REQUIREMENTS

#### 4.3.1 Dimension Check

The dimensions of the diodes specified herein shall be checked. They shall conform to those shown in Figure 2.



PAGE 14

ISSUE 1

#### 4.3.2 Weight

The maximum weight of the diodes specified herein shall be:

| Variant No.                    | Weight<br>(g) |
|--------------------------------|---------------|
| 01, 07, 13, 19, 25, 31, 37, 43 | 0.12          |
| 02, 08, 14, 20, 26, 32, 38, 44 | 0.06          |
| 03, 09, 15, 21, 27, 33, 39, 45 | 0.10          |

| Variant No.  | Weight<br>(g) |
|--|---------------|
| 04, 05, 10, 11, 16, 17, 22, 23, 28, 29, 34, 35, 40, 41, 46, 47 | 0.14          |
| 06, 12, 18, 24, 30, 36, 42, 48                                 | 0.06          |

#### 4.3.3 <u>Terminal Strength</u>

The requirements for terminal strength testing are specified in Section 9 of ESA/SCC Generic Specification No. 5010. The test conditions shall be as follows:-

#### (a) Condition: 'A' (Tension)

Variants 06, 12, 18, 24, 30, 36, 42 and 48:

- Force: 5.1N.

- Duration: 5 seconds.

#### (b) Condition: 'D2' (Stud Torque)

Variants 04, 10, 16, 22, 28, 34, 40 and 46:

- Torque: 56mNm.

- Duration: 5 seconds.

Variants 05, 11, 17, 23, 29, 35, 41 and 47:

- Torque: 42mNm.

- Duration: 5 seconds.

#### (c) Condition: Compression

Variants 01, 02, 03, 04, 07, 08, 09, 10, 13, 14, 15, 16, 19, 20, 21, 22, 25, 26, 27, 28, 31, 32, 33, 34, 37, 38, 39, 40, 43, 44, 45 and 46:

- Force: 50N.

- Duration: 5 seconds.

Variants 05, 11, 17, 23, 29, 35, 41 and 47:

Force: 10N.

- Duration: 5 seconds.

The compression test shall be performed by applying the specified force to the end-cap by means of a suitable weight applied for the specified time. On completion of the test, a visual examination shall be performed to check for damage to the end-cap or the ceramic body.



PAGE 15

ISSUE 1

#### 4.4 MATERIALS AND FINISHES

The materials and finishes shall be as specified herein. Where a definite material is not specified, a material which will enable the diodes specified herein to meet the performance requirements of this specification shall be used. Acceptance or approval of any constituent material shall not guarantee acceptance of the finished product.

#### 4.4.1 Case

The case shall be hermetically sealed and have a ceramic body. The lid shall be brazed, welded or preform soldered.

#### 4.4.2 Lead Materials and Finish

- (a) For Variants 01, 02, 03, 04, 07, 08, 09, 10, 13, 14, 15, 16, 19, 20, 21, 22, 25, 26, 27, 28, 31, 32, 33, 34, 37, 38, 39, 40, 43, 44, 45 and 46, the body material shall be Type 'A' with Type '7' finish and the lid material shall be Type 'D' with Type '2' finish, in accordance with the requirements of ESA/SCC Basic Specification No. 23500.
- (b) For Variants 05, 11, 17, 23, 29, 35, 41 and 47, the lead material shall be Type 'A' with Type '7' finish in accordance with the requirements of ESA/SCC Basic Specification No. 23500.
- (c) For Variants 06, 12, 18, 24, 30, 36, 42 and 48, the lead material shall be Type 'D' with Type '2' finish in accordance with the requirements of ESA/SCC Basic Specification No. 23500.

#### 4.5 MARKING

#### 4.5.1 General

The marking of components delivered to this specification shall be in accordance with the requirements of ESA/SCC Basic Specification No. 21700 and the following paragraphs. When the component is too small to accommodate all of the marking specified, as much as space permits shall be marked and the marking information, in full, shall accompany the component in its primary package.

The information to be marked and the order of precedence, shall be as follows:-

- (a) Cathode Identification.
- (b) The SCC Component Number.
- (c) Traceability Information.

#### 4.5.2 Cathode Identification

Cathode identification shall be as shown in Figures 2 and 3 of this specification.

#### 4.5.3 The SCC Component Number

Each component shall bear the SCC Component Number which shall be constituted and marked as follows:

|  | 551200501BF |
|--|-------------|
| Detail Specification Number                  |             |
| Type Variant (see Table 1(a))                |             |
| Testing Level (B or C, as applicable)        |             |
| Total Dose Irradiation Level (if applicable) |             |

The Total Dose Irradiation Level designation shall be added for those devices for which a sample has been successfully tested to the level in question. For these devices, a code letter shall be added in accordance with the requirements of ESA/SCC Basic Specification No. 22900.



Rev. 'A'

PAGE 16

ISSUE 1

#### 4.5.4 <u>Traceability Information</u>

Each component shall be marked in respect of traceability information as defined in ESA/SCC Basic Specification No. 21700.

#### 4.6 <u>ELECTRICAL MEASUREMENTS</u>

#### 4.6.1 <u>Electrical Measurements at Room Temperature</u>

The parameters to be measured at room temperature are scheduled in Table 2. Unless otherwise specified, the measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.6.2 <u>Electrical Measurements at High and Low Temperatures</u>

The parameters to be measured at high and low temperatures are scheduled in Table 3. Unless otherwise specified, the measurements shall be performed at  $T_{amb} = + 150(+0-3)$  °C.

#### 4.6.3 <u>Circuits for Electrical Measurements</u>

A circuit for use in performing the quality factor measurement is shown in Figure 4.

#### 4.7 BURN-IN TESTS

Burn-in shall be Category 1 of Chart III(a).

#### 4.7.1 Parameter Drift Values

The parameter drift values applicable to burn-in are specified in Table 4 of this specification. Unless otherwise stated, the measurements shall be performed at  $T_{amb}$  = +22±3 °C. The parameter drift values ( $\Delta$ ) applicable to the scheduled parameters shall not be exceeded. In addition to these drift value requirements for a given parameter, the appropriate limit value specified in Table 2 shall not be exceeded.

#### 4.7.2 Conditions for High Temperature Reverse Bias Burn-in

The requirements for the high temperature reverse bias burn-in are specified in Section 7 of ESA/SCC Generic Specification No. 5010. The conditions for high temperature reverse bias burn-in shall be as specified in Table 5(a) of this specification.

#### 4.7.3 Conditions for Power Burn-in

The requirements for power burn-in are specified in Section 7 of ESA/SCC Generic Specification No. 5010. The conditions for power burn-in shall be as specified in Table 5(b) of this specification.

#### 4.7.4 <u>Electrical Circuits for High Temperature Reverse Bias and Power Burn-in</u>

Circuits for use in performing the H.T.R.B and power burn-in tests are shown in Figures 5(a) and 5(b) of this specification.



PAGE 17

ISSUE 1

# TABLE 2 - ELECTRICAL MEASUREMENTS AT ROOM TEMPERATURE - D.C. PARAMETERS

| No.  | CHARACTERISTICS   | SYMBOL          | OL MIL-STD-750 TEST CONDITIONS |                        | LIM  | IITS | UNIT |
|------|-------------------|-----------------|--------------------------------|------------------------|------|------|------|
| 140. | 0.000             | OTWIDOL         | TEST METHOD                    | TEST CONDITIONS        | MIN. | MAX. | UNIT |
| 1    | Reverse Current 1 | l <sub>R1</sub> | 4016                           | V <sub>R</sub> = -40V  | -    | 10   | μΑ   |
| 2    | Reverse Current 2 | I <sub>R2</sub> | 4016                           | V <sub>R</sub> = -20V  | -    | 50   | nA   |
| 3    | Forward Voltage   | V <sub>F</sub>  | 4011                           | I <sub>F</sub> = 100mA | -    | 1.0  | V    |

# TABLE 2 - ELECTRICAL MEASUREMENTS AT ROOM TEMPERATURE - A.C. PARAMETERS

| No.  | CHARACTERISTICS            | SYMBOL MIL-STD | MIL-STD-750 | STD-750 TEST  | LIMITS                                 |                  | LINUT |
|------|----------------------------|----------------|-------------|---|--|------------------|-------|
| 140. | OTATIAOTERISTICS           | STIVIBOL       | TEST METHOD | CONDITIONS  | MIN.                                   | MAX.             | UNIT  |
| 4    | Total Capacitance          | C <sub>T</sub> | 4001        | V <sub>R</sub> = -4.0V<br>f = 1.0MHz  | Not                                    | e 1              | рF    |
| 5    | Total Capacitance<br>Ratio | -              | 4001        | $V_R = 0V$ $V_R = -40V$ $f = 1.0MHz$ Note 2 Variants 01 to 06 Variants 07 to 12 Variants 13 to 18 Variants 19 to 30 Variants 31 to 36 Variants 37 to 48 | 5.5<br>5.7<br>5.8<br>6.0<br>6.2<br>6.3 | -<br>-<br>-<br>- |       |

#### **NOTES**

1. See Column 4 of Table 1(a).

2. Ratio = 
$$\frac{C_T \text{ at } V_R = 0V}{C_T \text{ at } V_R = -40V}$$



PAGE 18

ISSUE 1

# TABLE 3 - ELECTRICAL MEASUREMENTS AT HIGH AND LOW TEMPERATURES

| No. | CHARACTERISTICS   | SYMBOL          | SPEC.AND/OR    | TEST           | LIM  | IITS | UNIT  |
|-----|-------------------|-----------------|----------------|----------------|------|------|-------|
|     | 0.0.00            | OTIVIDOL        | TEST METHOD    | CONDITIONS     | MIN. | MAX. | OIVII |
| 2   | Reverse Current 2 | I <sub>R2</sub> | As per Table 2 | As per Table 2 | -    | 10   | μА    |

#### **TABLE 4 - PARAMETER DRIFT VALUES**

| No. | CHARACTERISTICS   | SYMBOL          | SPEC.AND/OR<br>TEST METHOD | TEST<br>CONDITIONS | CHANGE<br>LIMITS<br>(Δ)         | UNIT    |
|-----|-------------------|-----------------|----------------------------|--------------------|---------------------------------|---------|
| 2   | Reverse Current 2 | I <sub>R2</sub> | As per Table 2             | As per Table 2     | ± 10 (1)<br>or (2)<br>± 100 (1) | nA<br>% |
| 3   | Forward Voltage   | V <sub>F</sub>  | As per Table 2             | As per Table 2     | ± 100 (1)                       | mV      |

#### **NOTES**


- 1.  $\Delta 1 = \Delta 2$ .
- 2. Whichever is the greater, referred to the initial measurement.



PAGE 19

ISSUE 1

#### FIGURE 4 - CIRCUITS FOR ELECTRICAL MEASUREMENTS





Rev. 'A'

PAGE 20

ISSUE 1


# TABLE 5(a) - CONDITIONS FOR HIGH TEMPERATURE REVERSE BIAS BURN-IN AND OPERATING LIFE TESTS

| No. | CHARACTERISTICS     | SYMBOL           | CONDITIONS      | UNIT |
|-----|---------------------|------------------|-----------------|------|
| 1   | Ambient Temperature | T <sub>amb</sub> | + 150( + 0 - 3) | °C   |
| 2   | Reverse Voltage     | V <sub>R</sub>   | -20             | V    |


#### TABLE 5(b) - CONDITIONS FOR POWER BURN-IN

| No. | CHARACTERISTICS     | SYMBOL           | CONDITIONS      | UNIT |
|-----|---------------------|------------------|-----------------|------|
| 1   | Ambient Temperature | T <sub>amb</sub> | + 125( + 0 - 3) | °C   |
| 2   | Forward Current     | lF               | 25              | mA   |

# FIGURE 5(a) - ELECTRICAL CIRCUIT FOR HIGH TEMPERATURE REVERSE BIAS BURN-IN AND OPERATING LIFE TESTS



#### FIGURE 5(b) - ELECTRICAL CIRCUIT FOR POWER BURN-IN





Rev. 'A'

PAGE 21

ISSUE 1

# 4.8 <u>ENVIRONMENTAL AND ENDURANCE TESTS (CHARTS IV AND V OF ESA/SCC GENERIC SPECIFICATION NO. 5010)</u>

#### 4.8.1 Electrical Measurements on Completion of Environmental Tests

The parameters to be measured on completion of environmental tests are scheduled in Table 2. Unless otherwise stated, the measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.8.2 <u>Electrical Measurements at Intermediate Points and on Completion of Endurance Tests</u>

The parameters to be measured at intermediate points and on completion of endurance tests are scheduled in Table 6. Unless otherwise stated, the measurements shall be performed at  $T_{amb} = +22 \pm 3$  °C.

#### 4.8.3 Conditions for Operating Life Tests (Part of Endurance Testing)

The requirements for operating life testing are specified in Section 9 of ESA/SCC Generic Specification No. 5010. The conditions for operating life testing are specified in Table 5(a) of this specification.

#### 4.8.4 <u>Electrical Circuits for Operating Life Tests</u>

The circuit to be used for performance of the operating life test shall be the same as shown in Figure 5(a) for High Temperature Reverse Bias Burn-in.

#### 4.9 TOTAL DOSE IRRADIATION TESTING

#### 4.9.1 Application

If specified in Para. 4.2.1 of this specification, total dose irradiation testing shall be performed in accordance with the requirements of ESA/SCC Basic Specification No. 22900.

#### 4.9.2 Bias Conditions

Continuous bias shall be applied during irradiation testing as shown in Figure 6 of this specification.

#### 4.9.3 Electrical Measurements

The parameters to be measured prior to irradiation exposure are scheduled in Table 2 of this specification. Only devices which meet the requirements of Table 2 shall be included in the test sample.

The parameters to be measured during and on completion of irradiation testing are scheduled in Table 7 of this specification.

#### 4.10 SPECIAL TESTING

Not applicable.




PAGE 22

ISSUE 1

# TABLE 6 - ELECTRICAL MEASUREMENTS AT INTERMEDIATE POINTS AND ON COMPLETION OF ENDURANCE TESTING

| No. | CHARACTERISTICS   | SYMBOL          | SPEC. AND/OR<br>TEST METHOD | TEST<br>CONDITIONS | LIMITS |         | UNUT |
|-----|-------------------|-----------------|-----------------------------|--------------------|--------|---------|------|
|     |                   |                 |                             |                    | MIN.   | MAX.    | UNIT |
| 1   | Reverse Current 1 | l <sub>R1</sub> | As per Table 2              | As per Table 2     | As per | Table 2 | μА   |
| 2   | Reverse Current 2 | I <sub>R2</sub> | As per Table 2              | As per Table 2     | As per | Table 2 | nA : |
| 3   | Forward Voltage   | V <sub>F</sub>  | As per Table 2              | As per Table 2     | As per | Table 2 | ٧    |
| 4   | Total Capacitance | .C <sub>T</sub> | As per Table 2              | As per Table 2     | As per | Table 2 | pF   |

#### FIGURE 6 - BIAS CONDITIONS FOR IRRADIATION TESTING



NOTES 1. A reverse bias of  $V_R = -20V$ , shall be applied.



PAGE 23


ISSUE 1

# TABLE 7 - ELECTRICAL MEASUREMENTS DURING AND ON COMPLETION OF IRRADIATION TESTING

| No. | CHARACTERISTICS   | SYMBOL          | SPEC. AND/OR<br>TEST METHOD | TEST CONDITIONS | CHANGE<br>LIMITS<br>(Δ) | UNIT |
|-----|-------------------|-----------------|-----------------------------|-----------------|-------------------------|------|
| 2   | Reverse Current 2 | I <sub>R2</sub> | As per Table 2              | As per Table 2  | Note 1                  | nA   |

#### **NOTES**

1. The graph given below shall be used to determine the maximum permitted change.





PAGE 24

ISSUE 1

# APPENDIX 'A'

Page 1 of 1

# AGREED DEVIATIONS FOR M/A-Com LTD. (G.B.)

| ITEMS AFFECTED | DESCRIPTION OF DEVIATIONS   |
|----------------|---|
| Para. 4.2.2    | Para. 9.4, "High Temperature Stabilisation Bake":<br>May be performed at +150(+0-3) °C. |