

DOCUMENT CHANGE REQUEST

DCR number 1445 Changes required for: General Originator: Steve Thacker

Date: 2023/11/30 Date sent: 2021/07/15 Organisation: ESCC Executive

Secretariat

Status: IMPLEMENTED

| Title: | RF Coaxial Connectors Type SMA 50 Ohms Adaptors and Connecting Pieces | | | | |
|---------------------------|---|------------------|---------------------|--|--|
| Number: | 3402/003 | Issue: | 4 | | |
| Other documents affected: | | | | | |
| | | | | | |
| Page: | | | | | |
| Total reformat/r | e-write of ESCC Detail Specification | on 3402/003 issi | ue 4 as part of the | e ongoing conversion of legacy ESA/SCC | |

specifications to the ESCC format as well as reflecting changes in the recently converted ESCC Generic Specification No. 3402 issue 5.

The layout, format and general content of 3402/003 Draft 5 is based on other converted ESCC Detail Specifications (see attached for proposed 3402/003 Draft 5).

The technical content of ESCC 3402/003 Draft 5 remains closely based on the original ESCC 3402/003 issue 4 except as detailed herein.

Paragraph:

see below

Original wording:

as per current spec

Proposed wording:

Total reformat of this Detail Specification (from the range of various ESCC Detail Specifications, 3402/xxx, for RF connectors under Generic Specification No. 3402) as part of the ongoing conversion to the ESCC format.

See below for summary of changes, also see attached the proposed 3402/003 Draft 5.

Note: known support for active procurement against this specification includes the following Manufacturers:

- Radiall (on ESCCQPL)
- Rosenberger (on ESCCQPL)

Summary of changes to the current format, layout and content is as follows:

General

Rewording and restructure of various sections and paragraphs of the specification, plus other editorial changes based on the layout and editorial content of other Detail Specifications already converted to ESCC format.

In addition, editorial and technical amendments resulting from the changes made to the test requirements of the Generic



DOCUMENT CHANGE REQUEST

DCR number 1445 Changes required for: General Originator: Steve Thacker

Date: 2023/11/30 Date sent: 2021/07/15 Organisation: ESCC Executive

Secretariat

Status: IMPLEMENTED

Specification No. 3402.

Specific amendments include:

- Figures 2(a) and 3: are replaced by direct references within MIL-STD-348.
- Para. 4.3.7, 4.4.1, 4.4.2, 4.4.3 & 4.5.3.3: Magnetism requirements are deleted (as the requirements have been deleted in the Generic spec) (except add Amagnetic description for stainless steel material code/types 3 & 4).
- Para. 4.4.x: Materials and finishes for washers are added.
- Para. 4.4.4 is deleted.
- Para 4.5.1, 4.5.2: ESCC component number is amended: ESCC qualified components symbol is added; Testing level is deleted (SCC level B/C being deleted)
- Para 4.5.3.1: Fixed Configuration identifier number is deleted
- Para 4.5.3.2 is deleted.
- Table 2, Voltage Proof Leakage Current: test point details are added.
- Table 6 only includes specified electrical measurement requirements as required for the various Chart F4 Qual level tests (tests without electrical measurements are deleted) (editorial change).
- Figure 2(b) (now Para 3):

All variants:

RF leakage, Corona level Minimum cable retention force/torque, Maxi leakage (panel sealed connectors), Soldering Proof are deleted (= redundant information; the requirements have been deleted in the Generic spec).

Variant 07: Seal is corrected to be 10(-8) (as this is a fully hermetic variant)

Justification:

Part of the ongoing conversion of legacy ESA/SCC specifications to the ESCC format. Amendments are made to the format and presentation to be consistent with the various other ESCC Detail Specifications, already converted to ESCC format, as well as ESCC Generic Specification No. 3402 issue 5.

See also change details for justification for specific items above.

| Attachments: |
|--|
| escc3402003iss_draft_5a_in_review.docx |
| Modifications: |
| In Table 1(a) & Figure 2(b) (new Para 3): Variant description is amended as shown in the attached. New Variant 15 is added based on Variant 05 with modified VSWR value (for Radiall) |
| Table 1(b), Figure 1(b): Power is replaced by new power handling figure (new Note 1)(as provided by Radiall). Peak power rating is deleted. |
| Para 4.3.6: number/rate of cycles is amended to be as specified in ESCC3402 (i.e. 500Qual/100LAT is deleted). |
| Table 6: note on measurement details for VSWR is added. |
| In new Para 3, see attached for details including, as applicable: Power handling category is added amend dimension details amend weight details Add note on RF Leakage Amend characteristic values Add seal requirements |
| Add Appendices to permit Manufacturers to still mark the current testing level option code as a Manufacturer Code. |
| Approval signature: |
| |
| Date signed: |
| 2023-11-30 |
| |