

Pages 1 to 99

LIST OF PUBLISHED ESCC

DOCUMENTS AND SPECIFICATIONS

ESCC REP001

ISSUE 7 October 2009



Document Custodian: European Space Agency - see https://escies.org

LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2009. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Agency and provided that it is not used for a commercial purpose, may be:

- copied in whole, in any medium, without alteration or modification.

- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



CHANGE DESCRIPTION

This issue supersedes Issue 09/06, dated October 2009 and incorporates changes as per DCR 448.



TABLE OF CONTENTS

Introduc	tion	7
<u>Class of</u> <u>Public.</u>	Document/Specification Families	
02 - - - 03 -	Policy (Level 0) Organisation Documents (Level 1(0)) Support Documents (Level 1(1)) Implementation Documents (Level 1(2)) Basic Specifications (Level 2)	8 8 8 9
	CAPACITORS	
79 - 04 - 05 - 06 - 07 - 09 - 10 - 11 - 48 - 49 - 66 - 71 -	Tantalum Solid (3002/) Tantalum Gelled (3003/) Glass (3004/) Plastic Metallised (3006/) Mica (3007/) Filter (3008/) Chip Ceramic Dielectric (3009/) Variable (3010/)	11 12 13 14 15 16 17 18 19 20 21 22
	MICROWAVE WAVEGUIDE	
63 -	Power Dividers Couplers RF Waveguide (3102/)	23
12 -	<u>RF COILS (</u> 3201/)	24
70 -	FERRITE MICROWAVE COMPONENTS (3202/)	25
	<u>CONNECTORS</u>	
96 83 - 13 - 14 - 80 -	Optical Fibre Connector Sets Sectional Basic Specifications for Electrical Connectors Multicontact (3401/) Coaxial (3402/) Filtered Circular and Rectangular (3405/)	26 27 28 31 32
58 -	ATTENUATORS AND LOADS (3403/)	33
62 -	POWER DIVIDERS (3404/)	34
93 - 15 -	QUARTZ CRYSTALS Sectional Basic Specifications for Quartz Crystals Quartz Crystals (3501/)	35 36
69 -	SURFACE ACOUSTIC WAVE (SAW) DEVICES (3502/)	30



LIST OF PUBLISHED ESCC SPECIFICATIONS

Page

			Page
		RELAYS	
76	-	Sectional Basic Specifications for Relays	38
16 17	-	Non-Latching (3601/) Latching (3602/)	39 40
92	-	RF Coaxial Switch Latching (3603/)	41
		<u>SWITCHES</u>	
59	-	Toggle Switches (3701/)	42
67	-	Thermostatic Switches (3702/)	43
		CABLES	
19 20	-	L.F. (3901/) R.F. (3902/)	44 45
82	-	Solid Wires 350V for Wire Wrapping (3903/)	46
		RESISTORS	
84	-	Sectional Basic Specifications for Resistors	47
21 22	-	Film and Metal Oxide (4001/) Wire-wound Precision (4002/)	48 49
23	-	Wire-wound Chassis-mounted (4003/)	50
25 57	-	Network Thick Film (4005/) Thermistors (4006/)	51 52
64	-	Heaters (4009/)	53
		FUSES	
98	-	Fuses Thin Film	54
		DISCRETE SEMICONDUCTORS	
26 61	-	Transistors and Diodes (Generic and Sectional Basic Specifications) (5000) Microwave Semiconductor Components (Generic and Sectional Basic Specification) (5010)	55 56
01	-		50
~-		TRANSISTORS	
27 28	-	Low Power NPN (5201/) Low Power PNP (5202/)	57 58
29	-	High Power NPN (5203/)	59
30 31	-	High Power PNP (5204/) FET N Channel (5205/)	60 61
32	-	FET P Channel (5206/)	62
33 34	-	Multiple (5207/) Switching (5208/)	63 64
		OPTO-ELECTRONIC DEVICES	
50	-	Photocouplers (5401/)	65
55	-	Emitters (5402/)	66
97	-	Receivers	67
		DIODES	
36	-	Switching (5101/)	68 60
37 38	-	Voltage Reference (5102/) Rectifier (5103/)	69 70
53	-	Schottky (5106/)	71
54	-	Miscellaneous (5107/)	72
		i	



LIST OF PUBLISHED ESCC SPECIFICATIONS

MICROWAVE DIODES

	-	Oscillator (5511/) Small Signal (5512/)	73 74
74	-	Large Signal (5513/) MICROWAVE TRANSISTORS	75
86 77 87 90		Silicon Small Signal Transistors (5611/) III-V Small Signal Transistors (5613/) III-V Large Signal And Oscillators (5614/) Passive Devices	77 78 79 80
		INTEGRATED CIRCUITS	
41 43 47 68 18 99	-	Linear C.MOS Bipolar etc (Generic and Sectional Basic Specifictions) (9000) C.MOS 4000 Series Others 54HCMOS Series Complex Devices/Microprocessors (95/) Converters D/A and A/D	81 82 86 87 91 92
		CHARGE COUPLED DEVICES	
78 81	-	CCD. Generic and Sectional Basic Specifications (9020) CCD. Photo MOS Area Arrays (9610/)	93 94
		MONOLITHIC MICROWAVE INTEGRATED CIRCUITS	
88 89	-	MMIC. Generic and Sectional Basic Specifications MMIC. Linear Gain (9012/)	95 96
ANN	EX	I: Correlation Listing of IC Specifications/Types/Classes of Publications Sorted by Part Type Number	97



LIST OF PUBLISHED ESCC SPECIFICATIONS

Page

INTRODUCTION

This list comprises all ESCC documents and specifications which were published and under configuration control on the 24th February 2009.

The ESCC documents and specifications are classified according to 5 levels, viz:

LEVEL 0 - Policy

- LEVEL 1 1(0) Organisation Documents.
 - 1(1) Support Documents.
 - 1(2) Implementation Documents.
- LEVEL 2 Basic Specifications.
- LEVEL 3 Generic Specifications.
- LEVEL 4 Detail Specifications.

However, to facilitate retrieval, they are not classified according to the above levels, but by the various classes of publication listed in the table of contents.

The ESCC documents are available from the ESCC web site: https://spacecomponents.org

The ESCC specifications are available from the ESCIES web site: https://escies.org.

CD-ROM images are also provided on the ESCIES web site.

If access to the web sites is not possible, queries may be directed to the secretariat:

ESCC Executive Secretariat ESA/ESTEC (TEC-QES) P.O. Box 299 2200 AG Noordwijk The Netherlands

FAX +31 (0)71 565 6637



LIST OF PUBLISHED ESCC SPECIFICATIONS

ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 02 Object and Basic Rules of the ESCC System	Issue	Date	
00001	ESCC Executive Implementation Agreement (Part 1) Centre National D'Etudes Spatiales (CNES)	1	0502	
00002	ESCC Executive Implementation Agreement (Part 1) European Space Agency (ESA)	3	0909	
00003	ESCC Executive Implementation Agreement (Part 1) German Aerospace Center (DLR)	1	0506	
00004	ESCC Executive Implementation Agreement (Part 1) Enterprise Ireland ESCC 0004	2	0903	
00005	ESCC Executive Implementation Agreement (Part 1) British National Space Centre (BNSC)	1	0612	
10000	ESCC Organisation, Membership and Decision Process	2	0307	
10100	Organisation and Basic Rules of the SCSB	2	0307	
10200	Organisation and Basic Rules of the Executive	2	0307	
10300	Organisation and Basic Rules of the Policy and Standards Working Group	2	0307	
10400	Organisation and Basic Rules of the Components Technology Board	2	0307	
11001	ESCC Procedure for Configuration Management	2	0307	
11100	Internal Audit Procedure for the ESCC System	1	0503	
11102	Procedure for Complaints and Appeals	1	0502	
11300	Management of the ESCC Web Site	1	0410	
11301	Preparation of Newsletter	1	0410	
11302	Organisation of the European Space Components Conference	1	0410	
12001	The ESCC Documentation System	2	0307	
12002	Procedure for ESCC Document and Specification Management	2	0307	
12003	Procedure for ESCC Document and Specification Administration	2	0307	
12100	ESCC Procedure for Qualifications	2	0307	
12101	ESCC Procedure for the ESA Certifications of Qualifications	2	0307	
12102	Procedure for Non-conformance Management	2	0307	
12200	ESCIES Management Procedure	1	0410	
12201	ESCIES Accredidation and Registrated User Procedure	1	0410	
12202	ESCIES Contribution Procedure	1	0410	
12300	The European Preferred Parts List (EPPL) and its Management	1	0612	
REP001	REP001	7	0910	
REP002	REP002	6	0910	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 03 Basic Specifications	Issue	Date	
20000	Using the ESCC Specification System	1	0401	
20100	Requirements for Qualification of Standard Electronic Components for Space Application	2	0511	
20200	Component Manufacturer Evaluation	1	0210	
20400	Internal Visual Inspection	1	0210	
20500	External Visual Inspection	1	0210	
20600	Preservation Packaging and Despatch of SCC Components	2	0807	
20800	New ESCC Specifications and Specification Change Requests	2	0402	
20900	Radiographic Inspection of Electronic Components	1	0210	
21300	Terms Definitions Abbreviations Symbols and Units	3	0812	
21400	Scanning Electron Microscope (SEM) Inspection of Semiconductor Dice	1	0210	
21500	Calibration System Requirements	3	0710	
21700	General Requirements for the Marking of ESCC Components	3	0812	
22600	Requirements for the Evaluation of Standard Electronic Components for Space Application	3	0602	
22700	Requirements and Guidelines for the "Process Identification Document" (PID)	2	0304	
22800	ESA/SCC Nonconformance Control System	1	0210	
22900	Total Dose Steady-State Irradiation Test Method	3	0703	
23100	ESA/SCC Recommendations for the Evaluation and Procurement of Non-Standard Electronic Components for Space Application	2	0905	
23400	Microsection Examination Preparation and Evaluation of Capacitors Fixed Ceramic Leaded and Chips	2	0304	
23500	Requirements for Lead Materials and Finishes for Components for Space Application	4	0806	
23600	Complaints and Appeals	1	0502	
23800	Electrostatic Discharge Sensitivity Test Method	1	0210	
24300	Requirements for the Capability Approval of Electronic Component Technologies for Space Application	1	0210	
24400	Measurement of Insertion Loss for E.M.I Suppression Filters	1	0210	
24600	Minimum Quality System Requirements	2	0502	
24700	Cross Reference of ESA/SCC US-MIL and IEC Test Methods	1	0210	
24800	Resistance to Solvents of Marking Materials and Finishes	1	0210	
24900	Minimum Requirements for Controlling Environmental Contamination of Components	3	0903	
25000	Basic Specification for Electro-Optical Test Methods for Charge Coupled Devices	1	0210	



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 03	15500	Date	
	Basic Specifications			
25100	Single Event Effects Test Method and Guidelines	1	0210	
25200	Application of Scanning Acoustic Microscopy to Plastic Encapsulated Devices	1	0210	
25300	Decapsulation of Plastic Encapsulated Semiconductor Devices	1	0210	
25400	Requirement for the Technology Flow Qualification of Electronic Components for Space Application	2	0701	
26000	Failure Rate Level Sampling Plans and Procedures	1	0812	
REP006	ESCC Qualified Manufacturers List REP006	3	0907	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 79 Sectional Basic Specifications for Capacitors	Issue	Date	
2023000	Checklist for Capacitors Manufacturer and Line Survey	2	0402	
2043000	Internal Visual Inspection of Capacitors	2	0304	
2053000	External Visual Inspection of Capacitors	2	0304	
2093000	Radiographic Inspection of Capacitors	1	0210	
2133000	Terms Definitions Abbreviations Symbols and Units for Capacitors	2	0408	
2263000	Evaluation Test Programme for Capacitors Fixed	2	0409	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 04 Capacitors Ceramic	Issue	Date	
3001	Generic Specification for Capacitors Fixed Ceramic Dielectric Types I and II	1	0210	
3001/001	Capacitors Fixed Ceramic Dielectric Type I, based on type CLC904L	1	0210	
3001/002	Capacitors Fixed Ceramic Dielectric Type I, based on type CLC905L	1	0210	
3001/003	Capacitors Fixed Ceramic Dielectric Type I, based on type CLC908L	1	0210	
3001/004	Capacitors Fixed Ceramic Dielectric Type I, based on type CLC910L	1	0210	
3001/006	Capacitors Fixed Ceramic Dielectric Type II, based on type CKR06	1	0210	
3001/008	Capacitors Fixed Ceramic Dielectric Type II, based on type CKR05	1	0210	
3001/018	Capacitors Fixed Ceramic Dielectric Type I, based on type CCR05	1	0210	
3001/019	Capacitors Fixed Ceramic Dielectric Type I, based on type CCR06	1	0210	
3001/027	Capacitors Fixed Ceramic Dielectric Type II, based on type TCN83E	1	0210	
3001/028	Capacitors Fixed Ceramic Dielectric Type II for Surface Mounting, based on types CNC82RE and CNC83RE	1	0210	
3001/030	Capacitors Fixed Ceramic Dielectric Type II High Capacitance 50 to 500V, based on case styles BR,CV and CH	4	0905	
3001/032	Capacitors Fixed Multiple Layer Ceramic Dielectric Type I, based on type SPT818	1	0210	
3001/033	Capacitors Fixed Ceramic Dielectric Type I High Voltage 1.0 to 5.0kV, based on case styles VR,CV & CH	3	0905	
3001/034	Capacitors Fixed High Ceramic Dielectric Type II High Voltage 1.0 to 5.0kV, based on case styles VR,CV & CH	3	0905	
3001/035	Capacitors, Fixed, Ceramic Dielectric, Type I, High Voltage 1.0 to 5.0 kV, Radial Leaded Device	1	0210	
3001/036	Capacitors, Fixed, Ceramic Dielectric Type II, High Voltage 1.0 to 5.0 KV, Radial Leaded Device	1	0210	
3001/037	Capacitors, Fixed, Multiple Layer, Ceramic Dielectric, Type II, Based on Type CNC31, CNC32, CNC33 and CNC34	1	0906	
3001/038	Capacitors, Fixed, Multiple Layer, Ceramic Dielectric, Type II, Based on Types CNC53, CNC54, CNC55, CNC56, CNC57, CNC58 and CNC65	1	0906	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 05	Issue	Date
	Capacitors Tantalum Solid		
3002	Generic Specification for Capacitors Fixed Tantalum Solid Electrolyte	1	0210
3002/001	Capacitors Fixed Tantalum Solid Electrolyte, based on type CSR23	1	0210
3002/002	Capacitors Fixed Tantalum Solid Electrolyte, based on type CSR13	1	0210
3002/003	Capacitors Fixed Tantalum Solid Electrolyte, based on type CTS21E	1	0210



ESCC	ESCC Specification Title		
Document or		Issue	Date
Spec. Number	Class of Publication: 06	10000	
	Capacitors Tantalum Gelled		
3003	Generic Specification for Capacitors Fixed Tantalum Non-Solid Electrolyte	1	0210
3003/005	Capacitors Fixed Tubular Porous Tantalum Cathode and Anode Gelled Electrolyte Hermetically Sealed, based on type CLR79	1	0210
3003/006	Capacitor Fixed Tubular Porous Tantalum Cathode and Anode Gelled Electrolyte Hermetically Sealed Based on Type ST 79	1	0711



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 07	Issue	Date
	Capacitors Glass		
3004	Generic Specification for Capacitors Fixed Glass Dielectric	1	0210
3004/001	Capacitors Fixed Glass Dielectric, based on type CYR10	1	0210
3004/002	Capacitors Fixed Glass Dielectric, based on type CYR15	1	0210
3004/003	Capacitors Fixed Glass Dielectric, based on types CYR51 CYR52 and CYR53	1	0210



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 09 Capacitors Fixed Plastic Metallised	Issue	Date	
3006	Generic Specification for Capacitors Fixed Film Dielectric	1	0210	
3006/001	Capacitors Fixed Metallized Plastic Film Dielectric, based on types CRH01 thru CHR05	1	0210	
3006/007	Capacitors Fixed Metallized Polycarbonate Dielectric, based on type CKM 111	1	0210	
3006/008	Capacitors Fixed Metallized Plastic Film Dielectric High Voltage, based on type IEXXX	1	0210	
3006/019	Capacitors Fixed dc Self Healing Structured Metallised Polyester (PET) Film Dielectric, based on type MKT	1	0210	
3006/020	Capacitors Fixed DC Self-Healing Metallised Film Dielectric, Based on type PM90S	1	0210	
3006/022	Capacitors Fixed Reconstituted MICA High Voltage, based on type HT86PS	1	0210	
3006/023	Capacitors, Fixed, Surface Mount,D.C. Self Healing, Non Inductive, Polyphenylene Sulphide Dielectric, based on Type KM94S	3	0505	
3006/024	Capacitors, Fixed, Surface Mount, D.C. Self Healing, Non-Inductive, Polyterephtalate Dielectric, based on type PM94S	2	0505	



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 10	15500	Date	
	Capacitors Mica			
3007	Generic Specification for Capacitors Fixed Mica Dielectric	1	0210	
3007/001	Capacitors Fixed Mica Dielectric, based on type CMR01	1	0210	
3007/002	Capacitors Fixed Mica Dielectric, based on type CMR02	1	0210	
3007/003	Capacitors Fixed Mica Dielectric, based on type CMR03	1	0210	
3007/004	Capacitors Fixed Mica Dielectric, based on type CMR04	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 11 Capacitors Filter	Issue	Date
3008	Generic Specification for Capacitors and Capacitor Filters Feedthrough.	1	0210
3008/001	Capacitor Filters Feedthrough Electromagnetic Interference Suppression, based on type 1270/712	1	0210
3008/014	Capacitor Filters PI-Type Feedthrough Electromagnetic Interference Suppression Non-Hermetically Sealed, based on type SFP040	1	0210
3008/020	Capacitor Filters C-Type Feedthrough Electromagnetic Interference Suppression Hermetically sealed(one end only), based on type SFC030	1	0210
3008/021	Capacitor Filters PI-Type Feedthrough Electromagnectic Interference Suppression Hermetically Sealed, based on type SFP060	1	0210
3008/025	Capacitor Filters PI-Type Feedthrough Electromagnectic Interference Suppression Non-Hermetically Sealed, based on type SFP035	2	0612
3008/026	Capacitor Filters C-Type Feedthrough Electromagnetic Interference Suppression Hermetically Sealed, based on type SFC060	1	0210
3008/027	Capacitor Filters C-Type FeedThrough Electromagnetic Interference Suppression Hermetically Sealed, based on type SFC100	2	0304
3008/028	Capacitor Filters PI-Type Feedthrough Electromagnetic Interference Suppression Hermetically Sealed, based on type SFP100	1	0210
3008/029	Capacitor Filters L-Type Feedthrough Electromagnetic Interference Suppression Hermetically Sealed, based on type SFL100	1	0210
3008/030	Capacitor Filters PI-Type Feedthrough Electromagnetic Interference Suppression Non-Hermetically Sealed, based on type SFP060	1	0210
3008/031	Capacitor Filters C Type Feedthrough Electromagnetic Interference Suppression Non-Hermetically Sealed, based on type SFC035	2	0612
3008/032	Capacitor Filters C-Type Feedthrough Electromagnetic Interference Suppression Non-Hermetically Sealed, based on type SFC040	1	0210
3008/033	Capacitor Filters C-Type Feedthrough Electromagnetic Interference Suppression Non-Hermetically Sealed, based on type SFC060	1	0210
3008/034	Capacitor Filters, C-Type, Electromagnetic Interference Suppression, Surface Mount, based on Type SFCMS 35	1	0507
3008/035	Capacitor Filters, T-Type, Electromagnetic Interference Suppression, Surface Mount, based on Type SFCMS 35	1	0507
3008/036	Capacitor Filters, L-Type, Electromagnetic Interference Suppression, Surface Mount, based on type SFCMS 35	1	0507
3008/037	Capacitor Filters, PI-Type, Electromanetic Interference Suppression, Surface Mount, based on Type SFCMS 35	1	0507



ESCC	Specification Title	Status	Status	
Document or Spec. Number	Class of Publication: 48 Capacitors Chip	Issue	Date	
3009	Generic Specification for Capacitors Fixed Chips Ceramic Dielectric Types I and II	1	0210	
3009/003	Capacitors Fixed Chips Ceramic Dielectric Type I, based on type 0805	3	0511	
3009/004	Capacitors Fixed Chips Ceramic Dielectric Type I, based on type 1210	3	0511	
3009/005	Capacitors Fixed Chips Ceramic Dielectric Type I, based on type 1812	3	0511	
3009/006	Capacitors Fixed Chips Ceramic Dielectric Type I, based on type 2220	3	0511	
3009/007	Capacitors Fixed Chips Ceramic Dielectric Type I, based on type 1805	1	0210	
3009/008	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 0805	2	0502	
3009/009	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 1210	2	0502	
3009/010	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 1812	2	0502	
3009/011	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 2220	2	0502	
3009/012	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 1805	1	0210	
3009/013	Capacitors Fixed Button Ceramic Dielectric Type I, based on type CFC908	1	0210	
3009/016	Capacitors Fixed Chips Multiple Layer Ceramic Dielectric High Frequency Type I, based on types CDR11 and CDR12	1	0210	
3009/017	Capacitors Fixed Chips Multiple Layer Ceramic Dielectric High Frequency Type I, based on types CDR13 CDR14 and CDR21	1	0210	
3009/022	Capacitors Fixed Chips Ceramic Dielectric Type I, Based on type 1206	3	0511	
3009/023	Capacitors Fixed Chips Ceramic Dielectric Type II, based on type 1206	2	0502	
3009/034	Capacitors Fixed Chip High Voltage (1-3KV) Ceramic Dielectric Type II, based on types 1812 &1825	2	0301	
3009/035	Capacitors Fixed Chips Multiple Layer Ceramic Dielectric High Frequency, based on Type CHA	1	0210	
3009/036	Capacitors Fixed chips Multiple Layer Ceramic Dielectric High Frequency, based on Type CHB	1	0210	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 49 Capacitors Variable	Issue	Date	
3010	Generic Specification for Capacitors Variable Concentric Trimmer	1	0210	
3010/004	Capacitors Variable Concentric Trimmer Air Dielectric 1 to 10 pF Body Diameter 7.6 mm	1	0210	
3010/005	Capacitors Variable Concentric Trimmer Air Dielectric 1 to 10 pF Body Diameter 9.8 mm	1	0210	
3010/006	Capacitors Variable Concentric Trimmer Air Dielectric 1.4 to 14 pF Body Diameter 7.6 mm	1	0210	
3010/008	Capacitors Variable Concentric Trimmer Air Dielectric 1 to 20 pF Body Diameter 8 mm	1	0210	
3010/010	Capacitors Variable Concentric Trimmer Air Dielectric 0.8 to 6 pF Body Diameter 6.2 mm	1	0210	
3010/011	Capacitors Variable Concentric Trimmer Air Dielectric 1 to 10 pF Body Diameter 6.2 mm	1	0210	
3010/012	Capacitors Variable Concentric Trimmer Air Dielectric 0.6 to 3.5 pF Body Diameter 4.6 mm	1	0210	
3010/013	Capacitors Variable Concentric Trimmer Air Dielectric 0.6 to 5 pF Body Diameter 4.6 mm	1	0210	
3010/014	Capacitors Variable Concentric Trimmer Sapphire Dielectric 0.8 to 8 pF Body Diameter 3.0 mm	1	0210	
3010/015	Capacitors Variable Concentric Trimmer Sapphire Dielectric 0.6 to 4.5 pF Body Diameter 3.0 mm	1	0210	
3010/016	Capacitors Variable Concentric Trimmer Sapphire Dielectric 0.4 to 2.5 pF Body Diameter 3.0 mm	1	0210	
3010/017	Capacitors Variable Concentric Trimmer Sapphire Dielectric 0.2 to 1.2 pF Body Diameter 1.9 mm	1	0210	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 66 Capacitors Chip Tantalum Solid Electrolyte	Issue	Date	
3011	Generic Specification for Capacitors Chip Tantalum Solid Electrolyte	1	0210	
3011/001	Capacitors Chip Tantalum Solid Electrolyte, based on type 1005	1	0210	
3011/002	Capacitors Chip Tantalum Solid Electrolyte, based on type 1505	1	0210	
3011/003	Capacitors Chip Tantalum Solid Electrolyte, based on type 2005	1	0210	
3011/004	Capacitors Chip Tantalum Solid Electrolyte, based on type 1510	1	0210	
3011/005	Capacitors Chip Tantalum Solid Electrolyte, based on type 2010	1	0210	
3011/006	Capacitors Chip Tantalum Solid Electrolyte, based on type 2213	1	0210	
3011/007	Capacitors Chip Tantalum Solid Electrolyte, based on type 2611	1	0210	
3011/008	Capacitors Chip Tantalum Solid Electrolyte, based on type 2815	1	0210	



ESCC	Specification Title		Status	
Document or Spec. Number		Issue	Date	
3012	Generic Specification for Capacitors Leadless Surface Mounted Tantalum Solid Electrolyte Enclosed Anode Connection	1	0210	
3012/001	Capacitors Leadless Surface Mounted Tantalum Solid Electrolyte Enclosed Anode Connection, based on type TAJ	2	0305	
3012/002	Capacitors Leadless Surface Mounted Tantalum Solid Electrolyte, based on type CTC21	1	0210	
3012/003	Capacitors, Leadless Surface Mounted, Tantalum, Solid Electrolyte, based on type CTC21E	1	0210	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 63	15500	Date
	Power Divider Coupler RF Waveguide		
2023102	Checklist for Waveguide Devices Manufacturer and Line Survey	1	0210
2053102	External Visual Inspection of Waveguide Devices	1	0210
3102	Generic Specification for Waveguide Filters and Multiplexers with Waveguide and Coaxial Interfaces	1	0210
3102/001	Waveguide Diplexers with Waveguide and Coaxial Interfaces 4-18Ghz, based on series WM***	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 12	15500	Date
	R.F. Coils		
3201	Generic Specification for Coils, RF and Power, Fixed	4	0704
3201/008	RF Inductors Fixed Miniature Moulded SMD, based on series MSCI 10K and MSCI 12K	4	0806
3201/009	Power Inductors,Moulded, SMD, based on Series SESI	5	0906
3201/010	Chokes, Common Mode, Fixed, Moulded, SMD, Based on Series CMC15, 18 and 22	1	0902



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 70	13500	Date	
	Ferrite Microwave Components			
2263202	Evaluation Test Programme for Ferrite Microwave Components (Isolators and Circulators)	2	0409	
3202	Generic Specification for Ferrite Microwave Components Isolators and Circulators	1	0210	
3202/018	Circulators Coaxial/Drop-In 420MHz-18GHz, based on series 10*xxxx and 19*xxxx	1	0210	
3202/019	Isolators Coaxial/Drop-In 420MHz-18GHz, based on series 20*xxxx and 29*xxxx	1	0210	
3202/020	Isolators Waveguide 2.5-40 GHz, based on series **HD***	1	0210	
3202/021	Circulators Waveguide 2.5-40 GHz, based on series **CD****	1	0210	
3202/025	Isolators Miniature Drop-In 4-18GHz, based on series F9*xxxx and H9*xxxx	1	0210	



ESCC	Specification Title	Status	
1	Class of Publication: 96 Sectional Basic Specs for Optical Fibre Connector Sets	Issue	Date
	Evaluation Test Programme for Optical Fibre Connector Sets	2	0605



List of Published ESCC Documents and Specifications Issue: 7 Page: 26 **REP001**

ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 83	13500	Date
	Sectional Basic Specs for Electrical Connectors		
2023400	Checklist for Connectors Manufacturer and Line Survey	2	0402
2053400	External Visual Inspection of Electrical Connectors	1	0210
2133400	Terms Definitions Abbreviations Symbols and Units for Electrical Connectors	1	0210
2263400	Evaluation Test Programme for Connectors	1	0210



ESCC	Specification Title		
Document or Spec. Number	Class of Publication: 13 Connectors Multicontact	Issue	Date
3401	Generic Specification for Connectors Electrical Non-Filtered Circular and Rectangular	1	0210
3401/001	Connectors Electrical Rectangular Non-Removable Solder Bucket PCB and Wire-Wrap Contacts and Removable Coaxial and Power Contacts, based on type D*M	4	0907
3401/002	Connectors Electrical Rectangular Removable Crimp Contacts, based on type D*MA	5	0906
3401/004	Contacts Coaxial Crimp-type and Solder-Type for 3401/001 and 3401/002 Connectors	3	0906
3401/005	Contacts Electrical Crimp for 3401/002 Connectors	5	0906
3401/007	Connectors Miniature Electrical Circular Bayonet Coupling Crimp-Type Removable Contacts, based on type DFE	1	0210
3401/008	Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS	2	0906
3401/009	Contacts Electrical Crimp for 3401/007 and 3401/008 Connectors	1	0210
3401/011	Connectors Subminiature Electrical Rectangular Central Jackscrew Coupling Crimp-Type Removable Contacts, based on type UR	1	0210
3401/012	Contacts Electrical Subminiature Crimp-Type for 3401/011 Connectors	1	0210
3401/016	Connectors Electrical for Printed Circuit Boards Removable Contacts Crimp Wire-Wrap Solder and Saver, based on type HE801	2	0704
3401/017	Contacts Electrical Crimp Wire-Wrap Solder and Saver for 3401/016 Connectors	3	0612
3401/020	Connector Savers Electrical Rectangular Miniature Removable Contacts, based on type D*BMA	5	0904
3401/021	Contacts Electrical Male/Female Type for 3401/020 Connector Savers	2	0906
3401/022	Accessories for Rectangular Connectors 3401/001 and 3401/002 and Connector Savers 3401/020	4	0909
3401/023	Connectors Miniature Electrical Circular Push-pull Coupling Hermetic Receptacle, based on type DBA 7*H	1	0210
3401/029	Connectors Electrical Rectangular Microminiature, based on type MDM	5	0704
3401/031	Connectors Electrical Single-in-Line Microminiature, based on type MTB1	2	0304
3401/032	Accessories for Connectors Microminiature 3401/029, 3401/077 and Connector Savers 3401/041	3	0904
3401/033	Connectors Savers Electrical Circular Miniature non-removable, based on type DBAS	1	0210
3401/039	Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC	2	0612
3401/040	Contacts Power Crimp-Type and Solder Type for 3401/001 and 3401/002 Connectors	4	0906
3401/041	Connector Savers Electrical Rectangular Microminiature, based on type MDM	3	0905
3401/043	Connectors Miniature Electrical Circular Bayonet Coupling Hermetic Receptacle, based on type DBC5*H	1	0210



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 13 Connectors Multicontact	Issue	Date
3401/044	Connectors Electrical Circular Bayonet Coupling Removable Crimp Contacts, based on MIL-C-38999 SeriesII	1	0210
3401/045	Contacts Electrical Crimp Type for 3401/044 Connectors	2	0909
3401/052	Connectors Electrical Circular Bayonet Coupling Scoop-Proof Removable Crimp-Type Contacts, based on MIL-C-38999 SeriesI	1	0210
3401/056	Connectors Miniature Electrical Circular Triple-Start Self-Locking Coupling Scoop-Proof Removable Crimp Contacts, based on MIL-C38999 series III	4	0806
3401/057	Connectors Miniature Electrical Circular Triple-Start Self-Locking Coupling Scoop-Proof Hermetic Receptacle and Feedthrough, based on MIL-C-38999 SeriesIII	2	0405
3401/058	Contacts Electrical Crimp for 3401/052 and /056 Connectors	3	0812
3401/060	Connectors Electrical Rectangular Multiple Insert Type Rack and Panel Removable Crimp Contacts, based on MIL-C83527	1	0210
3401/061	Contacts Electrical Crimp for 3401/060 Connectors	1	0210
3401/062	Accessories for Circular Connectors 3401/044 3401/052 and 3401/056	1	0210
3401/063	Connector Savers for Electrical Circular Connectors 3401/044, 3401/052, and 3401/056	2	0301
3401/064	Accessories for Circular Connectors 3401/008 (DBAS)	1	0210
3401/065	Connectors and Savers Electrical Rectangular Non-Removable PCB Contacts, based on type MHD	2	0612
3401/066	Contacts Electrical Triax Crimp for 3401/056 Connectors	3	0804
3401/069	Contacts Electrical Twinax Crimp for 3401/001 Connectors	1	0210
3401/070	Connector Receptacles Electrical Circular Triple-Start Self-Locking coupling Scoop-proof, P.C.B. Non- Removable Contacts Based on MIL-C38999 Series III	3	0511
3401/071	Connectors, Electrical, Rectangular, Microminiature, Solder Bucket Contacts, with EMI Backshell, based on Type MDM	1	0305
3401/072	Lightweight accessories for rectangular connectors 3401/001 and 3401/002	4	0812
3401/073	Connectors, Electrical, Solar Array with Removable Crimp Contacts based on Type D-PASO	1	0611
3401/074	Contacts Electrical Crimp for No. 3401/073 Solar Array Connectors	2	0905
3401/075	Accessories for 3401/073 Solar Array Connectors	1	0611
3401/076	Connectors, Electrical, Z-Axis Interposer, Based on Type RX	1	0704
3401/077	Connectors, Electrical, Rectangular, Microminiature, Removable Crimp Contacts, Based on Type MDMA	2	0907
3401/078	Contacts, Electrical, Crimp, for 3401/077 Microminiature Connectors based on Type MDMA	2	0907



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 13 Connectors Multicontact	Issue	Date	
3401/079	Connector Electrical Triaxial Bayonet coupling, MIL-STD-1553B Databus with Non-Removable Crimp Contacts, based on Type ACB1 Series	1	0810	
3401/080	Connector Savers, Electrical, Rectangular, Miniature, Non-Removable Signal Contacts and Removable Coaxial and Power Contacts, based on Type D*BM	2	0906	
3401/081	Connectors, Electrical, Rectangular, Microminiature, Non-Removable Gauge, 26 PCB Pin Contacts, based on Type 8MCG	1	0907	
3401/082	Connectors, electrical, Rectangular, Microminiature, Removable Gauge 26 Crimp Contacts, based on Type 8MCG	1	0907	
3401/083	Contacts, Electrical, Gauge 26, for 3401/082 Connectors	1	0907	
3401/084	Accessories for Rectangular connectors, Microminiature 3401/081 and 3401/082	1	0907	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 14 Connectors Coaxial	Issue	Date	
3402	Generic Specification for Connectors RF Coaxial	1	0210	
3402/001	RF Coaxial Connectors Type SMA 50 Ohms (Male Contact)	1	0210	
3402/002	RF Coaxial Connectors Type SMA 50 Ohms (Female Contact)	2	0906	
3402/003	RF Coaxial Connectors Type SMA 50 Ohms Adaptors and Connecting Pieces	1	0210	
3402/004	RF Coaxial Connectors Type SSMA (Male Contact)	1	0210	
3402/005	RF Coaxial Connectors Type SSMA (Female Contact)	1	0210	
3402/006	RF Coaxial Connectors Type SSMA Adaptors and Connecting Pieces	1	0210	
3402/008	RF Coaxial Connectors Type TNC 50 Ohms (Male contact)	1	0210	
3402/009	RF Coaxial Connectors Type TNC 50 Ohms (Female Contact)	1	0210	
3402/010	RF Coaxial Connectors Type TNC 50 Ohms Adaptors and Connecting Pieces	1	0210	
3402/011	RF Coaxial Connectors Blind-mate Slide-on, based on type SBMA (male contact)	1	0210	
3402/012	RF Coaxial Connectors Blind-Mate Slide-On, based on type SBMA(female contact)	1	0210	
3402/013	RF Coaxial Connectors Blind Mate Slide-On, based on type BMA (male contact)	1	0210	
3402/014	RF Coaxial Connectors Blind Mate Slide-on, based on type BMA (Female contact)	1	0210	
3402/021	RF Coaxial Connectors, Type SMA 2.9, 50 Ohms (Male Contact)	1	0307	
3402/022	RF Coaxial Connectors, Type SMA 2.9, 50 Ohms (Female Contact)	1	0307	
3402/023	RF Coaxial Adaptors and Connecting Pieces, Type SMA 2.9, 50 Ohms	2	0807	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 80	Issue	Date
	Connectors Electr. Filtered Circ. & Rect.		
3405	Generic Specification for Connectors Electrical Filtered Circular & Rectangular	1	0210
3405/001	Connectors Electrical Filtered Rectangular Non-Removable Solder Bucket Contacts, based on type D*J	1	0210



List of Published ESCC Documents and Specifications Issue: 7 Page: 32 **REP001**

ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 58 Attenuators and Loads	Issue	Date	
3403	Generic Specification for Attenuators and Loads RF Coaxial Fixed	2	0508	
3403/004	Load, RF, Coaxial, Type SMA, DC-18GHz	2	0706	
3403/005	Attenuator, RF Coaxial, Type SMA, DC-22GHz	3	0706	
3403/006	Load RF Coaxial Type SMA, DC-22GHz	2	0706	
3403/008	Attenuator, RF Coaxial, Type SMA 2.9, DC-31.5GHz	2	0602	
3403/009	Load, RF, Coaxial, type SMA 2.9, DC-31.5 GHz	2	0602	
3403/010	Load, RF, Coaxial, Type TNC, DC-18GHz	1	0706	



List of Published ESCC Documents and Specifications Issue: 7 Page: 33 **REP001**

ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 62	Issue	Date
	Power Dividers		
3404	Generic Specification for Power Dividers Couplers RF Coaxial	1	0210
3404/001	Power Dividers Unsealed 4-Port Quadrature 3dB SMA Connectors 01-18Ghz, based on type R433*11600	1	0210
3404/004	RF Power Dividers Unsealed 4-Port Quadrature SMA Connectors 3DB 1-18GHz	1	0210
3404/005	RF Couplers Unsealed SMA Connectors 4-30dB 1-22 GHz	1	0210



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 93 Sectional Basic Specifications for Quartz Crystals			
2023501	Checklist for Quartz Crystals Manufacturers and Line Survey	2	0402	
2043501	Internal Visual Inspection of Quartz Crystal Units	2	0304	
2053501	External Visual Inspection of Quartz Crystal Units	1	0210	
2093501	Radiographic Inspection of Quartz Crystal Units	1	0210	
2263501	Evaluation Test Programme for Quartz Crystal Units	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 15 Quartz Crystal	Issue	Date
3501	Generic Specification for Quartz Crystal Units	3	0612
3501/001	Crystal Units in Metal Holder, based on type T807, Frequency range:4.0-140MHz.	2	0704
3501/002	Crystal Units In Metal Holder, based on type T1507, Frequency Range:2.5-20 MHz.	3	0704
3501/003	Crystal Units in Metal Holder, based on type T2111, Frequency Range: 0.8-50MHz.	1	0210
3501/006	Crystal Units in Glass Case Frequency Range 2.5 to 300MHz, based on type DA (HC-27/U)	1	0210
3501/008	Crystal Units in Metal Holder, based on type T807, frequency range 4.0-140MHz.(Follow-up specification to ESA/SCC No.3501/001)	3	0807
3501/009	Crystal Units in Metal Holder, based on type T1507, Frequency Range 2.5-20MHz (follow-up specification to ESA/SCC 3501/002)	3	0807
3501/011	Crystal Units in Metal Holder Frequency Range 4.0-140MHz, based on type 807 (Follow- up Specification to ESA/SCC 3501/001 and 3501/008)	2	0704
3501/012	Crystal Units in Metal HOlder Frequency Range 4.0-140MHz, based on type 807 (Follow-up Specification to ESA/SCC 3501/001, 3501/008 and 3501/011)	2	0704
3501/013	Crystal Units for Surface Mounting based on Type 101, Frequency Range 10-30MHz	1	0210
3501/014	Crystal Units based on Type 76 Frequency Range 1.5-30MHz	1	0210
3501/015	Crystal Units based on Type 47, Frequency Range 5-160MHz	1	0210
3501/016	Crystal Units in Metal Holder, based on Type T807, 50G, Frequency Range 4.0 to 140MHZ	1	0210
3501/017	Crystal Units in Metal Holder, based on Type T1507, 50G, Frequency Range 2.5 - 20MHZ	1	0210
3501/018	Crystal Units in Metal Holder, Based on Type T807, Frequency Range 4.0 - 140MHz Follow-up specification to ESA/SCC 3501/001, 3501/008, 3501/011 and 3501/012	2	0704
3501/019	Crystal Units in Metal Holder, Based on Type T1507, Frequency Range 2.5-50MHz, Follow-up to 3501/002 and 3501/009	2	0704
3501/020	Crystal Units in Metal Holder, Base don Type T2111, Frequency Range 0.8-50MHz, Follow-up to 3501/003	1	0210
3501/021	Crystal Units in Glass Case, Based on Type DA (HC-27/U), Frequency Range 2.5-300MHz Follow-up to 3501/006	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 69	15540	Duie
	Surface Acoustic (SAW) Devices		
2023502	Checklist for Surface Acoustic Wave (SAW) Devices Manufacturer and Line Survey	1	0210
2043502	Internal Visual Inspection of Surface Acoustic Wave (SAW) Devices	2	0304
2053502	External Visual Inspection of Surface Acoustic Wave (SAW) Devices	1	0210
2093502	Radiographic Inspection of Surface Acoustic Wave (SAW) Devices	1	0210
2263502	Evaluation Test Programme for Surface Acoustic Wave (SAW) Devices.	1	0210
3502	Generic Specification for Surface Acoustic Wave (SAW) Devices (Filters)	1	0210
3502/001	Surface Acoustic Wave (SAW) Bandpass Filter Operating in the Frequency Range 10-200 MHz	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 76	15500	Date
	Sectional Basic Specs for Relays		
2023600	Checklist for Relays Manufacturer and Line Survey.	2	0402
2043600	Internal Visual Inspection of Electromagnetic Relays	1	0210
2053600	External Visual Inspection of Electromagnetic Relays	1	0210
2133600	Terms Definitions Abbreviations Symbols and Units for Electromagnetic Relays	1	0210
2263600	Evaluation Test Programme for Electromagnetic Relays	2	0508



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 16	15500	Date
	Relays Non-Latching		
3601	Generic Specification for Relays Electromagnetic Non-Latching	2	0402
3601/002	Relays Electromagnetic Non-Latching 28Vdc 1A 2PDT TO5 Can	1	0210
3601/003	Relays Electromagnetic Non-Latching 28Vdc 2A 2PDT 1/2 Crystal Can	4	0508
3601/004	Relays Electromagnetic Non-Latching 28Vdc 10A 2PDT, based on type GP7	2	0409
3601/007	Relays Electromagnetic Non-Latching 26.5Vdc 15A 2PDT	3	0409
3601/009	Relays Electromagnetic Non-Latching 28Vdc 25A 3PDT	2	0409
3601/012	Relays Electromagnetic Non-Latching 1A 28Vdc 2PDT 1/6 Crystal Can	3	0409



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 17 Relays Latching	Issue	Date	
3602	Generic Specification for Relays Electromagnetic Latching	2	0402	
3602/002	Relays Electromagnetic Latching 28Vdc 1A 2PDT TO5 Can	1	0210	
3602/003	Relays Electromagnetic Latching 28Vdc 2A 2PDT 1/2 Crystal Can	5	0508	
3602/004	Relays Electromagnetic Latching 28Vdc 15A 4PDT	2	0409	
3602/005	Relays Electromagnetic Latching 10A 50 Vdc, based on type GP3A	3	0409	
3602/006	Relays Electromagnetic Latching 28Vdc 25A 3PDT	2	0409	
3602/009	Relays Electromagnetic Latching 28 Vdc 15A 2PDT	3	0409	
3602/010	Relays Electromagnetic Latching 50 Vdc 2A 2PDT 1/2 Crystal Can, based on type GP250	3	0409	
3602/014	Relays Electromagnetic Latching 50Vdc 50A 1PDT	2	0409	
3602/019	Relays Electromagnetic Latching 1A 28Vdc 2PDT 1/6 Crystal Can	2	0409	



ESCC	Specification Title	Status	
Document or	Close of Dublication, 02	Issue	Date
Spec. Number	Class of Publication: 92 Relays Electromagnetic RF Coaxial Switch Latching		
3603	Generic Specification for Relays Electromagnetic RF Coaxial Switch Latching	1	0210
3603/002	Relays Electromagnetic RF Coaxial Switch Latching Single Pole Double Throw SMA Connectors (BBM) with Indicator Circuit	1	0210
3603/006	Relays Eelctromagnetic, RF Coaxial Switch, Latching, 3/3/5 Matrix, SMA Connectors (BBM) with Indicator Circuit	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 59	Issue	Date
	Toggle Switches		
2043701	Internal Visual Inspection of Electromechanical Switches	2	0304
2053701	External Visual Inspection of Electromechanical Switches	2	0304
3701	Generic Specification for Electromechanical Switches	2	0712
3701/003	Microswitches Sensitive 1PDT, based on series T3	2	0807



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 67		
	Switches Thermostatic Bimetallic		
3702	Generic Specification for Switches Thermostatic Bimetallic Hermetically Sealed.	3	0712
3702/001	Switches Thermostatic Bimetallic SPDT Opening Contact	4	0807



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 19 Cables L.F.	Issue	Date	
3901	Generic Specification for Wires and Cables Electrical 600V Low Frequency	1	0210	
3901/001	Polyimide Insulated Wires and Cables Low Frequency 600V -100 to +200 degree C	1	0210	
3901/002	Polyimide Insulated Wires and Cables Low Frequency 600V -100 to +200 degree C	1	0210	
3901/005	Polyimide Insulated Wires and Cables Low Frequency 600V -100 to +150 degree C	1	0210	
3901/006	Polyimide Insulated Wires and Cables Low Frequency 600V -100 to +150 degree C	1	0210	
3901/007	Polyimide Insulated Wires and Cables Low Frequency 600V -150 to +150 degree C, based on type SPA2110	2	0505	
3901/008	Polyimide Insulated Wires and Cables Low Frequency 600V -150 to +150 degree C, based on type SPB2110	2	0505	
3901/009	Polyimide Insulated Wires and Cables Low Frequency 600V -150 to +150 degree C, based on type SPC2110	2	0505	
3901/011	Extruded Crosslinked Fluoropolymer Insulated Wires and Cables on Tin Plated Copper Conductor Low Frequency 600V -100 to +150 degree C	1	0210	
3901/012	Extruded Crosslinked Fluoropolymer Insulated Wires and Cables on Silver Plated Copper Conductor Low Frequency 600V -100 to +200 degree C	3	0806	
3901/013	PTFE Insulated Wires and Cables Low Frequency 600V -100 to +200 degree C	1	0210	
3901/014	Polyimide Insulated Shielded Cables with Drain Wires Low Frequency 600V -150deg.C +200deg.C, based on type SPA2110	1	0210	
3901/017	Power Wires for Crimping Low Frequency 600V -200 to +200 degree Celsius, based on type SPP	1	0210	
3901/018	Polyimide/Fluorthermoplast Insulated Wires and Cables Low Frequency 600V -200 to +200 degree Celsius, based on type SPM	1	0210	
3901/019	Polyimide Insulated Wires and Cables Low Frequency 600V -200 to +200 degree C, based on type SPL	1	0210	
3901/020	Extruded Cross-Linked Modified ETFE Insulated Wires & Cables on Silver-Plated Copper Conductors Lightweight Braided Low Frequency 600V -100 to +200 degree C	3	0806	
3901/021	Polyimide Insulated Shielded Cables With Drain Wire Low Frequency 600V -200 to +200 degree C, based on type SPLD	1	0210	
3901/022	Extruded Cross-Linked Modified ETFE Insulated Wires and Cables on Silver-Plated Copper Conductor Lightweight Spiral Shielded Low Frequency 600V -100 to +200 degree C	3	0806	
3901/024	Wires and Cables, Fluoropolymer Insulated, Low Frequency, 600V, -200 to + 200 degC, Based on Type CSWL	1	0210	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 20 Cables R.F.	Issue	Date	
3902	Generic Specification for Cables Coaxial Radio Frequency Flexible	1	0210	
3902/001	Cables Coaxial Radio-Frequency Flexible 50 ohms Miniature PTFE Dielectric Polyimide Jacket, based on type 50CIS	1	0210	
3902/002	Coaxial Triaxal and Symmetric Cables Flexible -200 to +180 degreeC	2	0304	
3902/003	Cable,Spacewire, Round, quad using Symmetric Cables, Flexible, -200 to +180 deg.C	2	0806	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 82	Issue	Date
	Solid Wires 350V for Wire Wrapping		
3903	Generic Specification for Solid Wires Electrical 350 Volts for Wire Wrapping	1	0210
3903/001	Kynar Insulated Solid Wires for Wire Wrapping 350V -60 to +100 degree Celsius, based on type FA3903- WY	1	0210
3903/002	PFA Insulated Solid Wires for Wire Wrapping 350V -100 to +200 degree Celsius, based on type FA3903WP	1	0210



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 84 Sectional Basic specs for Resistors	Issue	Date	
2024000	Checklist for Resistors Manufacturer and Line Survey	2	0402	
2044000	Internal Visual Inspection of Resistors	1	0210	
2054000	External Visual Inspection of Resistors	2	0304	
2094000	Radiographic Inspection of Resistors	1	0210	
2134000	Terms Definitions Abbreviations Symbols and Units for Resistors	1	0210	
2264000	Evaluation Test Programme for Resistors	1	0210	
2544001	Requirements for the Technology Flow Qualification of Film Resistors	1	0812	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 21 Resistors Film and Metal Oxide	Issue	Date	
4001	Generic Specification for Resistors Fixed Film	2	0812	
4001/011	Resistors Fixed Film Non-Hermetically Sealed, based on type RS92 (RNC90)	1	0210	
4001/022	Resistors, Fixed, Surface Mount Film, Non-Hermetically Sealed, Based on Type MS1	2	0612	
4001/023	Resistors fixed film chips, based on type P HR	5	0905	
4001/025	Resistor Arrays, Fixed, Surface Mount, Thin Film, based on Type PRA HR	5	0905	
4001/026	Resistors Fixed Chip Thick Film Based on Type CHP	3	0904	
4001/027	Resistor Fixed Chip Metal Foil, based on Type SMP-PW, SMS-PW, SMT-PW	2	0905	
4001/028	Resistor Fixed Chip Metal Foil based on Type SMR-PW, SMV-PW	1	0810	
4001/029	Resistor Fixed Surface Mount Thin Film Non Hermetically Sealed, based on Type TNPS	1	0810	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 22 Resistors Wire-Wound Precision	Issue	Date	
4002	Generic Specification for Resistors Fixed Wirewound	1	0210	
4002/001	Resistors Fixed Wirewound Accurate, based on type RBR56	1	0210	
4002/003	Resistors Fixed Wirewound, based on type RWR80	1	0210	
4002/004	Resistors Fixed Wirewound, based on type RWR89	1	0210	
4002/005	Resistors Fixed Wirewound, based on type RWR81	1	0210	
4002/006	Resistors Fixed Wirewound Accurate, based on type RBR54	1	0210	
4002/007	Resistors Fixed Wirewound Accurate, based on type RBR55	1	0210	
4002/009	Resistors Fixed SMD Wirewound, based on Type MSP BHR	1	0210	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 23	Issue	Date
	Resistors Wire-Wound Chassis-Mounted		
4003	Generic Specification for Resistors Fixed Wirewound (Power-Type Chassis-Mounted)	1	0210
4003/001	Resistors Fixed Wirewound Power-Type Chassis-Mounted 5W Semi-Precision, based on type RER60	1	0210
4003/002	Resistors Fixed Wirewound Power-Type Chassis-Mounted 10W Semi-Precision, based on type RER65	1	0210
4003/004	Resistors Fixed Wirewound Power-Type Chassis-Mounted 5W Semi-Precision, based on type RER40	1	0210
4003/008	Resistors Fixed Wirewound Power-Type Chassis-Mounted 30W Semi-Precision, based on type RER75	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 25	Issue	Date
	Resistors Network Thick Film		
4005	Generic Specification for Resistors Network Thick Film	1	0210
4005/002	Resistor Networks Thick Film, based on type ENG2096	1	0210
4005/003	Resistor Networks Thick Film, based on S.I.L Packages	1	0210



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 57 Thermistors	Issue	Date	
4006	Generic Specification for Thermistors (Resistors Thermally Sensitive)	1	0210	
4006/001	Thermistors (Resistors Thermally Sensitive) Range 2000 to 15000 Ohms at +25 degree C with a Temperature Range of -40 to +160 degree C	1	0210	
4006/002	Thermistors (Resistors Thermally Sensitive), based on type 34TD25A	2	0302	
4006/012	Thermistors(thermally sensitive resistors) NTC Chip Style, based on series 196-xxxxAG-001	1	0210	
4006/013	Thermistors (Thermally Sensitive Resistors) Range 1000 to 10000 Ohms at +25C with a Temperature Range of -55 to +150 C		0905	
4006/014	Thermistors (thermally Sensitive Resistors) Range 2000 to 100000 Ohms at +25C with a Temperature Range of -60 to +160 C		0804	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 64		
	Heaters		
2054009	External Visual Inspection of Flexible Heaters	1	0210
4009	Generic Specification for Resistors Heaters Flexible	3	0609
4009/002	Resistors Heaters Flexible Single and Double Layer, Follow-up Specification for ESA/SCC Detail Specification No. 4009/001	4	0609



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 98	Issue	Date
1	Fuses Thin Film		
4008	Generic Specification for Fuses	1	0806
4008/001	Fuses, 0.14 to 3.5 Amps, Based on Type MGA-S	1	0806



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 26 Discrete Semiconductors Transistors and Diodes	Issue	Date	
2025000	Ckecklist for Semiconductors Manufacturer and Line Survey	1	0210	
2045000	Internal Visual Inspection of Discrete Non-Microwave Semiconductors	1	0210	
2055000	External Visual Inspection of Discrete Non-Microwave Semiconductor Devices	1	0210	
2095000	Radiographic Inspection of Discrete Non-Microwave Semiconductors	1	0210	
2135000	Terms Definitions Abbreviations Symbols ans Units for Discrete Non-Microwave Semiconductor Devices	1	0210	
2145000	Scanning Electron Miscroscope (SEM) Inspection of Semiconductor Dice for Discrete Non-Microwave Semiconductor Devices	2	0304	
2265000	Evaluation Test Programme for Discrete Non-Microwave Semiconductors	1	0210	
5000	Generic Specification for Discrete Semiconductor Components	5	0909	



ESCC	Specification Title	Status	Status	
Document or Spec. Number	Class of Publication: 61 Power Dividers-Microwave & Semiconductor Component	Issue	Date	
2045010	Internal Visual Inspection of Microwave Devices	1	0210	
2145010	Scanning Electron Miscroscope (SEM) Inspection of Semiconductor Dice for Discrete Microwave Semiconductor Devices	2	0304	
2265010	Evaluation Test Programme for Discrete Microwave Semiconductors	1	0210	
5010	Generic Specification for Discrete Microwave Semiconductor Components	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 27	Issue	Date
	Transistors Low Power NPN		
5201/001	Transistors Low Power NPN, based on type 2N2484	5	0909
5201/002	Transistors Low Power NPN, based on type 2N2222A	4	0909
5201/003	Transistors Low Power NPN, based on type 2N2219A	3	0907
5201/004	Transistors Low Power NPN, based on type 2N3700	4	0909
5201/006	Transistors Low Power NPN, based on type 2N2369A	4	0909
5201/010	Transistors Low Power NPN, based on type 2N3866	1	0210
5201/011	Transistors Low Power RF NPN, based on type 2N3019	3	0909
5201/013	Transistors Low Power NPN, based on types 2N3498 thru 2N3501	2	0903
5201/014	Transistors Low Power NPN, based on type 2N2857	2	0805
5201/015	Transistors Low Power NPN, based on type BSX39	1	0210
5201/019	Transistors High Voltage NPN, based on type 2N5551	4	0812



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 28 Transistors Low Power PNP	Issue	Date
5202/001	Transistors Low Power PNP, based on type 2N2907A	5	0909
5202/002	Transistors Low Power PNP, based on type 2N2905A	3	0909
5202/004	Transistors Low Power PNP, based on types 2N2894 and 2N2894A	2	0909
5202/008	Transistors Low Power PNP, based on type 2N4033	4	0909
5202/014	Transistors Low Power PNP, based on type 2N5401	4	0909
5202/015	Transistors Low Power PNP, based on type 2N3962	2	0909



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 29 Transistors High Power NPN			
5203/004	Transistors High Power NPN, based on type 2N5672	3	0909	
5203/010	Transistors High Power NPN, based on type 2N5154	4	0909	
5203/011	Transistors High Power NPN, based on types 2N3439 and 2N3440	3	0909	
5203/013	Transistors High Power NPN, based on type 2N5004	1	0210	
5203/014	Transistors High Power NPN Isolated Collector, based on type 2N3749	1	0210	
5203/016	Transistors High Power NPN, based on type BUX77	3	0909	
5203/021	Transistors High Power NPN, based on type 2N6032	1	0210	
5203/022	Transistors NPN Power Switching, based on type 2N5074	1	0210	
5203/025	Transistors Power NPN, based on type 2N2880	3	0909	
5203/026	Transistors High Power NPN, based on type 2N6033	1	0210	
5203/027	Transistors High Power NPN, based on type 2N3767	1	0210	
5203/029	Transistors High Power NPN, based on type 2N6275	1	0210	
5203/030	Transistors High Power NPN, based on type BUR14	1	0210	
5203/031	Transistors High Power NPN, based on type 2N2814	1	0210	
5203/032	Transistors High Power NPN, based on type 2N5539	1	0210	
5203/033	Transistors High Power NPN, based on type 2N3999	1	0210	
5203/035	Transistors Switching Power NPN, based on type 2N5542	1	0210	
5203/036	Transistors High Power NPN, based on type SDT79823	1	0210	
5203/037	Transistors High Power NPN, based on type 2N5660 through 2N5663	1	0210	
5203/038	Transistors High Power NPN, based on types 2N5664 through 2N5667	2	0804	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 30	Issue	Date
	Transistors High Power PNP		
5204/002	Transistors High Power PNP, based on type 2N5153	4	0909
5204/005	Transistors High Power PNP, based on type 2N5005	1	0210
5204/006	Transistors High Power PNP, based on type BUX78	3	0909



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 31	issue	Duit	
	Transistors FET N Channel			
5205/003	Transistors Field-Effect N-Channel, based on types 2N4391/2N4392 and 2N4393	2	0805	
5205/004	Transistors Field-Effect N-Channel, based on types 2N4416 and 2N4416A	2	0508	
5205/007	Transistors Field-Effect N-Channel, based on types 2N4091/2N4092 and 2N4093	1	0210	
5205/013	Transistors Power Field-Effect N-Channel, based on types 2N6764/2N6766 and 2N6768	1	0210	
5205/014	Transistors MOS FET N-Channel Power, based on type 2N6782	1	0210	
5205/019	Transistors MOSFET N-Channel Power, based on types 2N6796/6798/6800/6802	1	0210	
5205/020	Transistors MOSFET Power N-Channel, based on types IRFY044, 120, 130, 140, 240, 340, 430, 440	1	0210	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 32	15500	Date
	Transistors FET P Channel		
5206/003	Transistors MOSFET P-Channel Power, based on types 2N6849 and 2N6851	3	0907
5206/004	Transistors MOSFET P-Channel Power, based on types 2N6804 and 2N6806	1	0210
5206/005	Transistors MOSFET Power P-Channel, based on types IRFY9120, 9130, 9140, 9240	1	0210
5206/006	Transistors MOSFET P-Channel Power, based on type IRF9140	1	0210



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 33 Multiple Transistors	Issue	Date	
5207/002	Matched Dual Transistors NPN, based on types 2N2919/2N2920 and 2N2920A	3	0909	
5207/003	Matched Dual Transistors NPN, based on type 2N3350	2	0802	
5207/005	Transistors Matched Dual PNP, based on types 2N3810 and 2N3811	2	0804	
5207/006	Transistors Quadruple PNP Silicon Transistor Array, based on type MQ3467	1	0210	
5207/008	Transistors Matched Dual NPN, based on types MD2369A and MD2369AF	1	0210	
5207/012	Transistors Dual NPN, based on type MD2219AF	1	0210	
5207/013	Transistors Dual PNP, based on types MD2905AF and MD2905A	1	0210	
5207/019	Transistors Quadruple PNP Silicon Array, based on type S501T	1	0210	
5207/020	Transistors Quadruple NPN Silicon Array, based on type S502T	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 34 Transistors Switching	Issue	Date
5208/003	Transistors Switching PNP, based on types 2N3636 and 2N3637	2	0804
5208/005	Transistors NPN Power Transistor, based on type 2N5926	1	0210
5208/006	Transistors Power NPN, based on type 2N3599	1	0210
5208/007	Transistors Power NPN, based on type 2N6307	1	0210
5208/008	Transistors Power Switching NPN, based on type 2N4150	1	0210
5208/009	Transistors Silicon Switching PNP, based on type 2N3467	2	0810



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 50	Issue	Date
	Opto Electric Devices: Photocouplers		
5401/001	Opto-Isolators, based on types 3C91 and 3C92	1	0210
5401/003	Opto Couplers Inverted Dual Channel, based on type 6N134	1	0210
5401/005	Opto Couplers, based on type CNY18	1	0210



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 55	Issue	Date
	Opto Electronic Devices: Emitters		
5402/005	Light Emitting Diode Infrared GaAlAs Hermetic, based on type OP224	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 97		
	Opto Electronic Devices: Receivers		
5403/001	Photodiode, based on Type AE9493	1	0711



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 36 Diodes Switching	Issue	Date	
5101/005	Fast Recovery Avalanche Rectifiers 400mW, based on types BYX57500 and BYX57600	1	0210	
5101/006	Diodes Switching, based on type 1N3595	1	0210	
5101/007	Diodes Switching, based on type 1N3600	1	0210	
5101/011	Diodes Switching, based on types 1N5812 through 1N5816	1	0210	
5101/012	Diodes Switching Rectifier Low Power High Voltage, based on type F60A	1	0210	
5101/013	Diodes Switching, based on types 1N5807 through 1N5811	2	0909	
5101/014	Diodes Switching, based on types 1N5802, 1N5804, 1N5806, 1N5802US, 1N5804US, 1N5806US and 1N5806U	2	0904	
5101/015	Diodes Silicon Fast Recovery Rectifier, based on type BYW56	1	0210	
5101/016	Diodes Switching, based on type 1N4153	1	0210	
5101/018	Diodes Switching Fast Recovery, based on type UTR6420	1	0210	
5101/023	Diodes Fast Switching, based on type 1N4148-1	1	0210	
5101/024	Diodes Switching, based on type 1N4150-1	1	0210	
5101/025	Diodes Switching, based on type 1N4151-1	1	0210	
5101/026	Diodes Silicon Switching, based on types 1N6638, 1N6642 and 1N6643	1	0210	
5101/027	Diodes Silicon Switching, based on types 1N6639, 1N6640 and 1N6641	1	0210	
5101/028	Diodes Switching, based on types 1N3595-1 and 1N3595US	1	0210	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 37 Diodes Voltage Reference	Issue	Date	
5102/002	Diodes Voltage Regulators, based on series BZX85C	2	0704	
5102/004	Diodes Voltage Reference 6.4V in DO-35 Case, based on types 1N4565A thru 1N4584A	1	0210	
5102/007	Diodes Low Noise Voltage Regulator, based on types 1N4099-1 thru 1N4135-1	1	0210	
5102/008	Diodes Voltage Reference 6.2V in DO35 Case, based on types 1N821A thru 1N829A	1	0210	
5102/010	Diodes Voltage Regulator, based on BZX55 series	1	0210	
5102/013	Diodes Voltage Reference, based on types 1N4954 thru 1N4995	1	0210	
5102/014	Diodes Voltage Reference, based on type 1N4372A	1	0210	
5102/015	Diodes Voltage Regulator, based on types 1N3821A through 1N3828A and 1N3015B through 1N3051B	1	0210	
5102/019	Diodes Low Noise Voltage Regulator, based on types 1N4614 through 1N4627 and 1N4614-1 through 1N4627-1	1	0210	
5102/020	Diodes Voltage Regulator Silicon, based on types 1N6485 to 1N6491 and 1N4460 to 1N4465	1	0210	
5102/021	Diodes Low Noise Voltage Regulator, based on types 1N6309 to 1N6355	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 38 Diodes Rectifier	Issue	Date
5103/001	Diodes Silicon Rectifier 400mW, based on types 1N645-649	1	0210
5103/003	Diodes Silicon Power Rectifier, based on types 1N4383-4386	1	0210
5103/004	Diodes Switching, based on type UTX4120	1	0210
5103/005	Diodes Switching, based on type UTX225	1	0210
5103/007	Diodes Silicon Power Rectifier Fast Recovery, based on types 1N5415 through 5420	1	0210
5103/008	Diodes Rectifier, based on types 1N4942/4944/4946/4947/4948	1	0210
5103/010	Diodes Silicon Power Rectifier Fast Recovery, based on types 1N3890/3891/3893	1	0210
5103/013	Diodes Silicon Fast Recovery Rectifier Low Forward Voltage Drop, based on series BYW77	1	0210
5103/017	Diodes Rectifier Fast Recovery, based on types UES801/802/803 and UES801R/802R/803R	1	0210
5103/018	Diodes Silicon Fast Recovery (Low Forward Voltage Drop), based on series BYW78	1	0210
5103/021	Diodes Silicon Power Rectifier Fast Recovery, based on types 1N5615/17/19/21/23	1	0210
5103/024	Diodes Silicon Power Rectifier Fast Recovery, based on types 1N5614/16/18/20/22	1	0210
5103/025	Diodes Silicon Power Rectifier Fast Recovery, based on types BYV27/50, BYV27/100 and BYV27/150	1	0210
5103/026	Diodes Silicon Power Rectifier Fast Recovery, based on types BYV61, 62 and 63	1	0210
5103/027	Diodes Silicon Power Rectifier Fast Recovery, based on types 1N5550/51/52/53/54	1	0210
5103/028	Diode Rectifier Schottky, based on types 1N5817 to 1N5819	1	0210
5103/029	Diodes, Silicon, Power Recitifier, High Efficiency, Fast Recovery, based on type BYW81-200	4	0807
5103/030	Diodes, Silicon, Power Rectifier, High Efficiency, Fast Recovery, based on type BYV 52-200	2	0704
5103/031	Diodes, Power Rectifier, High Efficiency Fast Recovery, based on Type BYV 54-200	4	0807



ESCC	Specification Title	Status	Status	
Document or Spec. Number		Issue	Date	
5106/002	Diodes Switching Schottky Barrier, based on type 1N5712	1	0210	
5106/010	Diodes Switching, based on type 1N5711	1	0210	
5106/014	Diode Microwave Schottky Mixer Silicon, based on types BAT14 and BAT15	1	0210	
5106/015	Diodes Power Schottky Barrier, based on type 1N6391	1	0210	
5106/016	Diodes, Power Rectifier, Schottky Barrier, based on type STPS20100	3	0706	
5106/017	Diode, Silicon, Power Rectifier, Schottky Barrier, based on Type STPS1045	2	0704	
5106/018	Diode, Silicon, Power Rectifier, Schottky Barrier, based on type STPS6045	2	0802	
5106/019	Diodes Power Rectifier Schottky Barrier based on Type STPS40100	2	0704	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 54	13540	Duic
	Diodes Miscellaneous		
5107/001	Diodes Reference/Transient Suppressor, based on types 1N5555 through 1N555,1N5629A through 1N5665A and 1N5907	1	0210
5107/016	Diodes Voltage Variable Capacitor, based on types 1N5139A through 1N5148A	1	0210
5107/022	Diodes Silicon Field Effect Current Regulator, based on types 1N5283 through 1N5314	1	0210



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 72 Microwave Diodes: Oscillators	Issue	Date
5511/001	Diodes Microwave Gallium Arsenide Gunn, based on types ML4921 to 23, ML4931to33, ML4941to43, ML4951to53, ML4961to63, ML4971to73 and ML4981to83	1	0210
5511/002	Diodes Microwave Gallium Arsenide Gunn, based on types ML4901 to ML4906 & ML4910 to ML4911	1	0210



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 73 Microwave diodes: Small Signal	Issue	Date
5512/001	Diodes Microwave Silicon Multiplier Varactor, based on types ML4402 ML4404 thru ML4409 and ML40721	1	0210
5512/002	Diodes Microwave Gallium Arsenide Tuning Varactor, based on types ML4512 thru ML4518	1	0210
5512/003	Diodes Microwave Silicon Tuning Varactor, based on type ML4310 thru ML4319	1	0210
5512/004	Diodes Microwave Silicon Tuning Varactor, based on types ML4331 to ML4335	1	0210
5512/005	Diodes Microwave Silicon Tuning Varactor, based on types ML4336 to ML4343	1	0210
5512/006	Diodes Microwave Silicon Tuning Varactor, based on types ML4351 to ML4354	1	0210
5512/007	Diodes Microwave Silicon Tuning Varactor, based on types ML4355 to ML4365	1	0210
5512/008	Diodes Microwave Gallium Arsenide Tuning Varactor, based on types ML4532 to ML4538	1	0210
5512/009	Diodes Microwave Gallium Arsenide Tuning Varactor, based on types ML4552 to ML4558	1	0210
5512/010	Diodes Microwave Gallium Arsenide Multiplier Varactor, based on types ML48701E thru ML48705E	1	0210
5512/011	Diodes Microwave Gallium Arsenide Multiplier Varactor, based on types ML48706C thru ML48708C and ML48709B to ML48710B	1	0210
5512/012	Diodes Microwave Gallium Arsenide Hyperabrupt Tuning Varactor, based on types ML4577 to ML4580	1	0210
5512/013	Diodes Microwave Gallium Arsenide Hyperabrupt Tuning Varactor, based on types ML4572 to ML4576	1	0210
5512/014	Diodes Microwave Gallium Arsenide High Capacitance Tuning Varactor, based on types ML4519 ML4520 ML4539 ML4540 ML4559 and 4560	1	0210
5512/016	Diodes Microwave Silicon Multiplier Varactor, based on types DH252,256, 267,292, 294	2	0305
5512/017	Diodes Microwave Silicon Schottky, based on types DH301,302,303,312,313,314,315,322,323,324,325	1	0210
5512/020	Diodes Microwave Silicon Schottky General Purpose, based on types BAS40 and BAS70	2	0302
5512/022	Microwave Hyper-Abrupt Junction Tuning Varacter Silicon Diode, based on Types DH733 to DH738	1	0210
5512/023	Diodes, Microwave, Silicon, Hyper-Abrupt Junction Tuning Varactor, based on Types DH76XXX	1	0304



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 74 Microwave Diodes: Large Signal			
5513/001	Diodes Microwave Silicon PIN Limiter, based on types ML4202 ML4204 AND ML4206	1	0210	
5513/002	Diodes Microwave Silicon PIN Fast Switching, based on types ML4617P thru ML4619P	1	0210	
5513/003	Diodes Microwave Silicon PIN Plated Heatsink, based on types ML4630 and ML4631	1	0210	
5513/004	Diodes Microwave Silicon Pin Fast Switching, based on types ML4603-54 to ML4608-54	1	0210	
5513/005	Diodes Microwave Silicon Pin Broadband, based on types ML4660,4661,4663,4665,4667,4669,4671 and thru 4674	1	0210	
5513/006	Diodes Microwave Silicon Schottky Medium Barrier Mixer, based on types ML40019 to ML40021 ML40150 ML40151 ML40152 ML40160 and ML40161	1	0210	
5513/007	Diodes Microwave Silicon Pin Limiter, based on types ML4207 to ML4209	1	0210	
5513/008	Diodes Microwave Silicon Pin Plated Heatsink, based on types ML4609 ML4613 AND ML4616	1	0210	
5513/009	Diodes Microwave Silicon Pin Fast Switching, based on types ML4610 ML4617 ML4618 & ML4619	1	0210	
5513/010	Diodes Microwave Silicon PIN Fast Switching, based on types ML4611 ML4612 ML4614 & ML4615	1	0210	
5513/011	Diodes Microwave Silicon Pin Plated Heatsink, based on types ML4620 ML4621 ML4625 ML4626	1	0210	
5513/012	Diodes Microwave Silicon Pin High Power, based on types ML4640 to ML4647	1	0210	
5513/013	Diodes Microwave Silicon Pin High Power, based on types ML4648 to Ml4655	1	0210	
5513/014	Diodes Microwave Silicon Pin Fast Switching, based on types ML4622 to ML4624	1	0210	
5513/015	Diodes Microwave Silicon Pin Fast Switching, based on types ML4627 to ML4629	1	0210	
5513/016	Diodes Microwave Silicon Pin Broadband, based on types ML4661P ML4662 ML4663P ML4664 ML4665P ML4666 ML4667P ML4668 ML4669P and ML4670	1	0210	
5513/017	Diodes Microwave Silicon PIN, based on BXY42-MESA	1	0210	
5513/018	Diodes Microwave Silicon Pin Fast Switching, based on types ML4622P to ML4624P	1	0210	
5513/019	Diodes Microwave Silicon Pin Fast Switching, based on types ML4627P to ML4629P	1	0210	
5513/020	Diodes Microwave Silicon Pin Fast Switching, based on types ML4611P 4612P 4614P and 4615P	1	0210	
5513/021	Diodes Microwave Gallium Arsenide Schottky Mixer, based on types ML40461 to ML40464	1	0210	
5513/028	Diodes Microwave Silicon Pin Switching, based on type 1N5719	1	0210	
5513/030	Diodes Microwave Silicon Pin Planar, based on types BXY43C and BXY44K	1	0210	
5513/031	Diodes Microwave Silicon, PIN, Fast Switching, based on types DH50151 to DH50157	1	0210	
5513/032	Diodes, Microwave Silicon PIN Ultra-Fast Switching, based on types DH50033 to DH50037	1	0210	
5513/033	Diodes Microwave Silicon PIN Fast Switching, based on types DH50201 to DH50209	1	0210	



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 74	15540	Dute	
	Microwave Diodes: Large Signal			
5513/034	Diodes Microwave Silicon PIN Fast Switching, based on types DH50251 to DH50256	1	0210	
5513/035	Diodes Microwave Silicon PIN Fast Switching, based on types DH50401 to DH50405	1	0210	
5513/036	Diodes Microwave Silicon PIN Ultra-Fast Switching, based on types DH50052 to DH50057	1	0210	
5513/037	Diodes Microwave Silicon PIN Ultra-Fast Switching, based on types DH50071 to DH50077	1	0210	
5513/038	Diodes Microwave Silicon PIN Ultra-Fast Switching, based on types DH50101 to DH50107	1	0210	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 86 Silicon Small Signal Trans. 5611/	Issue	Date
5611/006	Transistors Microwave Small Signal Silicon Bipolar, based on types BFY180 thru BFY183 BFY193 and BFY280	3	0307
5611/008	Transistors Microwave Small Signal Silicon Bipolar, based on types BFY405 BFY420 and BFY450	1	0210



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 77	Issue	Date	
5613/002	Microwave Tran. III-V Small Signal Transistors High Electron Mobility Transistors Microwave Low Noise Small Signal Gallium Arsenide, based on type CFY66	1	0210	
5613/004	High Electron Mobility Transistors Microwave Low Noise Small Signal Gallium Arsenide, based on type CFY67	1	0210	
5613/008	Transistors, Microwave, Field Effect, Low Noise, Gallium Arsenide, based on Types CFY25 and CFY27	2	0307	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 87	Issue	Date
_	III-V large signal and oscillators(5614/)		
5614/006	Transistors Microwave Metal Semiconductor Field Effect Power Gallium Arsenide, based on types CLY29 and CLY32	3	0307
5614/007	Transistors, Microwave, Field Effect, Power, Gallium Arsenide, based on Types CLX27 and CLX30	2	0307
5614/008	Transistors, Microwave, Field Effect, Power, Gallium Arsenide, Based on CLY35 and CLY38	3	0307



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 90	15500	Date
	Capacitor Microwave Silicon Dice (5711/)		
5711/002	Capacitors, Microwave, Silicon, Naked die, MOS, based on Type 101M, 201M, 400M and 401M	1	0811



ESCC	Specification Title		Status	
~r · · · · · · · · · · · · · · · · · ·	Class of Publication: 41 IC's Generic and Sectional Basic Specs (9000)	Issue	Date	
2029000	Checklist for Monolithic Microcircuit Manufacturer and Line Survey	1	0210	
2049000	Internal Visual Inspection of Silicon-Based Non-Microwave Integrated Circuits	2	0311	
2059000	External Visual Inspection of Integrated Circuits	2	0304	
2099000	Radiographic Inspection of Integrated Circuits	1	0210	
2139000	Terms Definitions Abbreviations Symbols and Units for Integrated Circuits	1	0210	
2269000	Evaluation Test Programme for Monolithic Integrated Circuits	1	0210	
2439000	Requirements for Capability Approval of Monolithic Microcircuit Technologies	1	0210	
2549000	Requirement for the Technology Flow Qualification of Monolithic Microcircuits	1	0304	
9000	Generic Specification for Integrated Circuits Monolithic	6	0909	



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 43 IC's Sil Mon CMOS: 4000 Series			
9201/040	CMOS Dual 3-Input NOR Gate plus Inverter, based on type 4000B	3	0905	
9201/041	CMOS Quad 2-Input NOR Gates, based on type 4001B	3	0905	
9201/042	CMOS Dual 4-Input NOR Gates, based on type 4002B	3	0905	
9201/043	CMOS Quad 2-Input NAND Gate, based on type 4011B	3	0509	
9201/044	CMOS Dual 4-Input NAND Gate, based on type 4012B	3	0905	
9201/045	CMOS Triple 3-Input NAND Gates, based on type 4023B	3	0905	
9201/046	CMOS Triple 3-Input NOR Gate, based on type 4025B	3	0905	
9201/047	CMOS Quad 2-Input Exclusive OR Gates, based on type 4030B	3	0905	
9201/048	CMOS Quad Exclusive OR Gate, based on type 4070B	3	0905	
9201/052	CMOS Quad 2-Input AND Gate, based on type 4081B	3	0905	
9201/054	CMOS Multifunction Expandable 8-Input Gate with 3-State Output, based on type 4048B	3	0905	
9201/055	CMOS Quad Exclusive NOR Gate, based on type 4077B	3	0905	
9201/061	CMOS 8-Input NAND/AND Gate, based on type 4068B	3	0905	
9201/062	CMOS 8-Input NOR/OR Gate, based on type 4078B	3	0905	
9201/063	CMOS Quad 2-Input OR Gates, based on type 4071B	3	0905	
9201/064	CMOS Triple 3-Input AND Gate, based on type 4073B	3	0905	
9201/065	CMOS Triple 3-Input OR Gates, based on type 4075B	3	0905	
9201/066	CMOS Dual 4-Input AND Gate, based on type 4082B	3	0905	
9201/067	CMOS Dual 2-Wide 2-Input AND/OR Inverter Gate, based on type 4085B	3	0905	
9201/068	CMOS Expandable 4-Wide 2-Input AND/OR Inverter Gate, based on type 4086B	3	0907	
9201/082	CMOS Dual 4-Input OR Gates, based on type 4072B	3	0907	
9202/038	CMOS Dual Complementary Pair plus Inverter having unbuffered Outputs, based on type 4007UB	3	0907	
9202/039	CMOS 4-Bit Full Adder, based on type 4008B	3	0907	
9202/040	CMOS Quad True/Complement Buffer with Unbuffered Outputs, based on type 4041UB	3	0907	
9202/041	CMOS Quad Clocked 'D' Latch, based on type 4042B	3	0709	
9202/042	CMOS Quad 3-State NOR R/S Latches, based on type 4043B	3	0907	
9202/043	CMOS Quad 3-State NAND R/S Latch, based on type 4044B	3	0907	
9202/044	CMOS Micropower Phase-Locked Loop, based on type 4046B	3	0907	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 43 IC's Sil Mon CMOS: 4000 Series	Issue	Date	
9202/045	CMOS Hex Buffer/Converter Inverting, based on type 4049UB	4	0907	
9202/046	CMOS Hex Buffer/Converter Non-Inverting, based on type 4050B	3	0907	
9202/047	CMOS Analogue Multiplexer/Demultiplexer, based on type 4051B	4	0907	
9202/048	CMOS Analogue Multiplexer/Demultiplexer, based on type 4052B	3	0906	
9202/049	CMOS Analogue Multiplexer/Demultiplexer (Triple 2-Channel), based on type 4053B	3	0906	
9202/050	CMOS Quad Bilateral Switch, based on type 4016B	3	0907	
9202/051	CMOS Quad AND/OR Select Gate, based on type 4019B	3	0907	
9202/058	CMOS 8-Bit Addressable Latch, based on type 4099B	3	0907	
9202/060	CMOS Binary Rate Multiplier, With Fully Buffered Outputs, based on type 4089B	3	0907	
9202/063	CMOS Dual 4-Bit Latch with 3-State Outputs, based on type 4508B	3	0907	
9202/065	CMOS 8-Bit Priority Encoder, based on type 4532B	3	0907	
9202/068	CMOS 4-Bit Arithmetic Logic Unit With Fully Buffered Outputs, based on type 40181B	3	0907	
9202/069	CMOS Look-Ahead Carry Generator With Fully Buffered Outputs, based on type 40182B	3	0907	
9203/022	CMOS Dual J-K Master Slave Flip-Flop, based on type 4027B	3	0907	
9203/023	CMOS Dual 'D'-Type Flip-flop, based on type 4013B	3	0905	
9203/038	CMOS Hex 'D'-Type Flip-Flop, based on type 40174B	3	0907	
9204/013	CMOS Dual BCD Up-Counter, based on type 4518B	3	0907	
9204/020	CMOS Decade Counter/Divider, based on type 4017B	4	0907	
9204/021	CMOS Presettable Divide-by-N Counter, based on type 4018B	3	0907	
9204/022	CMOS Ripple-Carry Binary Counter/Divider, based on type 4020B	3	0907	
9204/023	CMOS Octal Counter/Divider, based on type 4022B	3	0907	
9204/024	CMOS Ripple Carry Binary Counter/Divider, based on type 4024B	3	0907	
9204/025	CMOS Presettable Up/Down Counter Binary OR BCD Decade, based on type 4029B	3	0907	
9204/026	CMOS Ripple Carry Binary Counter/Divider, based on type 4040B	3	0908	
9204/028	CMOS Dual Binary Up Counter, based on type 4520B	3	0907	
9204/036	CMOS Presettable 8-Bit Synchronous Down Counters, based on type 40103B	3	0907	
9204/041	CMOS Presettable Binary Up/Down Counter (Dual Clock with Reset), based on type 40193B	3	0908	
9204/045	CMOS Presettable Binary Up/Down Counter With Fully Buffered Outputs, based on type 4516B	3	0907	
9204/046	CMOS Programmable 4-Bit Binary Counter with Synchronous Clear, based on type 40163B	3	0908	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 43 IC's Sil Mon CMOS: 4000 Series	Issue	Date	
9204/052	CMOS 14-Stage Ripple-Carry Binary Counter/Divider and Oscillator, based on type 4060B	4	0908	
9204/054	CMOS Programmable 4-Bit Binary Counter with Asynchronous Clear, based on type 40161B	3	0908	
9204/067	CMOS Programmable 4-Bit Synchronous Decade Counter with Synchronous Clear, based on type 40162B	3	0908	
9205/010	CMOS BCD-to-Decimal OR Binary-to-Octal Decoder, based on type 4028B	3	0908	
9205/011	CMOS 4-Bit Latch/4-to-16 Line Decoder, based on type 4515B	3	0908	
9206/003	CMOS Dual Monostable Multivibrator, based on type 4098B	3	0908	
9207/003	CMOS Low Power Monostable/Astable Multivibrator, based on type 4047B	3	0908	
9207/007	CMOS Dual Monostable Multivibrator with Reset, based on type 4538B	3	0908	
9208/002	CMOS 9-Bit Parity Generator/Checker, based on type 40101B	3	0908	
9209/001	CMOS 4-Bit Magnitude Comparator, based on type 4063B	3	0908	
9301/009	CMOS 4x4 Multiport Register with 3-State Outputs, based on type 40208B	3	0908	
9306/013	CMOS 18 Stage Static Shift Register, based on type 4006B	3	0908	
9306/014	CMOS 8-Stage Synchronous Static Shift Register, based on type 4014B	3	0908	
9306/015	CMOS Dual 4-Stage Static Shift Register with Serial Input/Parallel Input, based on type 4015B	3	0908	
9306/016	CMOS 8-Stage Static Shift Register, based on type 4021B	3	0908	
9306/017	CMOS 64-Stage Static Shift Register, based on type 4031B	3	0908	
9306/018	CMOS 4-Bit Universal Shift Register, based on type 4035B	3	0908	
9306/022	CMOS 4-Bit D-Type Register with 3-State Outputs, based on type 4076B	3	0908	
9306/025	CMOS 8-Stage Static Bidirectional Parallel/Serial Input/Output Bus Register with 3-State Outputs, based on type 4034B	3	0909	
9306/026	CMOS 8-Stage Shift and Store Bus Register with Synchronous Serial Outputs and 3-State Parallel Outputs, based on type 4094B	3	0902	
9306/032	CMOS 4-Bit Bidirectional Universal Shift Register, based on type 40194B	3	0908	
9306/033	CMOS FIFO Register with 3-State Outputs, based on type 40105B	3	0909	
9306/034	CMOS 4x4 Multiport Register with 3-State Outputs, based on type 40108B	3	0909	
9306/040	CMOS 4-Bit Bi-Directional Universal Shift Register with 3 State Outputs, based on type 40104B	3	0909	
9306/049	CMOS Dual 64-Stage Static Shift Register with 3-State Outputs, based on type 4517B	3	0909	
9401/006	CMOS Strobed Hex Inverter/Buffer, based on type 4502B	3	0909	
9401/010	CMOS Hex Inverter, based on type 4069UB	3	0909	
9401/013	CMOS Dual 2-Input NAND Buffer/Driver, based on type 40107B	3	0909	



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 43 IC's Sil Mon CMOS: 4000 Series	Issue	Date	
9401/030	CMOS Hex Non-Inverting Buffers with 3-State Outputs, based on type 4503B	3	0909	
9406/001	CMOS Ripple-Carry Decade Counter/Divider, based on type 4026B	3	0909	
9407/003	CMOS Quad Low to High 3-State Voltage Level Shifter, based on type 40109B	3	0909	
9408/005	CMOS Quad Bilateral Switch, based on type 4066B	3	0909	
9408/006	CMOS 8-Channel Multiplexer with 3-State Outputs, based on type 4512B	3	0909	
9408/009	CMOS Analogue Multiplexer/Demultiplexer, based on type 4067B	3	0909	
9408/011	CMOS Dual 1-of-4 Decoder/Demultiplexer, based on type 4555B	4	0909	
9408/012	CMOS 4-Bit Latch/4-to-16 Decoder, based on type 4514B	3	0909	
9408/017	CMOS Quad 2-Line-to-1-Line Data Selector/Multiplixer with 3-State Outputs, based on type 40257B	3	0909	
9408/025	CMOS Dual 1-of-4 Decoder/Demultiplexers (Outputs Low on Select), based on type 4556B	3	0909	
9409/002	CMOS Quad 2-Input NAND-Gate with Schmitt Trigger Inputs, based on type 4093B	3	0909	
9409/005	CMOS HEX Schmitt Triggers, based on type 40106B	3	0909	



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 47 IC's Sil Mon: Others	Issue	Date
9301/047	IC Silicon Monolithic, CMOS Static 128k x 8 (131072 x 8 BIT) Asynchronous Random Access Memory with 3-State Outputs, based on Type M65508E	2	0710
9301/048	IC Silicon Monolithic CMOS STATIC 16K x 9-Bit Parallel First in First Out Memory with Three State Outputs, based on Type 67206H, 672061H	1	0710
9301/049	IC Silicon Monolithic CMOS STATIC 4K x 9-Bit Parallel First in First Out Memory with Three State Outputs, based on Type 67204H	1	0710
9301/050	IC Silicon Monolithic CMOS 8K x 16 Dual Port Static Random Access Memory with Three State Outputs, based on Type 67025E	1	0710
9301/052	Microcircuit, Memory, Digital, CMOS, 512x8-Bit, very low power silicon	1	0601
9301/053	IC Silicon Monolithic CMOS 128K x 8-Bit, Asynchronous Static Random Access Memory with Three State Outputs, based on Type 65609E	1	0710
9304/008	Integrated Circuits, Silicon Monolithic, CMOS Digital, Field Programmable Gate Array, 40000 Gates, based on Type AT40KEL040	1	0601



ESCC	Specification Title		Status	
Document or		Issue	Date	
Spec. Number	Class of Publication: 68 High Speed CMOS 54HC Series			
9201/105	HCMOS Quad 2-Input NAND Gates, based on type 54HC00	3	0605	
		2		
9201/106	HCMOS Quad 2-Input Positive AND Gates, based on type 54HC08		0303	
9201/107	HCMOS Triple 3-Input NAND Gates, based on type 54HC10	2	0303	
9201/108	HCMOS Dual 4-Input AND Gates, based on type 54HC21		0308	
9201/109	HCMOS Triple 3-Input NOR Gates with fully buffered Outputs, based on type 54HC27	2	0311	
9201/110	HCMOS 8-Input NAND Gates, based on type 54HC30	2	0310	
9201/111	HCMOS Qud 2-input OR Gates, based on type 54HC32	2	0303	
9201/113	HCMOS Quad 2-Input NOR Gates,based on type 54HC02	4	0607	
9201/114	HCMOS Quad 2-Input NAND Gates with Open Drain Output, based on type 54HC03	3	0607	
9201/117	HCMOS Triple 3-Input AND Gates, based on type 54HC11	2	0303	
9201/118	HCMOS Dual 4-Input NAND Gates, based on type 54HC20	2	0308	
9201/119	HCMOS Quad 2-Input Exclusive OR Gates, based on type 54HC86	2	0303	
9201/120	HCMOS Quad 2-Input NAND Gates with Schmitt-Trigger Inputs, based on type 54HC132	2	0303	
9201/121	HCMOS Quad 2-Input Exclusive OR Gates, based on type 54HC386	3	0605	
9201/122	HCMOS Quad 2-Input Exclusive NOR-Gates with Open Drain Outputs, based on type 54HC266	2	0607	
9201/123	HCMOS 8-Input OR/NOR Gate, based on types 54HC4078 and 54HC4078A	2	0309	
9201/124	HCMOS Dual 4-Input OR Gates, based on type 54HC4072	2	0303	
9201/129	HCMOS Triple 3-Input OR Gates, based on type 54HC4075	2	0303	
9201/130	HCMOS Dual 4-Input NOR Gates, based on type 54HC4002	2	0305	
9201/132	HCMOS Quad 2-Input NAND Gates, based on type 54HCT00	2	0605	
9201/133	HCMOS Quad 2-Input NOR Gates, based on type 54HCT02	2	0606	
9202/072	HCMOS Octal D-Type Transparent Latches with 3-State Outputs, based on type 54HC573	2	0307	
9202/075	HCMOS 4-Bit Binary Full Adders with Fast Carry, based on type 54HC283	2	0303	
9203/050	HCMOS Dual D-Type Flip-Flop with Preset and Clear, based on type 54HC74	2	0303	
9203/051	HCMOS Dual J-K Negative-Edge-Triggered Flip-Flops with Preset AND Clear, based on type 54HC112	3	0604	
9203/052	HCMOS Quad D-Type Edge-Triggered Flip Flops WITH Clear, based on type 54HC175	1	0210	
9203/053	HCMOS Octal D-Type Edge-Triggered Flip-Flops with Clear, based on type 54HC273	2	0309	
9203/054	HCMOS Octal D-Type Edge-Triggered Flip-Flops with 3-State Outputs, based on type 54HC574	3	0604	



ESCC	Specification Title		
Document or Spec. Number	Class of Publication: 68 High Speed CMOS 54HC Series	Issue	Date
9203/059	HCMOS Octal D-Type Transparent Latches with 3-State Outputs, based on type 54HC373	2	0305
9203/060	HCMOS Octal D-Type Edge-Triggered Flip-Flops with 3 State Outputs, based on type 54HC374	2	0305
9203/061	HCMOS Dual J-K Negative Edge Triggered Flip-Flops with Preset AND Clear, based on type 54HC76	2	0606
9203/064	HCMOS Octal D-Type Transparent Latches with 3-State Outputs, based on type 54HCT373	2	0308
9203/065	HCMOS Quad 4-Bit Bistable Latches, based on type 54HC75	2	0307
9203/066	HCMOS Octal D-Type Edge-Triggered Flip-Flops with 3 State Outputs, based on type 54HCT374	2	0308
9203/070	HCMOS Dual D-Type Flip-Flop with Preset and Clear, based on type 54HCT74	2	0307
9203/071	HCMOS Dual Negative-Edge Triggered J-K Flip-Flops with Clear, based on type 54HC73	2	0310
9203/072	HCMOS Dual J-K Negative-Edge-Triggered Flip-Flops with Direct Clear, based on type 54HC107	2	0310
9203/073	HCMOS 8-Bit Addressable Latches, based on type 54HC259	2	0306
9204/059	HCMOS Synchronous 4-Bit Binary Counter, with direct Clear based on type 54HC161	2	0303
9204/062	HCMOS Synchronous Presettable 4-Bit Decade Counter with Direct Clear, based on type 54HC160	2	0310
9204/065	HCMOS Synchronous 4-Bit Up/Down Binary Counters (Dual Clock with Clear), based on type 54HC193	2	0309
9204/066	HCMOS Synchronous 4-Bit Up/Down Binary Counter, based on type 54HC191	3	0604
9204/068	HCMOS Synchronous 4-Bit Up/Down Decade Counter, based on type 54HC190	2	0606
9204/069	HCMOS Asynchronous Negative Edge Triggered 12-Bit Binary Counters, based on type 54HC4040	2	0309
9204/070	HCMOS Asynchronous Negative-Edge-Triggered 14 Bit Binary Counters, based on type 54HC4020	2	0308
9204/071	HCMOS 8-Bit Binary Counters with 3-State Output Registers, based on type 54HC590 and 54HC590A	2	0312
9204/072	HCMOS 5-Stage Johnson Decade Counter/Divider, based on type 54HC4017	2	0605
9204/073	HCMOS Synchronous 4-Bit Binary Counter, based on type 54HC163	2	0308
9204/074	HCMOS Dual 4-Bit Negative-Edge-Triggered Binary Counters, based on type 54HC393	3	0604
9204/076	HCMOS Asynchronous Negative-Edge-Triggered 14-Bit Binary Counters and Oscillators, based on type 54HC4060	2	0309
9204/077	HCMOS Asynchronous Negative-Edge-Triggered 7-Bit Binary Counter, based on type 54HC4024	2	0605
9204/078	HCMOS Dual 4-Bit Decade Counters, based on type 54HC390	2	0606
9204/079	HCMOS 8-Bit Register Binary Counter, based on type 54HC592	2	0606
9204/080	HCMOS 4-Bit Binary Counters with Clear, based on type 54HC4520	2	0606
9205/013	HCMOS 3 to 8 Line Decoders/Demultiplexers with Address Latches and Inverted Outputs, based on type 54HC137	2	0307
9205/016	HCMOS 3 Line to 8 Line Decoders/Demultiplexers, based on type 54HC238	3	0605



ESCC	Specification Title	Status	
Document or Spec. Number	Class of Publication: 68 High Speed CMOS 54HC Series	Issue	Date
9205/017	HCMOS Dual 2-Line to 4-Line Decoders/Demultiplexers with Inverted Outputs, based on type 54HC139	2	0308
9205/019	HCMOS 4 to 16 Line Decoder/Latch, based on type 54HC4514	2	0402
9205/020	HCMOS 4 to 10 Line Decoders/Demultiplexers with Inverted Outputs, based on type 54HC42	2	0606
9205/021	HCMOS 3-Line to 8-Line Decoders/Demultiplexers with Address Latches, based on type 54HC237	2	0309
9205/022 MS	HCMOS 3 to 8 Line Decoders Demultiplexers with Inverted Outputs, based on type 54HCT138	2	0606
9205/023	HCMOS 4-to-6 Line Decoders/Demultiplexers with Inverted Outputs, based on type 54HC154	2	0312
9207/006	HCMOS Dual Positive or Negative Edge Schmitt-Rretriggerable Monostable Multivibrators with Clear, based on type 54HC123	2	0303
9207/008	HCMOS Dual Positive OR Negative Edge Schmitt-Retriggerable Monostable Multivibrators with Clear Reset, based on type 54HC4538	2	0309
9208/003	HCMOS 9-Bit Odd/Even Parity Generators/Checkers based on type 54HC280	2	0303
9209/004	HCMOS 4-Bit Magnitude Comparators, based on types 54HC85 and 54HC85A	2	0307
9209/005	HCMOS 8-Bit Identity Comparators, based on type 54HC688	2	0303
9306/041	HCMOS 8-Bit Sipo Shift Register, based on type 54HC164	2	0310
9306/042	HCMOS 8-Bit Piso Shift Register, based on type 54HC165	2	0209
9306/043	HCMOS 8-Bit Piso Shift Register, with fully buffered outputs, based on type 54HC166	2	0311
9306/047	HCMOS 4-Bit PIPO Shift Register, based on type 54HC194	2	0312
9306/048	HCMOS Dual J-K Positive Edge Triggered Flip-Flops with Preset and Clear, based on type 54HC109	2	0308
9306/050	HCMOS 8 Bit Sipo Shift Latch Registers with 3-State Outputs, based on type 54HC4094	2	0310
9306/051	HCMOS 8-Bit Shift Registers with 3 State Output Registers, based on type 54HC595	3	0503
9306/052	HCMOS Hex D-Type Edge-Triggered Flip-Flops with Clear, based on type 54HC174	2	0402
9306/053	HCMOS 4-Bit PIPO Shift Register with Overriding Clear, based on type 54HC195	2	0402
9306/054	HCMOS 8-Bit Latch/Shift Register with fully buffered outputs, based on type 54HC597	2	0311
9306/055	HCMOS 8 Channel Multiplexer Register with 3-State Latches, based on type 54HC356	3	0704
9401/033	HCMOS Hex Inverters, based on type 54HC04	2	0303
9401/034	HCMOS Octal Bus Buffers with Inverted 3-State Outputs, based on type 54HC240	2	0311
9401/035	HCMOS Octal Bus Buffers with 3-State Outputs, based on type 54HC241	2	0311
9401/037	HCMOS Hex Buffers/Converters with Inverted Inputs, based on type 54HC4049	2	0303
9401/038	HCMOS Hex Buffers/Converters, based on type 54HC4050	2	0311
9401/039	HCMOS Quad Bus Buffers with 3 State Outputs, based on type 54HC125	2	0309



ESCC	Specification Title		Status	
Document or Spec. Number	Class of Publication: 68 High Speed CMOS 54HC Series	Issue	Date	
9401/044	HCMOS Hex Bus Buffers with 3-State Outputs, based on type 54HC367	2	0311	
9401/045	HCMOS Octal Buffers with Inverted 3-State Outputs, based on type 54HCT240	2	0310	
9401/046	HCMOS Quad Bus Buffers with 3-State Outputs, based on type 54HC126	2	0402	
9401/047	HCMOS Octal Bus Buffers with 3-State Outputs, based on type 54HC541	2	0311	
9401/048	2CMOS Octal Buffers with 3-State Outputs, based on type 54HC244	3	0606	
9401/049	HCMOS Octal Bus Buffers with Inverted 3-State Outputs, based on type 54HC540	2	0312	
9401/052	HCMOS Hex Bus Buffers with 3-State Outputs, based on type 54HC365	3	0605	
9401/054	HCMOS Hex Bus Buffers with Inverted 3-State Outputs, based on type 54HC368	2	0606	
9401/055	HCMOS Hex Inverters (Single Stage) with Unbuffered Outputs, based on type 54HCU04	2	0307	
9402/009	HCMOS Octal Bus Buffers with 3-State Outputs, based on type 54HCT244	2	0310	
9405/011	HCMOS Quad Bus Transceivers with Inverted 3-State Outputs, based on type 54HC242	2	0401	
9405/012	HCMOS Quad Bus Transceivers with 3-State Outputs, based on type 54HC243	2	0310	
9405/013	HCMOS Octal Bus Transceivers with 3-State Outputs, based on type 54HC245	3	0612	
9405/014	HCMOS Octal Bus Transcievers with 3-State Outputs, based on type 54HCT245	2	0312	
9405/016	HCMOS Octal Bus Transceivers with 3-State Outputs, based on type 54HC623	3	0704	
9408/038	HCMOS Dual 4-Line to 1-Line Data Selectors/Multiplexers, based on type 54HC153	2	0310	
9408/046	HCMOS 3 to 8 Line Decoders/Demultiplexers with Inverted Outputs, based on type 54HC138	2	0402	
9408/047	HCMOS Quad 2-Line to 1-Line Data Selectors/Multiplexers with 3-State Outputs, based on type 54HC257	2	0311	
9408/048	HCMOS 8 to 1 Line Data Selectors/Multiplexers with 3-State Outputs, based on type 54HC251	2	0311	
9408/052	HCMOS Quad Bilateral Switch, based on type 54HC4066	2	0402	
9408/054	HCMOS 8-to-1-Line Data Selectors/Multiplexers with fully buffered outputs, based on type 54HC151	2	0311	
9408/057	HCMOS Quad 2-Line to 1-Line Data Selectors/Multiplexers, based on type 54HC157	2	0311	
9408/058	HCMOS Dual 4-Line to 1-Line Data Selectors/Multiplexers with 3-State Outputs, based on type 54HC253	2	0402	
9408/059	HCMOS Quad 2 Line to 1 Line Data Selectors/Multiplexers with fully buffered Inverted Outputs, based on type 54HC158	2	0311	
9408/064	HCMOS Analogue Multiplexer/Demultiplexer, based on type 54HC4051	2	0402	
9408/065	HCMOS Analogue Multiplexer/Demultiplexer (Triple 2-Channel),based on type 54HC4053	2	0402	
9409/007	HCMOS Hex Schmitt Trigger Inverters, based on type 54HC14	2	0309	
9410/016	HCMOS 4-Word x 4 Bit Register File with 3-State Outputs, based on type 54HC670	2	0612	
9410/017	HCMOS 8-Line to 3-Line Priority Encoders, based on type 54HC148	2	0309	



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 18	18800	Date
	Complex Devices (Microprocessors)		
9512/002	CMOS 32/40-Bit IEEE Floating Point Digital Signal Processor, based on Type TSC21020F	3	0807
9512/003	IC Silicon Monolithic, 32-BIT SPARC Embedded Processor, based on Type TSC695F	2	0602
9521/002	CMOS 8-Bit Micro-Controller, based on types 80C32E and 80C52E	2	0710



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 99	Issue	Date
	IC Sil Mon Converter A/D and D/A (9407/)		
9407/004	IC Silicon Monolithic, 10-Bit, 2.2GSPS, Analogue to Digital Converter based on Type AT84AS008	1	0810



ESCC	Specification Title	Status	
Document or Spec Number	Class of Publication: 78	Issue	Date
Spee. Ivumber	Charge Coupled Devices, Generic + Sectionals		
2139020	Terms Definitions Abbreviations Symbols and Units for Charge Coupled Devices	1	0210
9020	Generic Specification for Charge Coupled Devices Silicon Photosensitive	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 81	issue	Dute
	CCD PhotoMOS Area Arrays (9610/)		
9610/002	Charge Coupled Devices, Silicon, Photosensitive, Area Array, Image Sensor, 512 Lines x 512 Pixels, Front Illuminated, Frame Transfer, Multi Pinned Phases, Based on Type TH 7890M	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 88	15500	Date
	MMIC Generic and Sectional Basic Spec. (9010)		
2049010	Internal Visual Inspection of Monolithic Microwave Integrated Circuits - Please refer to Specification 2045010	1	0210
2269010	Evaluation Test Programme for Monolithic Microwave Integrated Circuits (MMICs)	1	0210
2439010	Requirements for Capability Approval of Microwave Monolithic Integrated Circuits	1	0210
9010	Generic Specification for Microwave Monolithic Integrated Circuits	1	0210



ESCC	Specification Title	Status	
Document or		Issue	Date
Spec. Number	Class of Publication: 89	Issue	Date
	Linear Gain (9012/)		
	Monolithic Microwave Integrated Circuit (MMIC) GaAs Travelling Wave Amplifier,based on Type P35- 4150	1	0210



Annex 1 CORRELATION LISTING OF IC SPECIFICATIONS / TYPES / CLASSES OF PUBLICATIONS									
Spec. Number	Part Type	Pub. Code	Spec. Number	ED BY PART TY Part Type	PE Pub. Code	Spec. Number	Part Type	Pub. Code	
9512/003		18	9301/053		47	9201/040	4000B	43	
9201/041	4001B	43	9201/042	4002B	43	9306/013	4006B	43	
9202/038	4007UB	43	9202/039	4008B	43	9208/002	40101B	43	
9204/036	40103B	43	9306/040	40104B	43	9306/033	40105B	43	
9409/005	40106B	43	9401/013	40107B	43	9306/034	40108B	43	
9407/003	40109B	43	9201/043	4011B	43	9201/044	4012B	43	
9203/023	4013B	43	9306/014	4014B	43	9306/015	4015B	43	
9204/054	40161B	43	9204/067	40162B	43	9204/046	40163B	43	
9202/050	4016B	43	9203/038	40174B	43	9204/020	4017B	43	
9202/068	40181B	43	9202/069	40182B	43	9204/021	4018B	43	
9204/041	40193B	43	9306/032	40194B	43	9202/051	4019B	43	
9301/009	40208B	43	9204/022	4020B	43	9306/016	4021B	43	
9204/023	4022B	43	9201/045	4023B	43	9204/024	4024B	43	
9408/017	40257B	43	9201/046	4025B	43	9406/001	4026B	43	
9203/022	4027B	43	9205/010	4028B	43	9204/025	4029B	43	
9201/047	4030B	43	9306/017	4031B	43	9306/025	4034B	43	
9306/018	4035B	43	9204/026	4040B	43	9202/040	4041UB	43	
9202/041	4042B	43	9202/042	4043B	43	9202/043	4044B	43	
9202/044	4046B	43	9207/003	4047B	43	9201/054	4048B	43	
9202/045	4049UB	43	9202/046	4050B	43	9202/047	4051B	43	
9202/048	4052B	43	9202/049	4053B	43	9204/052	4060B	43	
9209/001	4063B	43	9408/005	4066B	43	9408/009	4067B	43	
9201/061	4068B	43	9401/010	4069UB	43	9201/048	4070B	43	
9201/063	4071B	43	9201/082	4072B	43	9201/064	4073B	43	
9201/065	4075B	43	9306/022	4076B	43	9201/055	4077B	43	
9201/062	4078B	43	9201/052	4081B	43	9201/066	4082B	43	
9201/067	4085B	43	9201/068	4086B	43	9202/060	4089B	43	
9409/002	4093B	43	9306/026	4094B	43	9206/003	4098B	43	
9202/058	4099B	43	9401/006	4502B	43	9401/030	4503B	43	
9202/063	4508B	43	9408/006	4512B	43	9408/012	4514B	43	
9205/011	4515B	43	9204/045	4516B	43	9306/049	4517B	43	
9204/013	4518B	43	9204/028	4520B	43	9202/065	4532B	43	
9207/007	4538B	43	9408/011	4555B	43	9408/025	4556B	43	



ESCC R

REP001

	CODDEX ATTAC			Annex 1					
CORRELATION LISTING OF IC SPECIFICATIONS / TYPES / CLASSES OF PUBLICATIONS SORTED BY PART TYPE									
Spec. Number	Part Type	Pub. Code	Spec. Number	Part Type	Pub. Code	Spec. Number	Part Type	Pub. Code	
9201/105	54HC00	68	9201/113	54HC02	68	9201/114	54HC03	68	
9401/033	54HC04	68	9201/106	54HC08	68	9201/107	54HC10	68	
9203/072	54HC107	68	9306/048	54HC109	68	9201/117	54HC11	68	
9203/051	54HC112	68	9207/006	54HC123	68	9401/039	54HC125	68	
9401/046	54HC126	68	9201/120	54HC132	68	9205/013	54HC137	68	
9408/046	54HC138	68	9205/017	54HC139	68	9409/007	54HC14	68	
9410/017	54HC148	68	9408/054	54HC151	68	9408/038	54HC153	68	
9205/023	54HC154	68	9408/057	54HC157	68	9408/059	54HC158	68	
9204/062	54HC160	68	9204/059	54HC161	68	9204/073	54HC163	68	
9306/041	54HC164	68	9306/042	54HC165	68	9306/043	54HC166	68	
9306/052	54HC174	68	9203/052	54HC175	68	9204/068	54HC190	68	
9204/066	54HC191	68	9204/065	54HC193	68	9306/047	54HC194	68	
9306/053	54HC195	68	9201/118	54HC20	68	9201/108	54HC21	68	
9205/021	54HC237	68	9205/016	54HC238	68	9401/034	54HC240	68	
9401/035	54HC241	68	9405/011	54HC242	68	9405/012	54HC243	68	
9401/048	54HC244	68	9405/013	54HC245	68	9408/048	54HC251	68	
9408/058	54HC253	68	9408/047	54HC257	68	9203/073	54HC259	68	
9201/122	54HC266	68	9201/109	54HC27	68	9203/053	54HC273	68	
9208/003	54HC280	68	9202/075	54HC283	68	9201/110	54HC30	68	
9201/111	54HC32	68	9306/055	54HC356	68	9401/052	54HC365	68	
9401/044	54HC367	68	9401/054	54HC368	68	9203/059	54HC373	68	
9203/060	54HC374	68	9201/121	54HC386	68	9204/078	54HC390	68	
9204/074	54HC393	68	9201/130	54HC4002	68	9204/072	54HC4017	68	
9204/070	54HC4020	68	9204/077	54HC4024	68	9204/069	54HC4040	68	
9401/037	54HC4049	68	9401/038	54HC4050	68	9408/064	54HC4051	68	
9408/065	54HC4053	68	9204/076	54HC4060	68	9408/052	54HC4066	68	
9201/124	54HC4072	68	9201/129	54HC4075	68	9201/123	54HC4078	68	
9201/123	54HC4078A	68	9306/050	54HC4094	68	9205/020	54HC42	68	
9205/019	54HC4514	68	9204/080	54HC4520	68	9207/008	54HC4538	68	
9401/049	54HC540	68	9401/047	54HC541	68	9202/072	54HC573	68	
9203/054	54HC574	68	9204/071	54HC590	68	9204/071	54HC590A	68	
9204/079	54HC592	68	9306/051	54HC595	68	9306/054	54HC597	68	
9405/016	54HC623	68	9410/016	54HC670	68	9209/005	54HC688	68	
9203/071	54HC73	68	9203/050	54HC74	68	9203/065	54HC75	68	



ESCC RE

REP001

Annex 1 CORRELATION LISTING OF IC SPECIFICATIONS / TYPES / CLASSES OF PUBLICATIONS SORTED BY PART TYPE									
Spec. Number	Part Type	Pub. Code	Spec. Number	Part Type	Pub. Code	Spec. Number	Part Type	Pub. Code	
9203/061	54HC76	68	9209/004	54HC85	68	9209/004	54HC85A	68	
9201/119	54HC86	68	9201/132	54HCT00	68	9201/133	54HCT02	68	
9205/022	54HCT138	68	9401/045	54HCT240	68	9402/009	54HCT244	68	
9405/014	54HCT245	68	9203/064	54HCT373	68	9203/066	54HCT374	68	
9203/070	54HCT74	68	9401/055	54HCU04	68	9301/052	60142	47	
9301/053	65609E	47	9301/050	67025E	47	9301/049	67204H	47	
9301/048	672061H	47	9301/048	67206H	47	9521/002	80C32E	18	
9521/002	80C52E	18	9304/008	AT40KEL040	47	9301/047	M65508E	47	
9512/002	TSC21020F	18							



ESCC REP001