

Page i

REQUIREMENTS

FOR THE CAPABILITY APPROVAL

OF ELECTRONIC COMPONENT TECHNOLOGIES

FOR SPACE APPLICATION

ESCC Basic Specification No. 24300

ISSUE 1 October 2002



Document Custodian: European Space Agency - see https://escies.org



LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2002. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Ageny and provided that it is not used for a commercial purpose, may be:

- copied in whole in any medium without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



european space agency agence spatiale européenne

Pages 1 to 23

REQUIREMENTS

FOR THE CAPABILITY APPROVAL

OF ELECTRONIC COMPONENT TECHNOLOGIES

FOR SPACE APPLICATION

ESA/SCC Basic Specification No. 24300

1 8 8

space components coordination group

		Appro	oved by
lssue/Rev.	Date	SCCG Chairman	ESA Director General or his Deputy
lssue 4	December 1998	Sa mitter	(Hom
Revision 'A'	July 2001	71. 199	Arm



.

DOCUMENTATION CHANGE NOTICE

Rev. Letter	Rev. Date	CHANGE Reference Item	Approved DCR No.
		This Issue supersedes Issue 3 and incorporates all modifications defined in the following DCR's:- Cover Page DCN Para. 9.5 : New paragraph added Existing paragraph renumbered as "9.6" Para. 9.6 : Renumbered as "9.7" Index to Appendices : Issue and page numbers updated	None None 21113 21113 21113 None
'A'	Jul. '01	P1. Cover page P2. DCN P12. Para. 13 : ESA/SCC 2439010 entry added	None 23937

	<u>See</u>	ESA/SCC Basic Specification No. 24300		PAGE ISSUE	3 4
		TABLE OF CONTENTS			
1.	PURPOSE				Page 5
2.	APPLICABLE DOCUM	ENTS			5
3.	TERMS, DEFINITIONS	, ABBREVIATIONS, SYMBOLS AND U	NITS		5
4.	INTRODUCTION				5
5.	EVALUATION OF A M	ANUFACTURER			6
5.1 5.2	General Review of the Manufact	urer's Design Facilities			6 6
6.	DEFINITION OF THE	CAPABILITY DOMAIN			6
6.1 6.2 6.3	Capability Abstract Process Identification D Test Structures	ocument			6 6 6
7.	EVALUATION OF A C	APABILITY DOMAIN			6
8.	CAPABILITY APPROV	AL TESTING			7
8.1 8.2 8.3 8.4 8.5 8.6	General Testing Schedule Test Structures Testing Test Report Disposition of Approval	Test Lot			7 7 7 7 7 8
9.	PROCEDURES FOR G	RANTING OF CAPABILITY APPROVAL	_		8
9.1 9.2 9.3 9.4 9.4.1 9.4.2 9.4.3 9.5 9.5.1 9.5.2 9.6 9.7	Request for Capability A Certificate Capability Approval Listi Validity of Capability App General Conditions for Validity Extension of Capability App Renewal After Lapse of Notification of Lapse of Loss or Suspension of C	approval ng proval Approval Validity roval Capability Approval Capability Approval	<u>-</u>		8 8 8 9 9 9 9 10 10 10
10.	QUALIFICATION OF A	COMPONENT TYPE			11
10.1 10.2 10.3 10.4 10.5	General Verification of Manufactu Component Type Appro- Qualification Maintenance of Qualifica				11 11 11 11 11
11.	QUALITY CONFORMA	NCE REQUIREMENTS			- 11
11.1 11.2 11.3 11.4	Certificate of Conformity Records Alert Procedure ESA/SCC Non-conforma				11 11 12 12

	<u>See</u>	ESA/SCC Basic Specification No. 24300		PAGE ISSUE	4 4
12.		<u>Page</u> 12			
13.	ANCILLARY SPECIFIC	ATIONS			12

_

	10.03	-		-		
IP	IDEX	. 10	APP	END	ICES	



1. PURPOSE

The prevailing qualification approval procedures require completion of a test programme that is defined in the Generic Specification governing the component technology and detailed in the particular specification associated with the component under review. Subsequently, quality conformance procedures must be conducted on a lot-by-lot basis for the components to be released to a Customer. This procedure is well suited to components of a standard design which are manufactured on a continuous basis. Some components, however, may have design features that are tailored to a particular Customer requirement; they may be required for a relatively short time and often in small quantities.

An approval programme is thus required for an established component technology that will enable both the provision of standard devices and the ability to satisfy specialised needs. Such a programme must:-

- (a) Embrace the variants, with defined limitations, that a Manufacturer is able to fabricate via a basic technology.
- (b) Define limiting criteria for approval maintenance of the capability domain.

The procedures and requirements defined herein are designed to fulfil these requirements.

2. APPLICABLE DOCUMENTS

The following ESA/SCC Specifications are applicable to the extent specified herein. The relevant issues shall be those in effect at the date of granting of the capability approval.

- No. 20200, Requirements for the Evaluation of a Manufacturer for the Manufacture and Supply of Standard Electronic Components.
- No. 21300, Terms, Definitions, Abbreviations, Symbols and Units.
- No. 22700, Requirements and Guidelines for the Process Identification Document (P.I.D.).
- No. 22800, ESA/SCC Non-conformance Control System.
- No. 243XXXX, Capability Approval Requirements Documents for the Relevant Technologies.
- ESA/SCC Generic and Detail Specifications for the Relevant Technologies.

3. TERMS, DEFINITIONS, ABBREVIATIONS, SYMBOLS AND UNITS

The terms, definitions, abbreviations, symbols and units specified in ESA/SCC Basic Specification No. 21300 shall apply.

4. INTRODUCTION

Capability Approval is the status granted to a Manufacturer for a specified capability domain after successful completion of a capability approval programme as defined herein and in the requirements document for a capability programme in the particular electronic technology. The programme consists of four phases:-

- (a) Evaluation of the Manufacturer.
- (b) Definition of the capability domain and its boundaries.
- (c) Evaluation of the capability domain.
- (d) Capability approval testing of test structures.



5. EVALUATION OF A MANUFACTURER

5.1 GENERAL

The evaluation of a Manufacturer is an exercise designed to assess the adequacy of the organisation, plant and facilites and his fitness to provide electronic components suitable for space applications. The exercise shall be performed by the Qualifying Space Agency (QSA) in accordance with the requirements of ESA/SCC Basic Specification No. 20200 with additional, and particular, consideration given to the criteria defined in Para. 5.2 below.

5.2 REVIEW OF THE MANUFACTURER'S DESIGN FACILITIES

This review shall assess the Manufacturer's facilities for design of components within the capability domain and his methods to verify his designs. The review shall appraise all design data as appropriate to the capability domain and identify any design limitations imposed by the selected processes. The review shall also include all relevant computer tools for design including software quality assurance and configuration control.

The design rules, the hardware and software shall form a part of the capability domain and its boundaries and be included in the Process Identification Document (P.I.D.).

6. DEFINITION OF THE CAPABILITY DOMAIN

6.1 CAPABILITY ABSTRACT

The Manufacturer shall prepare a Capability Abstract to describe, in a comprehensive manner, the scope and extent of his capability domain for which approval is sought in terms of the boundaries of the technologies, circuit function and performance, construction rules, packages, design data etc. The document shall be prepared to the satisfaction of the QSA. It shall contain information suitable for publication in the ESA/SCC Qualified Parts List and be considered, by the Manufacturer, to have no commercial sensitivity.

6.2 PROCESS IDENTIFICATION DOCUMENT (P.I.D.)

A P.I.D. for the capability domain to be approved shall be prepared by the Manufacturer to the satisfaction of the Qualifying Space Agency. In terms of content, lay-out and configuration control the P.I.D. shall fulfil all requirements of ESA/SCC Basic Specification No. 22700.

6.3 <u>TEST STRUCTURES</u>

Test structures shall be fully documented in the P.I.D.. They shall be manufactured and tested in accordance with the requirements of Section 8.

7. EVALUATION OF A CAPABILITY DOMAIN

The evaluation of a capability domain shall verify that the chosen technology is suitable for the manufacture of high reliability components for space applications. The evaluation programme shall also help to define the final capability domain and its boundaries when updating the Process Identification Document and give a high level of confidence in a positive result of the capability approval testing. The evaluation of a capability domain shall include but not be limited to:

- The review of existing data and/or test results from components and/or test structures manufactured within the capability domain.
- The establishment of an evaluation test programme.
- The evaluation testing of components and/or test structures.
- The definition of any corrective actions that may be required and their implementation before the start of capability approval testing.
- The final definition of the capability domain and its boundaries to be contained in the Process Identification Document and the Capability Abstract.



8. <u>CAPABILITY APPROVAL TESTING</u>

8.1 <u>GENERAL</u>

Before start of capability approval testing the capability domain and its boundaries shall be fully defined in the Capability Abstract and the Process Identification Document (P.I.D.). In addition to these, all documentation essential for the production and testing of components and/or test structures used for capability approval testing shall be available and approved by the Qualifying Space Agency. The P.I.D. or other documentation shall at least contain:

- Specifications for the test structures.
- A programme giving all tests and test sequences, sample sizes, accept/reject criteria and conditions for all test structures. This programme is intended to assess the quality, including reliability, of the constructional elements of the test structures and determine performance, under specified conditions, of manufactured devices. It shall fulfil the requirements of the ESA/SCC Basic Specification No. 243XXXX for a capability approval of the relevant technology.
- A schedule relating all tests to the relevant areas and boundaries of the capability domain and verifying that the selected tests and test structures and components fully cover and qualify the domain. This may be accomplished by a matrix presentation of domain or parameter boundary and correlated test structure intended to demonstrate compliance with test requirements at that limit. The schedule structure shall confirm the test capability of at least one test structure for each boundary defined in the P.I.D..

8.2 <u>TESTING SCHEDULE</u>

Prior to commencement of capability approval testing the Manufacturer shall compile a schedule covering the production and testing of test structures and/or components. This schedule shall show by date and duration when important production and test activities are to take place, including all major processing operations and inspections. This schedule shall be approved by the Qualifying Space Agency prior to start of manufacture of components and/or test structures.

8.3 <u>TEST STRUCTURES</u>

The components and/or test structures required for the capability approval testing shall be produced strictly to the Process Identification Document. Production and screening, including burn-in, shall be to the highest level specified in the P.I.D. and shall comply with the requirements defined in the ESA/SCC Generic Specification for the relevant technology, and the applicable Detail Specification.

The Qualifying Space Agency shall have the right to witness the manufacturing of these test samples. The types and quantities shall be as specified in the capability approval programme.

8.4 <u>TESTING</u>

The Capability Approval testing shall be in accordance with the ESA/SCC Basic Specification No. 243XXXX for the relevant technology. The Qualifying Space Agency shall have the right to witness the testing and to review the test data. The testing may be performed at the Manufacturer's premises or at any mutually agreed facility approved by the Qualifying Space Agency.

8.5 <u>TEST REPORT</u>

On completion of the capability approval testing programme, the Manufacturer shall collect all relevant data and documentation in the form of a capability approval test report. This report shall be sent to the Qualifying Space Agency for review.



8.6 <u>DISPOSITION OF APPROVAL TEST LOT</u>

The approval test lot shall be adequately identified and its disposition shall be as directed by the Qualifying Space Agency.

9. PROCEDURES FOR GRANTING OF CAPABILITY APPROVAL

9.1 REQUEST FOR CAPABILITY APPROVAL

To obtain Capability Approval for a capability domain the Manufacturer shall submit a formal application, as shown in Appendix 'A', to the relevant Qualifying Space Agency. As a minimum the application shall contain:

- A preliminary definition of the capability domain and its boundaries.
- A description of the manufacturing, inspection and test facilities.
- A description of the Manufacturer's organisation.
- A preliminary Process Identification Document including all flow charts.
- Existing data and test results from test structures and/or components manufactured within the capability domain.
- A description of the quality assurance system.

The Qualifying Space Agency will review the application and the delivered documents. If considered necessary the Manufacturer may be requested to provide further information and/or test structures. When the submitted items are deemed to be satisfactory, and the Qualifying Space Agency agrees to support the application, the evaluation phase (see Section 7) will be initiated.

9.2 <u>CERTIFICATE</u>

When the Qualifying Space Agency has reviewed the capability approval test report (see Para 8.5) and associated data and found it satisfactory, that Agency will formally request the approval of ESA for the capability domain, using the form 'Application for SCC Capability Approval' (see Appendix 'C').

ESA will review the request and if found acceptable will give the formal Capability Approval of the capability domain and issue a certificate.

9.3 CAPABILITY APPROVAL LISTING

When ESA has granted a capability approval to a Manufacturer for a capability domain this domain shall be listed in the ESA/SCC Qualified Parts List (QPL). In the QPL the domain and its boundaries shall be described (in non-confidential information) in enough detail to give an understanding of the components manufactured within the domain.

Component types verified to be manufactured within the domain, and qualified in accordance with Section 10 may form part of the QPL.

9.4 VALIDITY OF CAPABILITY APPROVAL

9.4.1 General

The maintenance of the capability approval is the responsibility of the Manufacturer. He shall notify the Qualifying Space Agency immediately of any matter liable to affect the validity of the capability approval or result in its lapse or loss.

A capability approval established in accordance with this specification, and the relevant ESA/SCC Basic Specification No. 243XXXX shall be valid for two years from the date of certification, or for such period as determined by ESA.



9.4.2 <u>Conditions for Validity</u>

The following conditions for validity of capability approval shall be fulfilled:

- The manufacture of components to ESA/SCCG requirements shall be fully and only within the capability domain and strictly in accordance with the production and control documents approved by the Qualifying Space Agency in the P.I.D..
- Detailed records of each component type and test structure, including detailed information about each production lot, shall be available for the Qualifying Space Agency's review.
- On receipt of an alert from the Qualifying Space Agency concerning the approved capability domain or a component type manufactured within the domain, the Manufacturer shall, as a matter of urgency, carry out the necessary investigations and inform the Qualifying Space Agency of his findings and suggested corrective actions.

9.4.3 Extension of Capability Approval Validity

The capability approval validity may be extended for a further period of two years if:

- All changes to the Process Identification Document (P.I.D.), if any, have been approved by the Qualifying Space Agency.
- All test and test sequences as defined in Section 8 for components and test structures have been successfully performed during the period.

If components have been manufactured and tested within the capability domain, having a complexity covering the domain boundaries or part of them, these tests may be substituted for corresponding tests in the capability programme.

All the relevant documentation including records of components manufactured shall be reviewed by the Qualifying Space Agency and if found acceptable the Agency will formally request approval of ESA for the extension of the capability approval of the domain.

9.5 LAPSE OF CAPABILITY APPROVAL

A capability approval shall be considered to be lapsed from the day following the expiry date of the existing capability approval certificate, if a certificate extending the approval has not been issued.

When a capability approval has lapsed, all components manufactured in the period from the lapse date until the granting of a capability approval extension or requalification shall be considered as unqualified and shall not bear the ESA/SCC Qualified Components Symbol.

9.5.1 Renewal After Lapse of Capability Approval

Following the lapse of capability approval, a renewal of approval can be affected within a reasonable time period. Provided the Manufacturer can demonstrate that the original evaluation of the capability domain is still valid, this renewal procedure shall comprise a destructive physical analysis of sample test structures and/or components, a Manufacturer audit and a survey of test records generated in the lapse period. If this survey shows that the Manufacturer's data, equivalent to Testing Level 'B' and Lot Acceptance Level 1 are available and acceptable, the Qualifying Space Agency may take such data into consideration for renewal of the capability approval. Where such data is not available or not acceptable, the testing of a limited number of test structures and/or components to Testing Level 'B' and Lot Acceptance Level 1 will be required for the renewal. Failure to satisfy the Qualifying Space Agency regarding the validity of the original evaluation of a capability domain or component will necessitate a completely new capability approval.



9.5.2 Notification of Lapse of Capability Approval

Within 6 months of a lapse of capability approval, the QPL which is maintained electronically on the internet shall be updated at the Secretariat from information supplied by the Qualifying Space Agency, in the form of an explanatory statement added to the relevant QPL entry. Examples of the statements to be used are as follows:-

- (a) Renewal activities completed.
- (b) Renewal activities ongoing.
- (c) Renewal pending open non-conformance.
- (d) No renewal activities initiated.
- (e) Will not be renewed. The qualification entry will be removed from the QPL by mm/yy.

Within 12 months of a lapse of capability approval, a review shall be performed by the Qualifying Space Agency and a decision made as to whether a renewal/requalification can be made or not. This decision is to be immediately notified to the Secretariat who will take one of the following actions:-

- (a) If capability approval is to be renewed, a statement is to be added to the QPL entry of when renewal is expected.
- (b) If capability approval is not to be renewed, a statement as to when the capability approval entry will be removed from the QPL shall be added in the following form:-

"Capability approval entry will be removed from the QPL by mm/yy".

<u>N.B.</u>

All capability approvals which have been lapsed for longer than 18 months shall be automatically removed from the QPL by the Secretariat.

9.6 LOSS OR SUSPENSION OF CAPABILITY APPROVAL

Loss of capability approval occurs and formal approval will be withdrawn when a Manufacturer is no longer able to meet the original requirements pertaining to capability approval.

The Manufacturer's Chief Inspector shall always immediately notify the QSA of any fault likely to affect the capability approval. If any aspect of the capability approval becomes deficient, the approval may be either suspended or allowed to continue with the approval of ESA provided the release of components is restricted to the remaining areas of the capability not affected by the deficiency. The approval shall be withdrawn:-

- (a) If the deficiency is not corrected within three months.
- (b) At the Manufacturer's request.

When the capability approval is restricted or suspended, the ESA/QPL will be modified accordingly.

9.7 REDUCTION, EXTENSION AND CHANGE OF CAPABILITY DOMAIN

When an approved Manufacturer wishes to reduce, extend or change his capability domain or its boundaries it is the responsibility of the Qualifying Space Agency to decide whether the reduction, extension or change is minor or major. A major change is a change which affects the quality, reliability or function of components manufactured within the capability domain.

In the case of a major change the Manufacturer shall support the change with testing on components and/or test structures following the principles defined in Sections 7 and 8.



In the case of a minor change it will be recorded and approved by the Qualifying Space Agency.

The Process Identification Document shall be updated accordingly as required in ESA/SCC Basic Specification No. 22700.

10. QUALIFICATION OF A COMPONENT TYPE

10.1 GENERAL

A component type which is defined by an appropriate ESA/SCC Detail Specification, is manufactured within an approved capability domain by an approved Manufacturer and which has passed the relevant type approval test, may be released as a ESA/SCC qualified item.

10.2 VERIFICATION OF MANUFACTURE WITHIN AN APPROVED CAPABILITY DOMAIN.

To verify that a component is manufactured within the capability domain the Manufacturer shall supply to the QSA a document giving the information necessary to fully define the component and its construction. It shall include an outline of the technologies involved, piece parts composition and construction details. It shall also give reference to pertinent specifications, process flow charts and other data included in the approved P.I.D.. Drawings and photographs detailing the component and each of its constituent elements shall be included.

10.3 <u>COMPONENT TYPE APPROVAL TEST</u>

The component type approval testing shall constitute those tests defined in the ESA/SCC Basic Specification No. 243XXXX for the relevant technology.

After completion of the type approval test the Manufacturer shall issue a component type approval test report.

10.4 QUALIFICATION

The verification of manufacture and the component type approval test report shall be reviewed by the Qualifying Space Agency and when found acceptable submitted to ESA for approval. ESA will review the request and if found acceptable add it to the ESA/SCC Qualified Parts List in the list of component types manufactured within the capability domain.

10.5 MAINTENANCE OF QUALIFICATION

A component listed as qualified under a capability domain remains qualified as long as the capability domain is approved. If a change to the domain or its boundaries affects the component, the qualification will be lost.

11. QUALITY CONFORMANCE REQUIREMENTS


11.1 <u>CERTIFICATE OF CONFORMITY</u>

A certificate of conformity, as shown in Appendix 'B', shall be completed for, and shall accompany, each delivery or part-delivery of components manufactured within the capability domain.

11.2 <u>RECORDS</u>

The Manufacturer shall maintain detailed records of each production lot of a qualified component and/or test structure and these shall be readily available to the Qualifying Space Agency. A record of all components found to be defective during testing by the Manufacturer shall be maintained.

When requested by the Qualifying Space Agency the Manufacturer shall perform failure analysis to the depth necessary to identify such defects as due to design, workmanship or mishandling, misuse etc.



When requested by the Orderer the Manufacturer shall undertake similar failure analysis of components failing while in use. Any repetitive defect occurring during manufacture shall be brought immediately to the attention of the Qualifying Space Agency by the Manufacturer; failure to do so may lead to suspension of capability approval.

11.3 ALERT PROCEDURE

The alert procedure is a procedure for urgently notifying the Qualifying Space Agency, and other interested parties, for consideration of the impact on capability approval, of any problem concerning a test, material, design, part or process which could result in unsafe conditions or adversely affect a component's reliability. When any such problem is brought to the attention of a Manufacturer, he shall, as a matter of urgency, carry out the necessary action or investigation. Information about the problem, together with the Manufacturer's response, shall be circulated, as and if required, to any organisation using the qualified components.

11.4 ESA/SCC NON-CONFORMANCE SYSTEM

In the case of non-conformance, the Manufacturer shall initiate the non-conformance control system in accordance with ESA/SCC Basic Specification No. 22800.

12. <u>PRINCIPAL REQUIREMENTS FOR CAPABILITY APPROVAL OF PARTICULAR</u> <u>TECHNOLOGIES</u>

Ancillary specifications numbered in the ESA/SCC 243XXXX series, to be read in conjunction with this specification, define the capability approval requirements for a particular technology and supplement the tests and procedures in the relevant ESA/SCC Generic Specification.

They address the following topics:-

(a) Capability domain

Definition of design rules, materials, technology and processes known to be employed.

(b) Capability boundaries

Definition of those parameters and fabrication techniques, which test structures will be required to demonstrate.

(c) Capability approval programme

Definition of test procedures, test structure quantities and pass/fail criteria that constitute the capability approval test programme.

(d) Type Approval Test Programme

Definition of the test procedures, sample sizes and accept/reject criteria required to enable a device, manufactured within the capability domain, to be included as a qualified component on the ESA/SCC QPL.

For adequate definition of these requirements, it is recognised that consultation with the Manufacturer may be undertaken.

13. ANCILLARY SPECIFICATIONS

The following ancillary specifications in the ESA/SCC 24300 series have been issued for use in conjunction with this specification:

- ESA/SCC No. 2439000, Requirements for Capability Approval of Monolithic Microcircuit Technologies.
- ESA/SCC No. 2439010, Requirements for Capability Approval of Monolithic Microwave Integrated Circuits (MMIC's).

	ESA/SCC Basic Specification No. 24300	PAGE 13 ISSUE 4					
INDEX TO APPENDICES							

<u>Page</u>

-

APPENDIX 'A'			
Application for ESA/SCC Approval	Page 1 of 1	Issue 4	14
APPENDIX 'B'			
Certificate of Conformity	Page 1 of 1	Issue 4	15
APPENDIX 'C'			
Application for SCC Capability Approval Application for SCC Capability Approval (CONT) Application for SCC Capability Approval (CONT)	Page 1 of 4 Page 2 of 4 Page 3 of 4	lssue 4 Issue 4 Issue 4	16 17 18
Application for SCC Capability Approval (CONT)	Page 4 of 4	Issue 4	19
Application for Extension of SCC Capability Approval Application for Extension of SCC Capability Approval (CONT) Application for Extension of SCC Capability Approval (CONT) Application for Extension of SCC Capability Approval (CONT)	Page 1 of 4 Page 2 of 4 Page 3 of 4 Page 4 of 4	Issue 4 Issue 4 Issue 4 Issue 4	20 21 22 23

To:

(Insert name and address of relevant Qualifying Space Agency)

We are interested in obtaining ESA/SCC qualification in accordance with ESA/SCC Basic Specification No. 24300 for the undermentioned component technology. Brief details and relevant documentation are forwarded herewith, and we request that you initiate the necessary action.

COMPONENT TECHNOLOGY AND DOMAIN

Description:

Similar to:

Other details:

MANUFACTURER
Company:
Address:
Location of manufacture:
Contact for liaison:
ACCOMPANYING DOCUMENTATION (1) Omain Boundaries Facilities Facilities Management and Organisation Production Identification Document Test Data
Quality Assurance

Signature

NOTES

Title:

1. Please tick to indicate type of documentation forwarded.

Date:

CERTICATE OF CONFORMITY

Name of Company:

Address:

Component Type:

Component Number:

Lot Identification:

Quantity:

Order Number:

This is to certify that the above mentioned components fulfil the requirements of the following Generic and Detail Specifications of the ESA/SCC Specification System:

The components subject to this certificate of conformity were manufactured at our plant located at:

Certined by.	Cer	tified	by:
--------------	-----	--------	-----

Approved by:

_____ (Name)

(Name)

Title:

Date:

Title:

Date:

	APPLICATION CAPABILITY I Name of Qualify	Domain:			APPROVAL Date:		Page 1 Appl. No.
Capability domain submitted for	r approval	W				·	
Capability Domain Description	Capability Abstrac Number	ct Based Techn	d on nology	Test Str	tructures	Com Qual	ponents Proposed for lification
	Attached as Appendix I						
Component Manufacturer	2 Location of ma	nufacturino	ງ plant(s)	3 SCC	Specifications	L	
Report Reference and date		5	PID used	d for man	nufacturing		
			Ref. No.: Issue: Rev.: Date:	:			
PID changes since start of	7 Curre	ent PID	Verified	l by			
Capability Approval None Minor* * provide detail. Major*	Ref. N Issue: Rev.: Date:				Name QSA Re	əspons 	ible
Current Manufacturing facilities a	and Quality System	audited b	y:				
Name QSA Responsible Satisfactory: Yes 🔲 No 🗌	Date			Report Ref	ference No.	 N∕A [_]	1
Quality and Reliability Data				1 84			10
Evaluation testing performed Y					, DPA, NCCS: Y	/es [No
Report Ref. No d Equivalent data: (provide details) Certification	ate		(supply Ref. No	y data) o's and pu	urpose:		24300/4/P16

Sec	APPLICATION FOR SCC CAPABILITY APPROVAL	Page 2 Appl. No.
	Name of Qualifying Space Agency:	

The undersigned hereby certifies on behalf of the Qualifying Space Agency - that the above information is correct; that the appropriate documentation has been evaluated; - that full compliance to all ESA/SCC requirements is evidenced except as stated in box 13; - that the reports and data are available at the QSA, who therefore applies on behalf of as Qualifying Space Agency for ESA/SCC Capability Approval status to be given to the capability domain defined herein. Date: Continuation of Boxes above: 12

	Sec Sec	CAP	ICATION FOR SCC CAPA ABILITY DOMAIN: of Qualifying Space Agency		Page 3 Appl. No.
Non cor	mpliance to ESA/SCC requ	irement	ts	7980 - Millio - Cr g	13
No.	Specification		Paragraph	Non compliance	
Addition	al tasks required to achieve	ə full co	mpliance for ESA/SCC Capa	ability Approval or rationale for a	acceptability of 14
Applicat	ation Board Disposition: tion Approval: Yes 🗌 No Remarks:				-
Date:				QB Chairman Signatur	



NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR SCCG CAPABILITY APPROVAL GENERAL

Whenever possible, all entries should be typed and in any case be suitable for legible reproduction by normal means.

ENTRIES

- Form heading Shall indicate: the title of the capability domain or the technology as given in the Capability Abstract the entering date; the serial number and the suffix of the form.
- Box 1 Shall provide under capability domain description the full name or a descriptive statement of the capability domain the number of the Capability abstract document the basic technology used for capability approval the test structures specification numbers or identification numbers the components which successfully passed component approval test and are proposed for qualification approval within the domain.

N.B. The capability abstract shall be attached as an Appendix.

- Box 2 and 3 Manufacturer's name and location of plant(s) where the capability domain is situated.
- Box 4 Generic and Detail Specifications (including issue and date)used during Capability Approval
- Box 5 Reference to test report(s) submitted in support of the application for capability approval and components proposed for qualification.
- Box 6 Enter details to identify the PID that was applicable at the time of manufacturing of samples for capability approval testing.
- Box 7 If the PID has been changed during or after capability approval testing, adequate details shall be provided together with the reasons for change. Major changes shall be clearly identified.
- Box 8 The box serves to identify the current PID and the QSA that has verified it together with the date of this verification.
- Box 9 The box can be completed only after a physical visit to the plant to confirm that the practices, procedures, materials, etc. used in manufacturing the components are as described in the PID. This audit shall be carried out in accordance with the requirements of ESA/SCC Basic Specification No. 20200 and the results shall be formally recorded. The report number shall be referenced.
- Box 10 Details entered shall be sufficient to evidence that an evaluation programme according to ESA/SCC Basic Specification No. 24300 has been performed and that the results thereof are summarised in the survey and test reports. If the evaluation programme has not been carried out according to established ESA/SCC Specifications, the applicant QSA shall provide alternative data and declare the assessed degree of satisfactory compliance with the ESA/SCC requirements. Reference shall be made to the reports on Destructive Physical Analysis (DPA), Failure Analysis and Non Conformance (NCCS) issued during the Evaluation and/or capability approval testing.
- Box 11 Enter the name of the QSA (CNES, DARA, ESTEC etc.), the signature and date.
- Box 12 To be used when there is a need to expand any of the boxes from 1 through 10. Identify Box affected and reference the Box 12 in the relevant Box. Box 12 can be broken down into 12a, 12b etc. if several Boxes have to be expanded.
- Box 13 State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 14 each nonconformance shall be sequentially numbered. If relevant state 'None'.
- Box 14 Any additional action deemed necessary by the QSA to bring the submitted data to a standard likely to be accepted by the ESA Qualification Board should be listed herein or the reason(s) to accept the nonconformance.
- Box 15 All Qualification Board recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc shall be entered clearly in Box 15, signed by the Chariman, and dated with the date of the ratifying meeting of the ESA Qualification Board.

	- FI	SCC CAPABIL MAIN:	I FOR EXTENSION OF ABILITY APPROVAL Agency: Date:			Page 1 Appl. No.	
Capability domain submitted for	ir approval	••••	næ4		ī.		1
Capability Domain Description	Capability Abstract Number	Based on Technology		Structures	Com Qual	ponents Proposed	d for
	Attached as Appendix I						
Component Manufacturer	2 Location of manu	facturing plant	(s) 3 SC0	C specifications	I		4
Report Reference and date				anufacturing			6
		Ref. N Issue Rev.: Date:	:				
PID changes since original or la		PID Veri	ied by				8
Extension of Capability Approv None Minor* * provide detail. Major*	val Ref. No.: Issue: Rev.: Date:	:		Name QSA Re	əsponsi	blə	
Current Manufacturing facilities a	and Quality System at	udited by:				<u> </u>	9
Name QSA Responsible Satisfactory: Yes D No	Date Corrective act	tions closed ou		eference No. s 🗌 No 🗌 N	 √/A □		
Date of original Capability appro	oval				Pri		10
Certificate No.:			ure analysis oply data)	s, DPA, NCCS: Y	′es 厂] No 🗌 -	
		Ref.	No's and p	ourpose:		24300/4/	/D20



APPLICATION FOR EXTENSION OF SCC CAPABILITY APPROVAL

Name of Qualifying Space Agency:

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESA/SCCG listed first).

Component Type	Project Name	Testing Level	LAT	Date Code	Quantity Delivered
			¢		

The undersigned hereby certifies on behalf of the Qualifying Space Agency - that the above information is correct; that the appropriate documentation has been evaluated; - that full compliance to all ESA/SCC requirements is evidenced except as stated in box 13; - that the reports and data are available at the QSA, who therefore applies on behalf of as Qualifying Space Agency for ESA/SCC Capability Approval status to be given to the capability

domain defined herein.

Date:

(Signature of the SCCG Expert of QSA)

Continuation of Boxes above:

12

		APPLICATI SCC C/ CAPABILITY DOMAIN: Name of Qualifying Space	Page 3 Appl. No.	
Non cor	npliance to ESA/SCC requi	irements		13
No.	Specification	Paragraph	Non compliance	
Additiona	al tasks required to achieve	e full compliance for ESA/	SCC Capability Approval or rationale for	
	ation Board Disposition:			15
	tion Approval: Yes 🔲 No			
	Remarks:			-
Date:			QB Chairman Signa	ture 24300/4/P22.

SCC

APPLICATION FOR EXTENSION OF SCC CAPABILITY APPROVAL

Page 4 Appl. No.

Name of Qualifying Space Agency:

Date

GENERAL	THE COMPLETION OF THE APPLICATION FORM FOR EXTENSION OF SCCG CAPABILITY APPROVAL
Whenever pos	ssible, all entries should be typed and in any case be suitable for legible reproduction by normal means.
ENTRIES Form heading	Shall indicate: - the title of the capability domain or the technology as given in the Capability Abstract - the entering date; - the serial number and the suffix of the form.
Box 1	Shall provide under capability domain description the full name or a descriptive statement of the capability domain - the number of the Capability abstract document - the basic technology used for capability approval - the test structures specification numbers or identification numbers - the components which successfully passed component approval test and are proposed for qualification approval within the domain. N.B. The capability abstract shall be attached as an Appendix.
Box 2 and 3	Manufacturer's name and location of plant(s) where the capability domain is situated.
Box 4	Generic and Detail Specifications (including issue and date)used during Maintenance of Capability Approval
Box 5	Reference to test report(s) submitted in support of the Application for Extension of Capability Approval and components proposed for qualification.
Box 6	Enter details to identify the PID that was applicable at the time of manufacturing of samples for capability approval testing.
Box 7	If the PID has been changed during or after capability approval testing, adequate details shall be provided together with the reasons for change. Major changes shall be clearly identified.
Box 8	The box serves to identify the current PID and the QSA that has verified it together with the date of this verification.
Box 9	The box can be completed only after a physical visit to the plant to confirm that the practices, procedures, materials, etc. used in manufacturing the components are as described in the PID. This audit shall be carried out in accordance with the requirements of ESA/SCC Basic Specification No. 20200 and the results shall be formally recorded. The report number shall be referenced.
Box 10	Enter date of original Capability Approval and Certificate Number. Reference shall be made to the reports on Destructive Physical Analysis (DPA), Failure Analysis and Non Conformance (NCCS) issued during the Evaluation and/or capability approval testing.
Box 11	Provide a list of procurements during the validity period. Enter the name of the QSA (CNES, DARA, ESTEC etc.),the signature and date.
Box 12	To be used when there is a need to expand any of the boxes from 1 through 10. Identify Box affected and reference the Box 12 in the relevant Box. Box 12 can be broken down into 12a, 12b etc. if several Boxes have to be expanded.
Box 13	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 14 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 14	Any additional action deemed necessary by the QSA to bring the submitted data to a standard likely to be accepted by the ESA Qualification Board should be listed herein or the reason(s) to accept the nonconformance.
Box 15	All Qualification Board recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc shall be entered clearly in Box 15, signed by the Chariman.
	-