



**CHECKLIST FOR CAPACITORS
MANUFACTURER AND LINE SURVEY**

ESCC Basic Specification No. 2023000

Manufacturer :
Location :
Survey Team Leader :
Date of Survey :
Capacitor Type(s) :

**ISSUE 2
February 2004**





LEGAL DISCLAIMER AND COPYRIGHT

European Space Agency, Copyright © 2004. All rights reserved.

The European Space Agency disclaims any liability or responsibility, to any person or entity, with respect to any loss or damage caused, or alleged to be caused, directly or indirectly by the use and application of this ESCC publication.

This publication, without the prior permission of the European Space Agency and provided that it is not used for a commercial purpose, may be:

- copied in whole in any medium without alteration or modification.
- copied in part, in any medium, provided that the ESCC document identification, comprising the ESCC symbol, document number and document issue, is removed.



DOCUMENTATION CHANGE NOTICE

(Refer to <https://escies.org> for ESCC DCR content)

DCR No.	CHANGE DESCRIPTION
68	Specification upissued to incorporate technical changes per DCR.



TABLE OF CONTENTS

	<u>Page</u>
1. <u>INTRODUCTION</u>	4
2. <u>SURVEY CHECKLIST</u>	4
2.1 Interview on Arrival of Survey Team	4
2.2 Manufacturer and Survey Team Information	4
2.3 Management Organisation	6
2.4 Quality Assurance System and Organisation	8
2.5 Calibration	10
2.6 Drawing and Change Control	11
2.7 Reliability	12
2.8 Control of Procurement Sources	14
2.9 Control of Incoming Materials	15
2.10 In-process Inspections and Tests	17
2.11 Survey of Manufacturing Line	20
2.11.1 Leads	20
2.11.2 Capacitor Element	20
2.11.3 Capacitor Enclosure	21
2.11.4 Final Test Area and Screening Facility	23
2.12 Preservation, Packing and Shipping	27
2.13 Summary of Inspection Results	29
2.14 General Observations	30



1. **INTRODUCTION**

This checklist is intended for use during the initial survey of a Manufacturer's ability to produce high quality articles, his management organisation, production facilities, test facilities and technical know-how. When completed, this checklist should enable the party interested in procurement of the subject components to assess the ability of the Manufacturer concerned to successfully execute a contract for the supply of high reliability space hardware.

2. **SURVEY CHECKLIST**

2.1 **INTERVIEW ON ARRIVAL OF SURVEY TEAM**

(a) Introductory Remarks by Team Leader (Explanation of purpose of survey, procedures to be followed, time limitations, etc.):-

(b) Notes (Atmosphere during reception, willingness to co-operate, interest shown, comments on personnel, general remarks):-

2.2 **MANUFACTURER AND SURVEY TEAM INFORMATION**

(a) Survey requested by :
Survey Team Leader :
Team Members :

(b) Key personnel of Manufacturer interviewed:-

Name	Function	Tlph. Ext.
1.		
2.		
3.		
4.		
5.		



(c) Type of Company (Private company, limited company, etc.)

Affiliated with any other company? If so, which:

No. of employees:

- Total number :
- Production :
- Quality Assurance :
- Q.A. Inspection :
- Prod. Engineering :
- Design Engineering :
- Reliability Control :
- Other :

(d) Number of shifts :

(e) Plant area :

(f) General production line :

(1) Device types manufactured:

(2) Will flow diagrams of steps to produce capacitors be available to Survey Team?

YES NO

Are specifications, if any, referenced in the flow diagrams?

YES NO

(g) Principal Government and industrial customers:-

- 1.
- 2.
- 3.
- 4.
- 5.

(h) The Manufacturer's Quality System is organised in accordance with:

Comments



(i) Manufacturer's Government Service Inspection:

DCAS Inspector, resident/non-resident

(j) National Inspectorate:

(k) Is the Manufacturer's capacitor production

(1) Continuous?	YES	NO
(2) Pilot production?	YES	NO
(3) Advanced R&D, limited?	YES	NO

(l) The Manufacturer has adequate experience in the production of the following hi-rel parts:-

2.3 MANAGEMENT ORGANISATION

(a) What is general policy/attitude of the Management regarding quality/reliability programme?

(b) Which level of Management participates actively in orientating policy towards space component production?

(c) Which organisation, if any, reviews and monitors all work involved in space component production?

(d) Is work related to space components (contracts) regarded as "normal business" or as belonging to the "unique order" category?

(e) What is the general policy concerning proprietary rights?

(f) Has the "Reliability" department the same authority from Management as the "Engineering" and "Production" departments? Does this mean direct responsibility for reliability of products in the line?



(g) Has the Q.A. Manager direct authority for implementation of quality policy and actions related to the line?

(h) Does a system exist for the regular supply of quality report summaries to Management?

Does this system lead to (corrective) actions being taken in respect of the production line?

(i) Are key management staff notified of persistent out-of-control conditions?

(j) What is length of service and experience of key management personnel (Q.A., Reliability, Production, Engineering Design)?

(k) How would contract for space components be organised?

(l) How can original requirements from Orderer (Space Agency or end-user) be assumed to be correctly translated into internal instructions?

(m) How can information necessary to the Orderer (corrective actions, deviations, notification of inspections and/or problem areas) be assumed to be issued and channelled to the Orderer?

2.4 QUALITY ASSURANCE SYSTEM AND ORGANISATION

(a) To whom does Q.A. Manager report?

(b) Does the company reflect a positive attitude towards Quality Assurance? YES NO

Comments

(c) Has the Q.A. group sufficient authority in relation to its position within the company's organisation (see organigram)? ____
Comments

(d) Are areas of responsibility within the Q.A. group clearly defined? ____
Comments

(e) Are corrective actions to which Q.A. management is committed delegated to responsible staff or does Q.A. management have direct authority regarding the line? ____
Which?

(f) Is there a periodic and comprehensive quality data reporting system which covers all operational phases? ____
Comments

(g) What is the relationship between Q.A. and Reliability?

(h) Is a Q.A. manual or equivalent document supplied to all levels of appropriate supervisory personnel? ____
Is such document kept updated? ____
Comments



- | | YES | NO | |
|---|--------------|-------------|----------|
| (i) Are written procedures available for identification and positive control of accepted/rejected materials? | ___ | ___ | |
| Comments | | | |
| (j) What is ratio Q.A. inspectors : personnel directly involved in production? | | | |
| (k) Is inspection (acceptance sampling or sorting) performed by Q.A. personnel:- | | | |
| On receipt? | Sampling ___ | Sorting ___ | None ___ |
| During processing? | Sampling ___ | Sorting ___ | None ___ |
| During final testing? | Sampling ___ | Sorting ___ | None ___ |
| Comments | | | |
| (l) Are written procedures kept and used in areas for:- | | | |
| Receiving inspection? | ___ | ___ | |
| In-process inspection? | ___ | ___ | |
| Fabrication processing? | ___ | ___ | |
| Final testing? | ___ | ___ | |
| Comments | | | |
| (m) Does Q.A. maintain a system of written procedures for statistic controls (control chart, lot plot, etc.) in any of the following areas? | | | |
| In-process inspection? | ___ | ___ | |
| Fabrication processing? | ___ | ___ | |
| Final inspection? | ___ | ___ | |
| Comments | | | |
| (n) Is Q.A. responsible for determination of need for, and the conducting of, quality training? | ___ | ___ | |
| Comments | | | |
| (o) Are training programmes provided for special process personnel? | ___ | ___ | |
| Comments | | | |



	YES	NO
(p) Do employees have to pass tests:-		
After training?	—	—
Periodically?	—	—
Comments		

(q) Are production operators provided with visual aids and working instructions?	—	—
Comments		

2.5 CALIBRATION

(a) Does Manufacturer maintain calibration facilities and standards?	—	—
Is this service purchased?	—	—
If so, from whom?		

(b) Do calibration personnel have written procedures for control and a time schedule for measurement frequency?	—	—
Comments		

(c) Is there an effective calibration record control system?	—	—
--	---	---

(d) Are calibration procedures adhered to and up-to-date?	—	—
Comments		

(e) Are decals used for equipment identification to show that units have been calibrated; when next calibration date is due and calibrator identification?	—	—
Are decals up-to-date?	—	—

(f) Are adjustments of calibrated equipment required to be sealed and tamper-proof?	—	—
---	---	---

(g) Who is in charge of initiating calibration steps?		
User	—	—
Calibration personnel	—	—
Q.A.	—	—



- | | YES | NO |
|--|-------------------|-------------------|
| (h) Do calibration procedures provide for removal of any equipment not maintained or calibrated according to established schedules?
Comments | ___ | ___ |
| (i) Have calibrating personnel up-to-date certification records reflecting date, traceability to NBS and identification of calibrator?
(1) Mechanical standard?
(2) Electrical standard? | ___

___ | ___

___ |
| (j) Is modified and/or repaired equipment calibrated prior to release? | ___ | ___ |

2.6 DRAWING AND CHANGE CONTROL

- | | | |
|---|------------|------------|
| (a) Has Manufacturer adequate written procedures for control of specification and contract changes?
Comments | ___ | ___ |
| (b) Does Manufacturer's system provide for documented change control guaranteeing availability of required drawing at relevant manufacturing or inspection step?
Do flow documents show current revisions?
Comments | ___
___ | ___
___ |
| (c) Are drawings furnished by ESTEC and contract changes adequately controlled?
Comments | ___ | ___ |
| (d) Does Q.A. review all drawings and changes therein prior to their becoming effective?
Comments | ___ | ___ |
| (e) Has Manufacturer established a procedure for notifying his Supplier of changes in drawings?
Comments | ___ | ___ |
| (f) Are current specification revisions shown on prints of drawings? | ___ | ___ |

2.7 RELIABILITY

YES NO

- | | |
|--|----------------------------|
| <p>(a) Is structure of Reliability organisation clearly defined?
Has Reliability same authority in respect of the line as Production or Engineering management?
Comments</p> | <p>— —
— —</p> |
| <p>(b) Is there a direct feed-back of information between Reliability, Design Engineering and Q.A. groups to ensure timely notification of all relevant data?
Comments</p> | <p>— —</p> |
| <p>(c) Does Reliability respond promptly and efficiently to unexpected and/or newly detected failure modes?
Comments</p> | <p>— —</p> |
| <p>(d) Are line failures (types and causes) analysed and reported to those responsible for corrective actions?</p> | <p>— —</p> |
| <p>(e) Are corrective actions resulting from failure analysis agreed with the Q.A. group involved or Reliability if parts or process changes must be made?
Q.A. Group
Reliability
Comments</p> | <p>— —
— —</p> |
| <p>(f) Has Reliability right to approve test specifications, data tabulation, parts or process changes?</p> | <p>— —</p> |
| <p>(g) Is there a system for in-process failure analysis?
End-item failure?
Reporting?
Comments</p> | <p>— —
— —
— —</p> |



	YES	NO
(h) Are following items submitted to failure analysis as a matter of routine?		
- Production line rejects	___	___
- Lots with a high rejection rate	___	___
Define:-		
- Items returned by Orderer	___	___
- Items returned by Orderer with special request for failure analysis	___	___
(i) Has Manufacturer a failure analysis laboratory or an equivalent facility?	___	___
Comments		
(j) Are failure analysis procedures:-		
(1) Available?	___	___
(2) In use?	___	___
(3) Adequate?	___	___
Comments		
(k) Is failure analysis equipment:-		
(1) Available?	___	___
(2) In use?	___	___
(3) Adequate?	___	___
Comments		
(l) Are there special personnel for failure analysis?	___	___
Comments		
(m) Are failure analysis reports:-		
(1) Available?	___	___
(2) Adequate?	___	___
Comments		
(n) Has Reliability a programme to ensure reliability of discrete device designs prior to release thereof?	___	___
Comments		



	YES	NO
(o) Has Reliability access to all pertinent development and production data of discrete devices for analysis purposes? Comments	___	___
(p) Is reliability data available of discrete devices from the line(s) which the Manufacturer wishes to be approved? Comments	___	___
(q) Has Manufacturer an evaluation laboratory for determination of product characteristics?	___	___
(r) If Manufacturer has an evaluation laboratory: - Does it operate according to an established programme? or - According to special requests? Comments	___ ___	___ ___
(s) Give examples of problems investigated by evaluation laboratory		
(t) Are laboratory results available on request?	___	___
(u) Are data sheets based on these results?	___	___

2.8 CONTROL OF PROCUREMENT SOURCES

(a) Has Manufacturer adequate written procedures for purchase control of materials, components and services? Comments	___	___
(b) Has Manufacturer an effective vendor rating system? Comments	___	___



	YES	NO
(c) Does rating system provide for effectiveness of written corrective actions received from Suppliers?	—	—
Comments		
(d) Do purchase documents require delivery of test reports if such reports are specified in the relevant ESA contract?	—	—
Comments		
(e) Is there a means of channelling information when specification changes require modification of current purchase orders?	—	—
Is "Receiving Inspection" notified of changes in purchase orders?	—	—
Comments		

2.9 CONTROL OF INCOMING MATERIALS (Performed in situ)

(a) Are Manufacturer's written standard inspection procedures adequate for control of incoming materials and services received?	—	—
Do inspectors know how and when to apply these procedures?	—	—
Comments		
(b) Are materials received in a controlled area from which removal prior to inspection is impossible?	—	—
Comments		
(c) Are materials properly handled and protected during the receiving process?	—	—
Comments		
(d) Does Receiving Inspection use drawings and purchase orders?	—	—
If so, do these documents show Quality Control review?	—	—
Comments		
(e) Are test reports from Suppliers being reviewed?	—	—
Comments		



	YES	NO
(f) Are accepted materials adequately identified? Do documents show evidence of acceptance? Comments	___	___
(g) Are rejected materials adequately identified and segregated? Comments	___	___
(h) Which materials are subject to limited shelf life limitations? Comments		
(i) Are shelf life and cure date materials properly identified and controlled? Comments	___	___
(j) Do records indicate traceability of units, lots and sublots to applicable documents (specification, revision letter - if any - and inspection record)? Comments	___	___
(k) Are materials stored in a controlled area under the responsibility of an authorised Custodian? Comments	___	___
(l) Are suitable inspections and tests, including physical and chemical tests, performed on raw materials? Comments	___	___
(m) Are such tests performed: - In-house? - At other locations? Comments	___ ___	___ ___



(n) Are storage containers, racks, bins, etc. adequate for type of material stored? YES NO
Comments

(o) Is lot traceability maintained? YES NO
Comments

(p) Is "first in/first out" method applied? YES NO

2.10 IN-PROCESS INSPECTIONS AND TESTS

(a) To whom does In-process Q.A. Inspection report? YES NO

(b) Are inspection and/or operation travellers used sequential to performance and control of all operations and processes? YES NO
Comments

(c) Do travellers refer to inspection procedures? YES NO
Do inspectors know how and when to use them? YES NO
Comments

(d) Do travellers refer to controlled specifications? YES NO
Do specifications show current revision status? YES NO
Comments

(e) Does Q.A. have written in-process procedures to control acceptance of products? YES NO
Comments

(f) Does the manufacturer test for early failures as part of in-process controls? YES NO
Comments



	YES	NO
(g) Does the manufacturer maintain and document standard screening tests as part of their own in-process controls?	—	—
(h) Does the manufacturer review the in-process control tests results against the screening tests requirements defined in the relevant Generic Specification?	—	—
(i) Is type and quantity of available inspection equipment adequate for type of work being accomplished? Comments	—	—
(j) Are documentation and instruments used by inspectors subject to calibration control? Is calibration evident and up-to-date? Comments	— —	— —
(k) Is there a specific material review procedure? Comments	—	—
(l) Do in-process Q.A. inspectors summarise quality experience on the basis of specific process stages? Do they issue quality reports on a regular basis? Do reports result in assistance and/or action? Comments	— — —	— — —
(m) Are requests for corrective action issued in writing? Are such requests answered? Does corrective action ensue? Comments	— — —	— — —



	YES	NO
(n) Does Q.A. maintain any statistic controls (X&R, etc.) in the in-process area?	—	—
Are these controls up-to-date and at individual process stations?	—	—
Comments		
(o) Is lot identification maintained throughout processing?	—	—
Comments		
(p) Are there documents describing in-process manufacturing procedures and controls?	—	—
Comments		
(q) Are there documents describing in-process inspections?	—	—
Do inspectors know how and when to use them?	—	—
Comments		
(r) Are there specific standards for handling, cleanliness and care of materials, parts and equipment?	—	—
Comments		
(s) Are calibrations evidenced and up-to-date?	—	—
(t) Has Q.A. authority to stop production flow in case of out-of-control conditions?	—	—
Is a written material review procedure in use?	—	—
Comments		
(u) Are records maintained of training and competence of operators for welding, soldering, radiography, radiflo and plating?	—	—
Comments		



	YES	NO
(v) Are certified operators identifiable by means of a card or badge on their clothing?	—	—
Comments		

2.11 SURVEY OF MANUFACTURING LINE

This review shall be performed in 2 phases:-

- (1) Identification of the various steps listed in the flow chart to define the corresponding operations and collect all relevant information.
- (2) Actual line survey (indicate if inspection was performed).

If different technologies are applied, the inspection results shall be supplied on separate sheets.

2.11.1 Leads

- (a) Which lead material and plating is used?
- (b) Which body material and plating is used?
- (c) Lead/body type of junction.
- (d) How are parameters controlled?
- (e) How is quality controlled?

2.11.2 Capacitor Element

- (a) Which technology is used?
- (b) Description
- (c) Materials used



YES NO

(d) Which assembly method is used?

(e) How is process controlled?

(f) How is position of elements defined?

(g) How is quality of assembly controlled?

(h) Which criteria are applied to radiographic inspection?

(i) Additional items (if necessary).

2.11.3 Capacitor Enclosure

(a) By which means is the device protected?

- Lacquer

- Sealing in a hermetic enclosure

- Pressure moulding

- Coating

- Sleeving

Comments

_____	_____
_____	_____
_____	_____
_____	_____
_____	_____

(b) Is capacitor element heated before protection is applied?

Comments

_____	_____
-------	-------



	YES	NO
(c) How is protection applied?		
- By hand	—	—
- Automatically	—	—
Comments		
(d) If several layers, how are they made?		
(e) List parameters of resin controlled during application:-		
(f) Are controls deemed to be adequate?	—	—
(g) Which curing and inspection procedures are applied to:		
- Intermediate coatings?		
- Final coatings?		
(h) Which solvent is recommended for analysis of devices?		
(i) Are records available to check actual curing conditions?		
(j) How does Manufacturer control sealing dimensions during processing?		
(k) How does Manufacturer control dimensions during inspection?		



(l) Is such inspection scheduled? And which aspects are inspected?

(m) Who performs the inspection(s)?

(n) Are visual aids and criteria provided for inspection purposes?

(o) Are visual aids and criteria applied to the production line?

(p) Are visual aids and criteria adequate?

2.11.4 Final Test Area and Screening Facility

YES NO

(a) Are they separate operations?

___ ___

(b) Are final production tests (see ESCC specification) performed by personnel under Q.A. monitoring?

___ ___

Or are they performed by Q.A. personnel?

___ ___

Comments

(c) Does the final test have written inspection and test procedures for product classes on the line?

___ ___

Do inspectors know when and how to use them?

___ ___

Comments

(d) Do inspectors use assigned stamps to indicate inspection status on materials and accompanying documents?

___ ___

Comments



	YES	NO
(e) Are requests for corrective action made in writing?	___	___
Are such requests answered?	___	___
Comments		
(f) Are rejected devices identified and segregated in a controlled area?	___	___
Comments		
(g) Are records of accepted and rejected material maintained?	___	___
Are these records identifiable with such materials?	___	___
Comments		
(h) Are device failures analysed?	___	___
Are device failure analyses summarised and reported by final Q.A.?	___	___
Comments		
(i) Is a summary inspection and test report sent regularly to quality management (lot acceptance, percentage of defects, types of failure)?	___	___
Comments		
(j) Is a testing laboratory or equivalent facility available for quality assurance purposes?	___	___
Which of the following tests are performed in the laboratory or facility?		
(1) Electrical tests	___	___
(2) Mechanical tests	___	___
(3) Chemical tests	___	___
Comments		
(k) Are statistical controls of device parameter distribution maintained?	___	___
Are they reported to Q.A. or Reliability?	___	___
Comments		



	YES	NO
(l) Is an environmental test facility maintained in-house?	___	___
If not, state where:		
Are the following tests performed at this facility?		
(1) Temperature (high, low, cycle)	___	___
(2) Shock (mechanical, thermal)	___	___
(3) Acceleration	___	___
(4) Vibration (fixed, variable, random noise)	___	___
(5) Moisture resistance	___	___
(6) Altitude	___	___
(7) Radiographic	___	___
(8) Hermeticity tests	___	___
(a) Fine leak, if applicable	___	___
(b) Gross leak or penetrant dye	___	___
(9) Lead fatigue	___	___
(10) Life tests - operating	___	___
Comments		
(m) Is available equipment used:		
- For production?	___	___
- In R&D?	___	___
- For Quality Control on a sample basis?	___	___
- For screening?	___	___
(n) Are charts provided for the monitoring of environmental test equipment?	___	___
Comments		
(o) Is test equipment adequate for fulfilment of specification requirements?	___	___
Comments		



	YES	NO
(p) Is final external visual inspection performed on 100% of the devices? Comments	___	___
(q) Are devices stored in a limited access area? Comments	___	___
(r) Are devices adequately identified to Customer requirements? Comments	___	___
(s) Are there provisions for lot identification? Comments	___	___
(t) How many burn-in positions are available: - At room ambient temperature? - At specified ambient temperature? - At specified case temperature (cooled hot plate)?		
(u) Does burn-in require soldering of leads? Comments	___	___
(v) What precautions are taken to maintain solderability of leads after burn-in? Comments		
(w) How does Manufacturer ensure that failed devices are separated from processed lots of: - ESCC Level 'B'		



YES NO

- ESCC Level 'C'

(x) Has Manufacturer all test equipment necessary to perform all qualification tests:

- In-house?

- In nearby facility?

Specify equipment and its location:

- In remote location

Specify equipment and its location:

2.12 PRESERVATION, PACKING AND SHIPPING

(a) Are there adequate written procedures for control of shipping?

Comments

(b) Are materials designated for shipment properly identified, handled and protected?

Comments

(c) Do copies of Customer's purchase order and evidence of inspection acceptance accompany materials from end of final test up to the time of shipment?

Comments

(d) Do Q.A. personnel perform audits of all outgoing lots?

Comments

(e) Do shipping documents reflect inspection status or evidence of inspection, identification and similar shipping requirements?

Comments



	YES	NO
(f) Does Manufacturer verify conformity of devices and invoices with purchase order?	—	—
Comments		
(g) Does Manufacturer implement special packaging methods for hi-rel devices?	—	—
If so, which of following methods is used?		
- Individual packages	—	—
- Mechanical protection	—	—
- Environmental protection	—	—
- Special warning labels	—	—
(h) Is shipping method designed to allow official inspection by Customs without actual removal of protective material?	—	—
Comments		
(i) Do instructions prohibit the use of substandard packaging methods for shipment of hi-rel devices?	—	—



2.13 SUMMARY OF INSPECTION RESULTS

Indicate inspection results per manufacturing and testing area, whereby:

V = Adequate.

O = Insufficient or non-adequate.

- = Not checked or not applicable.

1	2	3	4	5	6	7
---	---	---	---	---	---	---

Environmental conditions:

Cleanliness

Temperature control

Humidity control

Occupancy

Procedures available:

Travellers

Calibration

Segregation of rejects

Inspection evidence

Area No.

1 =

2 =

3 =

4 =

5 =

6 =

7 =



2.14 GENERAL OBSERVATIONS (Not to exceed 2 pages)