	ECCC
STREET,	ESLL
Carpon Co	Line Comment

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title:

PTFE INSULATED WIRES AND CABLES, LOW FREQUENCY, 600V, -100 TO +200 $\! \! ^{\circ}\! \! \! ^{\circ}$

Page 1 Appl. No.

The second second			Executive Member: CNES			Date: 22/11/2013			292E	292B	
uding series and fam	nilies) su	bmitted for E	xtension	of Qualification	Approval:				### ==================================	1	
VARIANTS	6	RANGE OF COMPONENTS						TEST HICLE / S	COMPONEN	Т	
COMP. NO. 3901 013 01 to 77		AWG 30 variant is not qualified Voltage Rating, maximum (Vrms):600 Temperature Range (°C): -100 to +200				3901 01 pair AW PTFE ir		013 24 : twisted WG22 wire, insulated,			
Component Manufacturer 2 AXON			Axon'Cable SA Route de Chalons enChampagne 51210 Montmirail			Date of original qualification approval: Date: 15/06/2009 Certificate Ref No. 292					
	5		III			6				7	
ESCC Specifications used for Maintenance of qualification testing: Generic: 3901 lss.1 Oct 2002 Detail(s): 3901/013 lss.3 June 2013		Deviations to LVT testing and Detail Specification used: No ⊠ Yes □ (supply details in Box 15) Deviation from current Specifications: No ⊠ Yes □ (Supply details)			Qualification Extension Report reference and date: PV3229 Issue A, May 20th 2013 See appendix 1						
urement or equivalen	t test re	sults during	current v	alidity period in su	pport of the	nis an	oplication (those t	to ESCC listed first)	1	8	
Project Name Testing Level						Date code			Quantity Delivered		
PID changes since start of qualification None □			9 Current PID Verified by:		Sauveplane JB 10						
*Provide detail				Issue:	12			Date:	08/11/2013		
uring facilities survey	ed by:	-	(Nam			ive)	on			11	
Yes ⊠		No [940000000					(20)	1905 M		
	VARIANTS 01 to 77 th Manufacturer ons used for utilification testing: lss.1 Oct 2002 /013 lss.3 June 2013 urement or equivalent Testing Lev *Provide detail uring facilities survey	VARIANTS 01 to 77 t Manufacturer 2 ons used for ualification testing: Iss.1 Oct 2002 /013 Iss.3 June 2013 urement or equivalent test re Testing Level e start of qualification *Provide detail uring facilities surveyed by:	VARIANTS O1 to 77 AWG 30 va Voltage Ra (Vrms):600 Temperatur +200 It Manufacturer It Ma	VARIANTS RANGE OF COL O1 to 77 AWG 30 variant is n Voltage Rating, max (Vrms):600 Temperature Range +200 Axon'Cable SA Route de Chalons e 51210 Montmirail Deviations to LVT te used: No ☑ Yes Variant SA Route de Chalons e S1210 Montmirail Deviations to LVT te used: No ☑ Yes Variant SA Route de Chalons e S1210 Montmirail Deviations to LVT te used: LAT Deviation from curre No ☑ Yes Urement or equivalent test results during current variant SA Testing Level LAT *Provide detail uring facilities surveyed by: (Name	VARIANTS O1 to 77 AWG 30 variant is not qualified Voltage Rating, maximum (Vrms):600 Temperature Range (°C): -100 to +200 t Manufacturer 2	NAMIS O1 to 77 AWG 30 variant is not qualified Voltage Rating, maximum (Vrms):600 Temperature Range (°C): -100 to +200 It Manufacturer 2	VARIANTS RANGE OF COMPONENTS 01 to 77 AWG 30 variant is not qualified Voltage Rating, maximum (Vrms);600 Temperature Range (°C): -100 to +200 t Manufacturer 2 Location of Manufacturing Plant AxonCable SA Route de Chalons enChampagne 51210 Montmirail 5 Deviations to LVT testing and Detail Specification used: Iss.1 Oct 2002 No ☑ Yes ☐ (supply details in Box 15) Deviation from current Specifications: No ☑ Yes ☐ (Supply details) 4 Deviation from current Specifications: No ☑ Yes ☐ (Supply details) 4 Date code 4 Provide detail 5 Deviations to LVT testing and Detail Specification used: (Supply details) 6 Deviation from current Specifications: No ☑ Yes ☐ (Supply details) 6 Deviation from current validity period in support of this again testing Level 6 Deviation from current validity period in support of this again testing Level 7 Provide detail 8 Current PID Verified by: Ref No: ESA PID 01 AX Issue: 12 Rev Date: 20/03/2013 1 Provide detail 1 Sauveplane JB (Name of Executive Representative)	VARIANTS RANGE OF COMPONENTS O1 to 77 AWG 30 variant is not qualified Voltage Rating, maximum (Vrms):600 Temperature Range (°C): -100 to +200 tt Manufacturer 2	VARIANTS RANGE OF COMPONENTS O1 to 77 AWG 30 variant is not qualified voitage Rating, maximum (virms),600 Temperature Range (°C): -100 to +200 Axon'Cable SA Route de Chalons enChampagne 51210 Montmirall Deviations to LVT testing and Detail Specification used: No ☑ Yes ☐ (supply details in Box 15) Deviation from current Specifications: No ☑ Yes ☐ (Supply details) Deviation testing: Iss.1 Oct 2002 Deviation from current Specifications: No ☑ Yes ☐ (Supply details) Deviation from current Specifications: No ☑ Yes ☐ (Supply details) Deviation from current validity period in support of this application (those to ESCC listed first) Testing Level LAT ☐ Date code ☐ Quantification (those to ESCC listed first) Ref No: ESA PID 01 AXON Issue: 12	VARIANTS	

	APPLICATI	ION FOR EXTENSIO	N OF ESCC QUA	LIFICATION APPROVAL	Page 2
ESCC	Component title:	PTFE INSULATED	WIRES AND CA	BLES, LOW FREQUENCY, 600V,	Appl. No.
	Executive Member:	CNES		Date: 22/11/2013	292B
Failure Analysis, DPA, NCCS ava		□ No ⊠	(Supply data)	Click here to enter text	12
The undersigned hereby certifies on behalf that the appropriate documentation has bee except as stated in box 15; - that the report CNES as the responsible Executive Member Date: 25/11/2013	en evaluated; - that ful s and data are availab	I compliance to all ES ble at the ESCC Exec	CC requirements utive and therefore	is evidence e applies on behalf of ent(s) listed herein JP. BUSSENOT	13
				((Signature of the Executive C	Coordinator)
Continuation of Boxes above: BOX9: Several Changes considered as min Update of the issues of purchasing specific Update the issues of wire drawing & additio	ations and drawings	nce last PID issue :			14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

PTFE INSULATED WIRES AND CABLES, LOW FREQUENCY, 600V, -100 TO +200 $\!\!\!\!^{\circ}\!\!\!\!^{\circ}$

Appl. No.

Page 3

S. Sandara		Executive Me	mber: CNES	Date:	22/11/2013	292B
Noncompliance to ESCO	requirements:					13
No.:	Specification		Paragraph		Non compliance)
						- 8000
				i,		
Additional tasks required	to achieve full co	ompliance for ES	CC qualification or rationale for a	acceptability of	- Vive Well - III	
noncompliance:		•	•			14
Executive Manager Dispo	peition					
	osition					15
	Yes	No 🗆				
Action / Remarks:						
					Voh	
Date: Click here to em	er a date.			Sign	ature, ESA Representative	<u></u>



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CNES Date: 22/11/2013 Executive Member:

Page 4 Appl. No.

292B

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.