


## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

|  |                                    |  | APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL   |            |         |  |  |                     |             |                    | Page           | e 1                             |     |
|--|------------------------------------|--|--|------------|---------|--|--|---------------------|-------------|--------------------|----------------|---------------------------------|-----|
| E  | SCC                                | Co   | omponent Title   | R          | telays  | s, non-late  | hing, ty   | pe M                | 1300        |                    |                | Appl.                           | No. |
| 1  |                                    | Ex   | ecutive Memb   | er:        | CNES    | 3  |  |                     | D           | ate: 24/02/20      | 14             | 318                             | A   |
| Components (including  | ng series and famili               | es) su   | bmitted for Ex   | tensior    | n of Qu | ualification   | Approval:  |                     |             |                    |                |                                 | 1   |
| ESCC<br>COMPONENT<br>NO.   | VARIANTS                           |  | RANGE OF COMPONENTS  |            |         | BASED<br>ON  |  | TEST<br>VEHICLE / S |             | COMPONE<br>SIMILAR |                |                                 |     |
| 3601 007   | 03,04,06                           |  | Coil voltage :   | 12 and     | d 28 V  | dc   | Туре М   | 300                 |             | 3601 00704B 2      | 1000           | All other varia<br>ESCC 3601 00 |     |
| Component Ma<br>Leach Internation  | 2                                  | Location of Manufacturing Plant(s) 3 2 rue Goethe 57430 SARRALBE |  |            |         | Date of original qualification approval: Date: 01/02/2014  Certificate Ref No. 318 |  |                     |             |                    |                |                                 |     |
| ESCC Specifications used for Maintenance of qualification testing: Generic: 3601 Issue: 02  Detail(s): 3601 007 Issue 03 : |                                    |  | Deviations to LVT testing and Detail Specification used:  No ⊠ Yes □ (supply details in Box 15)  Deviation from current Specifications:  No ⊠ Yes □ (Supply details) |            |         |  | Qualification Extension Report reference and date: RT_1115419 07/01/2014 |                     |             |                    |                |                                 |     |
| Summary of procurer  | nent or equivalent t               | est re   | sults during cu  | rrent v    | alidity | period in su   | pport of the   | nis ap              | plicatio    | n (those to ESC)   | C listed first | )                               | 8   |
| Project Name Testing Level   |                                    |  | LAT Date code  |            |         |  |  | - V                 | Quantity De |                    |                |                                 |     |
| Appendix 2   |                                    |  |  |            |         |  |  |                     |             |                    |                |                                 |     |
| PID changes since st   | art of qualification               |  |  | 9          | Cur     | rent PID V   | erified by   |                     |             | CNES               |                |                                 | 10  |
| None   |                                    |  |  |            |         |  | R-10819  |                     | N           | ame of Excutive    | Representa     | ative                           |     |
| Minor* ⊠<br>Major* □   | *Provide details in l              | box:   |  |            | Issu    | ue: 3  |  |                     |             |                    | Date:          | 13/02/2014                      |     |
| Current Manufacturing facilities surveyed by:  |                                    |  |  | ESA & CNES |         |  |  | on                  |             | 27/01              | /2010          | 11                              |     |
|  | (Name of Executive Representative) |  |  | ive)       |         |  | (Da  | ate)                |             |                    |                |                                 |     |
| Satisfactory:  | Yes ⊠                              |  | No 🗆   |            | plain   |  |  |                     |             |                    |                |                                 |     |
| Report Reference:  | QCS/LB/100                         | 0201   | -15/02/2010  |            |         |  |  |                     |             |                    |                |                                 |     |



|   | ESCC                                       | APPLICAT Component title: Executive Member | Relays, non-latching, type  CNES  |                | ON APPROVAL<br>24/02/2014 | Page 3 Appl. No. 318A                  |
|---|--|--|-----------------------------------|----------------|---------------------------|--|
|   | liance to ESCC requirements:               |  |                                   |                |                           | #************************************* |
| No.:                                      | Specification                              |  | Paragraph                         |                | Non compliand             | ee .                                   |
| Additional noncomplia                     | tasks required to achieve full co<br>ance: | mpliance for ESCC q                        | ualification or rationale for acc | ceptability of |                           | 16                                     |
| Executive M<br>Application<br>Action / Re |  | No □                                       |                                   |                |                           | 17                                     |

Date:

Signature, ESA Representative



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Relays, non-latching, type M300

Executive Member: CNES Date: 24/02/2014

Page 4

Appl. No.

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3601 generic specification; Chart F4 (for ESCC/QPL parts);
 Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

| 3601 00704B 28V |  |
|-----------------|--|
|                 |  |
|                 |  |

Detail Specification reference: 3601 007 Issue 03

| Chart F4  | Test                            | Tick<br>when<br>done | Conditions                               | Date Code                         | Tested<br>Qty | No. of<br>Rejects | Comments if not performed.<br>Comments on Rejection |
|---|---------------------------------|----------------------|--|-----------------------------------|---------------|-------------------|---|
| dn  | Thermal Shock                   | Ø                    | MIL-STD-202, Test<br>Method 107          | 1322                              | 6             | 0                 | LAT 1 sequence refers                               |
| Subgro  | Low Level Sine<br>Vibration     | ×                    | MIL-STD-202, Test<br>Method 204          | 1322                              | 6             |                   |   |
| nical (   | Random Vibration                |                      | MIL-STD-202, Test<br>Method 214          | 1322                              |               |                   | N/A   |
| / Mechani<br>(Column 1)                           | Low Level<br>Mechanical Shock   | ×                    | MIL-STD-202, Test<br>Method 213          | 1322                              | 6             | 0                 |   |
| Environmental / Mechanical Subgroup<br>(Column 1) | Resistance to<br>Soldering Heat | Ø                    | MIL-STD-202, Test<br>Method 210          | 1322                              | 6             | 0                 |   |
| onmer   | Seal (Fine and<br>Gross Leak)   | ×                    | MIL-STD-202, Test<br>Method 112          | 1322                              | 6             | 0                 |   |
| Envir   | External Visual Inspection      | ×                    | ESCC Basic<br>Specification No.<br>20500 | 1322                              | 6             | 0                 |   |
| Mechanical<br>olumn 2)                            | High Level Sine<br>Vibration    |                      | MIL-STD-202, Test<br>Method 204          | Click<br>here to<br>enter<br>text |               |                   | N/A   |
|   | High Level<br>Mechanical Shock  |                      | MIL-STD-202, Test<br>Method 213          |                                   |               |                   | N/A   |
| Environmental /<br>Subgroup (C                    | Seal (Fine and<br>Gross Leak)   |                      | MIL-STD-202, Test<br>Method 112          |                                   |               |                   | N/A   |
| Enviro  | External Visual<br>Inspection   |                      | ESCC Basic<br>Specification No.<br>20500 |                                   |               |                   |   |
| - d   | Low Level Life                  | ×                    | ESCC 3601<br>Para. 8.11.1                | 1322                              | 3             | 0                 | LAT1 sequence refers                                |
| Endurance Subgroup 1<br>(Column 1)                | Inductive Life                  |                      | ESCC 3601<br>Para. 8.11.2                | 1322                              | 3             | 1                 | One failed component was detected in the subgroup.  |
| Colum   | Seal (Fine and<br>Gross Leak)   | Ø                    | MIL-STD-202, Test<br>Method 112          | 1322                              | 3             | 0                 |   |
| Endura<br>(                                       | External Visual<br>Inspection   |                      | ESCC Basic<br>Specification No.<br>20500 | 1322                              | 3             | 0                 |   |



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Relays, non-latching, type M300

Appl. No.

Executive Member:

CNES

Date: 24/02/2014

318A

Page 5

| Chart F4                              | Test                          | Tick<br>when<br>done | Conditions                               | Date Code | Tested<br>Qty | No. of<br>Rejects | Comments if not performed.<br>Comments on Rejection |
|---------------------------------------|-------------------------------|----------------------|--|-----------|---------------|-------------------|---|
| Endurance<br>Subgroup 1<br>(Column 2) | Coil Life                     |                      | ESCC 3601<br>Para. 8.12                  |           |               |                   | N/A   |
|                                       | Seal (Fine and<br>Gross Leak) |                      | MIL-STD-202, Test<br>Method 112          |           |               |                   |   |
|                                       | External Visual<br>Inspection |                      | ESCC Basic<br>Specification No.<br>20500 |           |               |                   |   |
| t dr                                  | Intermediate<br>Current       | ×                    | ESCC 3601<br>Para. 8.13                  | 1322      | 3             | 0                 | LAT2 sequence refers                                |
| ubgrou                                | Mechanical Life               | Ø                    | ESCC 3601<br>Para. 8.14                  | 1322      | 3             | 0                 |   |
| Endurance Subgroup 1<br>(Column 3)    | Seal (Fine and<br>Gross Leak) | ×                    | MIL-STD-202, Test<br>Method 112          | 1322      | 3             | 0                 |   |
| Endur                                 | External Visual<br>Inspection | ×                    | ESCC Basic<br>Specification No.<br>20500 | 1322      | 3             | 0                 |   |
| Endurance<br>Subgroup 2               | Resistive Life                | ×                    | ESCC 3601<br>Para. 8.11.3                | 1322      | 6             | 1                 | FA report CQVW197/VW                                |
|                                       | Seal (Fine and<br>Gross Leak) | ×                    | MIL-STD-202, Test<br>Method 112          | 1322      | 6             | 0                 | LAT 2 sequence refers                               |
|                                       | External Visual Inspection    | ×                    | ESCC Basic<br>Specification No.<br>20500 | 1322      | 6             | 0                 |   |
|                                       | Solderability                 |                      | MIL-STD-202, Test<br>Method 208          | 1322      | 2             | 0                 | LAT 3 Sequence refers                               |
| Assembly Capability<br>Subgroup       | Overload                      |                      | ESCC 3601<br>Para. 8.16                  | 1322      | 2             | 0                 |   |
|                                       | Permanence of Marking         |                      | ESCC Basic<br>Specification No.<br>24800 |           |               |                   | N/A   |
|                                       | Terminal Strength             | ×                    | MIL-STD-202, Test<br>Method 211          | 1322      | 2             | 0                 |   |
|                                       | Seal (Fine and<br>Gross Leak) | ×                    | MIL-STD-202, Test<br>Method 112          |           | 2             | 0                 |   |
| Additional Tests                      | Electrical<br>Measurements    | ×                    | ESCC 3602<br>para 9.3                    | 1322      | 4             | 0                 |   |
|                                       | Seal (Fine and<br>Gross leak) | ×                    | MIL-STD-<br>202, Test Method 112         | 1322      | 4             | 0                 |   |
|                                       |                               | ×                    | ESCC Basic<br>Specification No.<br>20500 | 1322      | 4             | 0                 |   |



Box 22

Additional Comments.

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Relays, non-latching, type M300

Component title:

Executive Member: **CNES** Date: 24/02/2014

Page 7 Appl. No. 318A

|                         | NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL  |
|-------------------------|--|
| ENTRIES<br>Form heading | shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.  |
| Box 1                   | shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test V ehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant. |
| Box 2; 3 and 4          | As per QPL entry; otherwise, an explanation of the changes must be supplied.   |
| Box 5                   | Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.   |
| Box 6                   | Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have curre ntly a different issue and/or revision indicate also whether the test data deviates or not from such current documents.  |
| Box 7                   | Must reference the report(s) supplied in support of the application.   |
| Box 8                   | Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.  |
| Box 9                   | If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.   |
| Box 10                  | Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.  |
| Box 11                  | This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.   |
| Box 12                  | Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.  |
| Box 13                  | Enter only the name of the Ex ecutive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.  |
| Box 14                  | To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.   |
| Box 15                  | Fill in Table as requested.  |
| Box 16                  | Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.   |
| Box 17                  | All Executive Manager recommendations on the appl ication itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.  |
| Box 18                  | Fill in Table as requested.  |
| Box 19                  | Confidential Details of PID changes including those of a confidential nature, shall be provided.   |
| Box 20                  | State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.   |
| Box 21                  | Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.   |