	FCCC
CO Beel Land	ESLL
100	

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Polyimide Insulated Wires and Cables, Low Frequency 600V, -100 to +200°C Component Title:

Page 1 Appl. No.

Z		Executive Member:	CNES		Date: 04	1/05/2015	132	!N
Components (inclu	ding series and families	s) submitted for Extens	sion of Qualification	Approval:				_1
ESCC COMP. NO.	VARIANTS	RANGE OF COMPONENTS BASED TEST			COMPONENT			
3901 001	24 to 47	Voltage Rating, maximum (Vrms): 3901001**B 3901 001 24: single		01 24: single	SIMILAR			
3901 002	31 to 73	600   Temperature Rar +200	nge (°C): -100 to	3901002**B		02 32: twisted		
		+200			pair Avv	/G24, jacketed		
					<u> </u>			
Component I	Manufacturer	2 Location of Axon'Cable SA	Location of Manufacturing Plant 3			Date of original qualification approval:		
70001		Route de Chalon 51210 Montmirail			Date:  Certificate Ref	01/12/1979	oval.	
	_	5	Deviations to LVT testing and Detail Specification used:			Qualification Extension Report reference and date:		
ESCC Specification Maintenance of qua								
Generic: 3901		No ⊠ Yes	No ⊠ Yes ☐ (supply details in 15)		TEST REPORT	RT N°3610 Issue A, 20 <sup>th</sup> March 2015 RT N°3611 Issue A, 12 <sup>th</sup> March 2015		
Detail(s): 3901 0	01 & 002	Deviation from cu	Deviation from current Specifications: No ⊠ Yes □ (Supply details)					
		No ⊠ Yes						
	-							8
Summary of procur	ement or equivalent tes	t results during curren	t validity period in s	upport of this ap	plication (those to	ESCC listed first)	)	
Project Name	Testing Level	LAT	LAT Date code			de Quantity Delivered		
See appendix	2.1.						- Orange of the control of the contr	
W. W. W. D. W. W. W. C. C. T. T. T. C.								
		ĺ	····		1	**************************************		
PID changes since	start of qualification		Current PID	Verified by:	(	CNES		10
None			Name of the last o			cutive Representat	tive	
Minor* ⊠			DA-25 24 24 24 24 24 24 24 24 24 24 24 24 24	ESA-PID-01-AX	ON	Dete	0.4/05/0045	
Major*	*Provide detail		45/534275	13 19/11/2014		Date:	04/05/2015	
Current Manufact	ing facilities to be a con-		01:-0			g.	00/00/00: =	11
Current Manufactur	ng facilities to be surve	80 A 8		& ESA	on		09/06/2015	
Catiafacta - :-	Van 🛶		me of Executive Re	spresemanve)		(Da	ite)	
Satisfactory:	Yes		Explain					
rel=	nes 'ch	e Nºgga	22/					
		- " //7	674					

	APPLICAT	ION FOR EXTENS	ON OF ESCC QUA	IFICATION APPROVAL	Page 2
ESCC	Component title:	Polyimide Insulat +200°C	ed Wires and Cables	s, Low Frequency 600V, -100 to	Appl. No.
	Executive Member:	CNES		Date: 04/05/2015	132N
Failure Analysis, DPA, NCCS	available: Yes	□ No ⊠	Supply data)	Click here to enter text.	1
	Tentana nomes pinusa				
The undersigned hereby certifies on be that the appropriate documentation has except as stated in box 15; - that the re CNES as the responsible Executive N	s been evaluated; - that full eports and data are availab	II compliance to all followers the little at the ESCC Exe	ESCC requirements in ecutive and therefore	s evidence applies on behalf of	wnere
Date: 21/05/2015				JP. BUSSENOT	-
				((Signature of the Executive	Coordinator)
Continuation of Boxes above:	***				
					1.02

	-		-	
of Sandis	E	5		-
	3			

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Polyimide Insulated Wires and Cables, Low Frequency 600V, -100 to

Appl No

Page 3

			+200°C		Appi. No
		Executive Member	: CNES	Date: 04/05/2015	132N
oncompliance t	to ESCC requirements	:			L
No.: Specification			Paragraph	Non comp	oliance
1					
ditional tacks	required to achieve full	compliance for ESCC a	ualification or rationale for ac	contability of	
compliance:	required to achieve run	Compliance for ESCC q	dalification of fationale for ac	ceptability of	
Service Miles			· · · · · · · · · · · · · · · · · · ·		
ecutive Manaç	ger Disposition				
plication Appre	oval: Yes 🗆	No 🗆			- 107
ion / Remarks	E.				
				1 1	
				(1)	1
				V.W	1
te: Click he	re to enter a date.			0 0 -	

Signature, ESA Representative



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Polyimide Insulated Wires and Cables, Low Frequency 600V, -100 to +200°C Component title:

CNES Executive Member: Date: 04/05/2015 Page 4

Appl. No.

132N

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.