E	SCC		Component Title: Quartz Crystal Units in meta			DF ESCC QUALIFICATION APPROVAL metal_holder TO-5			
	SCC						Appl. No. 15 309 B		
		THE RESERVE THE PROPERTY OF TH	secutive Member: DLR			Date: 14/08/2015			
Components (including	series and families	s) submitted for Exten	sion of Qu	alification App	roval:				1
ESCC COMPONENT NO.	VARIANTS	RANGE C	F COMP	MPONENTS BASED ON			(A)		NENT AR
	all	2.5 - 26 MHz	2		Type T15	00000077	3501 019	All other vari	William Townson
3501/009 3501/019				0.00			K8003, 10 MHz	ESCC 3501 ESCC 3501 ESCC 3501	009
Component Ma	- Markey	2 Location	a4 14aa	acturing Plant(s	) 12				
KVG Quartz cryst GmbH		Waibstadter 3 74924 Necka	Str. 2-4	17 (8)	56	Date:	f original qualification 01/04/2011 ate Ref No. 309		_4_
		5 Deviations to LV	<del></del>		6		cation Extension Rep	2000	7
ESCC Specifications u Maintenance of qualific Generic: 3501 Detail(s): 3501 019	eation testing: Issue: 04 Issue: 05	used: No ⊠ Ye  Deviation from c  No ⊠ Ye	urrent Spe	15)	tails in Box		ice and date; g_Report_Quartz_LA	.T-1_2015	
Summary of procurem	ant or conjugate to	at englishe Wileign ellern	st validiti				to ECCC !:	( C 1)	8
Project Name	Testing Le				Date code	ication (		ntity Delivered	
See attached sales overview April 2013 to April 2015			***				Name of the second		
PID changes since st	art of qualification	35	4	Current PID V	/erified		DLR	i kina fili i k	10
None 🗵						N	ame of Excutive Rep	presentative	
Minor* □			3	Ref No:	PID-020				
Major* □ *i	Provide details in bo	x:			04/10/2010			Date 22/04/	2015
Current Manufacturing	fooilities supremed b			DLR&ESA		1922		22/04/2015	11
Current Manufacturing	raciilles surveyed t	-	lame of E	xecutive Repre	sentative\	on		(Date)	
Satisfactory:		No	Explain	6 Finding	gs, see report		g CAR Jactorily	********	115
Report Reference:	ESCC_Audit_Ap	r_2015_ActionItem.xl	5						

(except as stated in box 15;) - 1	ation has been evaluated; - that full compliance to all ESCC rec that the reports and data are available at the ESCC Executive sponsible Executive Member for ESCC qualification status to b	and therefore applies on behalf of	1.
Date: 14/08/2015		(G. Joormann) (Signature of the Executive	Coordina
Continuation of Boxes above:		Tolgitatal of the Executive	
1 10			
Company Company			
and or some			

23.00	ESCC	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL  Component title: Quartz Crystal Units in metal holder TO-5			ROVAL	Page 3 Appl. No.
Z mei	14	Executive Me	mber: DLR	Date: 14/08/2	14/08/2015	
Non compli	ance to ESCC requirements	Ĉ				15
No.:	Specification	10.	Paragraph		Non compliance	
			CC qualification or rationale for acce			
Executive M Application Action / Ren		No 🗆				17

Signature, ESA Representative

Date:



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Quartz Crystal Units in metal holder TO-5

Page 4

Appl. No.

Executive Member: DLR

Date: 14/08/2015

308 B

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3501 generic specification; Chart V (for ESCC/QPL parts);
Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

3501 019 K8003, 10 MHz, T1507	

Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
_	Shock	×	IEC Publication No. 68-2-27	21/15	3	0	
Environmental/Meche Subgroup (Column Base) Este	Vibration	×	IEC Publication No. 68-2-6	21/15	3	0	
	Seal Test		IEC Publication No. 68-2-17	21/15	3	0	
	Electrical Measurements at Reference Temperature	×	Table 2 of the Detail Specification	21/15	3	0	
	External Visual Inspection	$\boxtimes$	ESCC Basic Specification No. 20500	21/15	3	0	
	Climatic Sequence	$\boxtimes$	ESCC 3501 Para. 9.14	21/15	3	0	
up (Column 2	Rapid Change of Temperature		IEC Publication No. 68-2-14	21/15	3	0	
	Seal Test	$\boxtimes$	IEC Publication No. 68-2-17	21/15	3	0	
	Electrical Measurements at Reference Temperature	×	Table 2 of the Detail Specification	21/15	3	0	
ភ	External Visual Inspection	$\boxtimes$	ESCC Basic Specification No. 20500	21/15	3	0	
	Life Test	$\boxtimes$	ESCC 3501 Para. 9.17	21/15	5	0	
Endurance Subgroup	Electrical Measurements during Endurance Testing	×	Table 6 of the Detail Specification	21/15	5	0	
ПS	External Visual Inspection	$\boxtimes$	ESCC Basic Specification No. 20500	21/15	5	0	
rical oup – Meas.	Electrical Measurements at Reference Temperature	×	Table 2 of the Detail Specification	21/15	3	0	
Electrical Subgroup – Electr. Meas.	Electrical Measurements at High and Low Temperatures	⊠	Table 3 of the Detail Specification	21/15	3	0	



				Appl. No.
Executive Member:	DLR	Date:	14/08/2015	308 B

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
ab.	Solderability	×	IEC Publication No. 68-2-20	21/15	2	0	
Subgrass. C	Permanence of Marking	×	ESCC Basic Specification No. 24800	21/15	2	0	
	Robustness of Terminations	×	ESCC 3501 Para. 9.16	21/15	2	0	
ıal							
Additional							
PA							



Box 22

Additional Comments.

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Quartz Crystal Units in metal holder TO-5

Page 7

Appl. No.

Executive Member: DLR

Date: 14/08/2015

308 B

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered, if relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
L	