		C	
Control of	E C	3	-
2	25		

Component Title:

WIRES AND CABLES,LOW FREQUENCY, 600V, SILVER-PLATED COPPER,EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION, BASED ON TYPE 55/995X

Page 1 Appl. No.

N. C.		Executiv	e Member	: Е	SA			Date: 17	7/08/2015	159	M
Components (include	ding series and famil	ies) submitte	ed for Exter	nsion o	of Qualification	Approval:					1
ESCC COMP. NO.	VARIANTS RANGE			E OF COMPONENTS BASED ON		Market (10 10 10 10 10 10 10 10 10 10 10 10 10 1		COMPONE	VT		
3901 / 012	1 - 80					55/995)			. 07. 53	Ommerat	
Component N	Appufacturer	2	Location	of Ma	nufacturing Pl	ant	3		1		4
TE connectivity (Tyd		Fara Dorv Wilts	day Road an, Swindo hire SN35I ed Kingdon	on HH	mulacturing Fi	am		Date of origina Date: Certificate Ref	l qualification app 01/02/1989 No. 159	roval:	
		5					6				7
ESCC Specification Maintenance of qua				VT tes	ting and Detail	I Specification	-	Qualification E reference and	xtension Report date:		
Generic: 3901		No	No ⊠ Yes ☐ (supply details in Box 15)			WQ2356 iss3, July 2015					
Detail(s): 3901/0	12	Devi No		curren es	t Specification ☐ (Supply	s: y details)					
400	00 98 20 000	V VX 20- (C	2777.5-200	95 55				- WOOD - WO - CO			8
Summary of procure Project Name	ement or equivalent Testing Level	-	during curre		idity period in	support of th Date				it) ntity Delivered	
Projectivame	resung Level		Eni			Date	cour			See annex	-1555-11
PID changes since	start of qualification			9	Current PID	Verified by:			UKSA		10
None								Name of E	xcutive Represent	ative	
Minor* ⊠					Ref No:	ELE-4KD-0	0101				
Major* □	*Provide detail				Issue: Rev Date:	6 10/01/2013	3		Date:	14/01/2013	
5020 200337 02 or 9		0988			S-60 %88000 = 15						11
Current Manufacturing facilities surveyed by:		UKSA and ESA (Name of Executive Representative)					0/2007 Date)				
Satisfactory:	Yes ⊠	No	200	Expl		QCS/LB/070		report	χ(2	, alo,	



Component title:

WIRES AND CABLES, LOW FREQUENCY, 600V, SILVER-PLATED COPPER, EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION, BASED ON TYPE 55/995X

Appl. No.

Page 2

	Executive Memb	er: ESA		Date: 17/08/2015	159 M
Failure Analysis, DPA, NCCS	S available: Yes	□ No) Click here to enter text	1
tef. No's and purposes: Click	here to enter text				
The undersigned hereby certifies on that the appropriate documentation haxcept as stated in box 15; - that the ISA as the responsible Executive Me	as been evaluated; - that reports and data are ava	full compliance to ilable at the ESC(all ESCC requirement Executive and therefore	ts is evidence ore applies on behalf of	
ate: 18/08/2015				((Signature of the Executive	Coordinator)
ontinuation of Boxes above:					

Component title:

WIRES AND CABLES,LOW FREQUENCY, 600V, SILVER-PLATED COPPER,EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION, BASED ON TYPE 55/995X

ESA

Page 3 Appl. No.

	Excedite Me	moci. Lon	Date: 1770012013	159 M
Noncompliance t	to ESCC requirements:			13
No.:	Specification	Paragraph	Non compl	innee
INO.,	Specification	Paragraph	Non comp.	ance
Additional tasks noncompliance:	required to achieve full compliance for ES	CC qualification or rationale for accep	stability of	14
noncompliance.				1
Executive Manag	per Disposition			
Executive Manag	ger Disposition			15
Application Appro				
Action / Remarks				
				×
			\ \ \	1
			V. V	h
Date:				
			Signature, ESA Representa	ative



WIRES AND CABLES, LOW FREQUENCY, 600V, SILVER-PLATED COPPER, EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION, BASED ON TYPE 55/995X

Executive Member: Date: 17/08/2015

Page 4 Appl. No.

159 M

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

Component title:

ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.