	EC	
To Burkey		
ALC: N	A	

Page 1

Component Title: Connectors and Savers Electrical Rectangular Non-Removable PCB Appl. No. Contacts, based on type MHD Executive Member: CNES 06/07/2015 250G Components (including series and families) submitted for Extension of Qualification Approval: ESCC BASED TEST COMPONENT COMPONENT **VARIANTS** RANGE OF COMPONENTS VEHICLE / S ON SIMILAR NO. 3401 065 01 Contact: 52, 100, 152, 200, 252, 300, 352 and 400Contact Codes: MHD 3401 065 01B 100 44 HE801, KMC 30 121 10, 11, 12, 30, 31, 43, 45, 47 and 91 Guiding and Locking Devices Codes: 110, 111, 121, 124, 134 and 3401 065 01B 100 55 30 111 Operating Temperature Range (°C): -55 to +125 Component Manufacturer 2 Location of Manufacturing Plant(s) 3 4 HYPERTAC SA 31 rue Isidore Maille 76410 Saint-Aubin les Elbeuf Date of original qualification approval: 15/08/1998 Date: Certificate Ref No. 250 7 5 6 ESCC Specifications used for Deviations to LVT testing and Detail Specification Qualification Extension Report Maintenance of qualification testing: used: reference and date: Generic: 3401 Issue: 3 (supply details in Box PV n°Q 026/15, 17th April 2015 No \boxtimes Yes 15) Detail(s): 3401065 Issue: 4 Deviation from current Specifications: No 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Project Name Testing Level LAT Date code Quantity Delivered See appendix PID changes since start of qualification 9 Current PID Verified by: JB Sauveplane 10 None Name of Excutive Representative × P.I.D CDC Nº 43 Minor* Ref No: Major* *Provide details in box: Issue: Date: 06/07/2015 Rev Date: 16/03/2015 11 Current Manufacturing facilities surveyed by: JB Sauveplane on 10/12/2014 (Name of Executive Representative) (Date) Satisfactory: \boxtimes No Explain Report Reference: 994381

ESCL	Component title:		nd Savers Electrical i ed on type MHD	xectangular	Non-Removable	App
	Executive Member:	CNES	7.0	Date:	06/07/2015	25
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No		a)		
Ref. No's and purposes:						
The undersigned hereby certifies on behalt that the appropriate documentation has be (except as stated in box 15;) - that the repossible E:	en evaluated; - that ful orts and data are availa	compliance to ble at the ESC	all ESCC requirement C Executive and ther	nts is evident efore applies	on behalf of	d herein.
Date:				(S	ignature of the E	xecutive Coordinate
Continuation of Boxes above:						

3	ECCC
The same of	
· ADDY.	

Connectors and Savers Electrical Rectangular Non-Removable PCB Contacts, based on type MHD Component title:

Executive Member: CNES Date: 06/07/2015 Page 3

Appl. No. 250G

No.:		Dorograph	Non sempliness	
	Specification	Paragraph	Non compliance	
- 1				
dditional tasks oncompliance	s required to achieve full compliance for ESC	CC qualification or rationale for acceptability	of	16
oncompliance	•			
xecutive Mana	ager Disposition			17
				17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
application App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀			17
pplication App	proval: Yes 🗆 No 🗀		101-	17
application App	proval: Yes 🗆 No 🗀		L. Voh	17
Executive Mana Application App Action / Remark	proval: Yes 🗆 No 🗀		Signature, ESA Representative	17



Component Title:

Connectors and Savers Electrical Rectangular Non-Removable PCB Contacts, based on type MHD

Executive Member: CNES

Date: 06/07/2015

Appl. No. 250G

18

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

3401 065 01B 100 44 30 121	3401 065 01B 100 55 30 111	

Detail Specification reference:

3401

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed Comments on Rejection
Environmental and Mechanical Subgroup	Wiring		ESCC 3401 Para. 9.10				Approuved by similarity to testing on HE801 (KNC)
	Climatic Sequence	×	ESCC 3401 Para. 9.13				Approuved by similarity to testing on HE801 (KNC)
	Permanence of Marking	Ø	ESCC 24800				Approuved by similarity to testing on HE801 (KNC)
	Corrosion		IEC Publication No. 68-2-11				Not applicable
	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	\boxtimes	ESCC 3401 Para. 5.2.3	1503	20	0	
Wiring Rapid change o Temperature	Wiring	×	ESCC 3401 Para. 9.10	1503	4	0	
	Rapid change of Temperature	×	ESCC 3401 Para. 9.16	1503	4	0	
	Contact Retention	\boxtimes	ESCC 3401 Para. 9.17	1503	4	0	
Endurance Subgroups	Maintenance Ageing		ESCC 3401 Para. 9.27				Not applicable
gqng	Endurance	×	ESCC 3401 Para. 9.18	1503	4	0	
306	Seal Test		ESCC 3401 Para. 9.9				Not applicable
durar	Joint Stength	\boxtimes	ESCC 3401 Para. 9.15	1503	4	0	
Δ.	Engage/Separ. Forces		ESCC 3401 Para. 9.28	1503	4	0	
	Oversize Pin Exclusion	⊠	ESCC 3401 Para. 9.29	1503	4	0	
40 1	Probe Damage		IEC Publication No. 512-8				Not applicable
nal ,							
Additional Tests							
A A	FOR THE BOOK						



Connectors and Savers Electrical Rectangular Non-Removable PCB Contacts, based on type MHD Component title:

Date: 06/07/2015 Executive Member: CNES

Appl. No.

Page 6

250G

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments,
1	

