

Component Title: Thermistors; NTC

Page 1 Appl. No.

John Howley

Date: 05/08/2015

	ing series and families) s			Tippiotal.	-		
ESCC COMPONENT NO.	VARIANTS	RANGE OF COM	BASED ON	)	TEST VEHICLE / S	COMPONENT SIMILAR	
400601301 to 400601307;	Variants 01; 02; 03; 04; 05; 06 and 07	24 34 44 54		1K3A351, 2K3A352, 3K3A353, 4K3A354, 5K3A355, 10K3A739, 100K6A441		5K3A355 and 100K6A441	Variants 01, 02, 03, 04, 06 (different resistance values only) Variant 0 (structurally similar – different ceramic material)
400601408; 400601409; and 400601413	Variants 08; 09; and 13	10000 OHMS (Variant 09); 15000 G15K4D489; OHMS (Variants 08 and 13) G10K4D453; G15K4D589		; and	G15K4D489	Variants 09 and 13 (different resistance values and/or different qualified lead material	
Component M	lanufacturer 2	Location of Man	urfacturing Plant	t(s) 3			
	merly MEAS Ireland	Ballybrit Business Pa Galway Ireland		(6) 5	Date:		approval:
					Certif	icate Ref No. 266	
ESCC Specifications Maintenance of qual Generic: ESCC 4006  Detail(s): ESCC 4006/01	ification testing:   Issue: 3	Deviations to LVT tes used: No □ Yes  Deviation from currer  No ⊠ Yes	(supply of 15)	details in Box	Exten 40060 Exten	ision of ESCC Qualifica 014 Variants 08; 09 and	ation Report for ESCC Appendices_August 2015
Summary of procure	ement or equivalent test n	esulte during current va	lidity period in s	unnort of this ar	polication	n (those to ESCC lister	I firet)
Project Name	Testing Level	LAT Date code			piicatio	120 CO	ity Delivered
ALTER FECHNOLOGY-TUV NORD SAU	J	LAT2	1337A			12	
SODERN		CHART F4, (Solderability and Terminal Strength)	1501A			100	
JOINT STOCK COMPANY		LAT3	1338A		3	340	
PID changes since s	start of qualification	9	Current PID	Verified by:		John Howley	
None □ Minor* ⊠ Major* ⊠	*Provide details in box:		Issue:		NTIFICA		2.I.D.) FOR THERMISTOR 6 4006/013 & 4006/014
Current Manufacturi	ng facilities surveyed by:		Howley and Lio	nel Bonora	on	:	29/09/2011 (Date)
Satisfactory:	Yes ⊠	No □ Exp					NUMBER
and the same	QCS/LB/111101: 0	100					

E006	APPLICATION FOR EXTENSION	ON OF ESCC QUALIFICATION APPROVAL	Page
ESCC	Component title: Thermistors; NTC		Appl.
	Executive Member: John Howley	Date: 05/08/2015	266
Failure Analysis, DPA, NCC	S available: Yes ⊠ No □	(Supply data)	
Ref. No's and purposes: Ferru	le Cross Section report; performed by Tyndall N	ational Institute in 2105	
that the appropriate documentation h (except as stated in box 15;) - that th	behalf of the ESCC Executive - that the above in as been evaluated; - that full compliance to all E e reports and data are available at the ESCC Ex a Executive Member for ESCC qualification statu	SCC requirements is evidence	
Date: 05/08/2015		(Signature of the Executi	ve Coordinator
Continuation of Boxes above:			35.25.300- AVE



Component title:

Executive Member:

Thermistors; NTC

John Howley

05/08/2015

Date:

Page 3 Appl. No.

266H

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance	
N/A	N/A	N/A	N/A	
ldition:	al tasks required to achieve full compliand	ce for ESCC qualification or rationale for acce	ptability of	10
1				
	e Manager Disposition			1
olicati	e Manager Disposition on Approval: Yes   No Remarks:			1
olicati	on Approval: Yes   No			1
plicati	on Approval: Yes   No			1
plicati	on Approval: Yes   No			_1
plicati	on Approval: Yes   No		Mala	1

Component Title: Thermistors; NTC

Appl. No.

Page 4

Executive Member: John Howley

Date: 05/08/2015 266H

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 4006 generic specification; Chart F4 (for ESCC/QPL parts);

Or PID-TFD

(for ESCC/QML parts)

Tests vehicle identification/description:

Chart F4 Tests on Variant 05 devices of ESCC 4006/013 - Date Code 1515B; which also requalifies Variants 01, 02, 03; 04 and 06 by Structural Similarity.

Chart F4 Test - Operating Life Test of Endurance SubGroup on Variant 07 devices of ESCC 4006/013 – Date Code 1516A; carried out s this Variant has a different ceramic composition to that of Variants 01, 02, 03; 04 and 06.

Chart F4 Tests on Variant 08 devices of ESCC 4006/014 – Date Code 1518B; which also requalifies Variants 09 and 13 by Structural Similarity.

Detail Specification reference:

ESCC 4006/013 iss.8 and ESCC 4006/014 iss.10. Note that all references to MiL-STD-202 Test Methods; for the purposes of this re-qualification; relate to MIL-STD-202H - Issue Date 18th April 2015

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Sa	Shock (Specified Pulse)	×	MIL-STD-202-213	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Vibration	×	MIL-STD-202-204	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Dielectric Withstanding Voltages	×	ESCC 4006 Para. 8.9	1515B 1518B	12 12	0 0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	External Visual Inspection	⊠	ESCC Basic Specification No. 20500	515B 1518B	12 12	0 0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
ubgrou	Thermal Shock	×	MIL-STD-202-107	1515B 1518B	12 12	0 0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
ical Si	Resistance to Soldering Heat	×	MIL-STD-202-210	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
echan	Moisture Resistance	×	MIL-STD-202-106	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
Environmental / Mechanical Subgroups	External Visual Inspection	×	ESCC Basic Specification No. 20500	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Dissipation Constant	0	ESCC 4006 Para. 8.3.1.2	N/A	N/A	N/A	Test is not applicable; reference Paragraph 2.1.1.1 of ESCC 4006/013 and ESCC 4006/014.
	Thermal Time Constant	×	ESCC 4006 Para. 8.3.1.3	1515B 1518B	12 12	0 0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Solderability	⋈	MIL-STD-202, Test Method 208	1515B 1518B	12 12	0 0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Terminal Strength	×	MIL-STD-202- 211	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	External Visual Inspection		ESCC Basic Specification No. 20500	1515B 1518B	12 12	0	1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014



Component Title: Thermistors; NTC

Date: 05/08/2015

Page 5 Appl. No.

266H

Executive Member:	John Howley
-------------------	-------------

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Endurance Subgroups	Short Time Load		ESCC 4006 Para. 8.16	N/A	N/A	N/A	Test is not applicable; reference Paragraph 2.1.1.1 of ESCC 4006/013 and ESCC 4006/014.
	Low Temperature Storage	⊠	ESCC 4006 Para. 8.17	1515B 1518B	20 20		1515B is Variant 05 of 4006/013 1518B is Variant 08 of 4006/014
	Operating Life	Ø	MIL-STD-202- 108	1515B 1516A 1518B	20 20 20		1515B is Variant 05 of 4006/013 1516A is Variant 07 of 4006/013 1518B is Variant 08 of 4006/014
	Permanence of Marking	×	ESCC Basic Specification No. 24800	1518B	20	0	For devices covered by ESCC 4006/013; this test is not applicable; reference Paragraph 2.1.1.1 of ESCC 4006/013.
	External Visual Inspection	Ø	ESCC Basic Specification No. 20500	1515B 1516A 1518B	20 20 20		1515B is Variant 05 of 4006/013 1516A is Variant 07 of 4006/013 1518B is Variant 08 of 4006/014
	Short Time load		ESCC 4006 Para. 8.16	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	Low Temperature Storage	0	ESCC 4006 Para. 8.17	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	High Temperature Storage		ESCC 4006 Para. 8.20	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	External Visual Inspection		ESCC Basic Specification No. 20500	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
Additional Tests							
Ad							



Component title:

Thermistors; NTC

Appl. No.

Executive Member: John Howley

Date: 05/08/2015

266H

Page 7

# NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.