

ESCC		APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL				Page 1
Component Title:		CONNECTORS, RF, COAXIAL, SOLDER AND CRIMP CONTACTS, MALE, FEMALE ADAPTORS AND CONNECTING PIECES, BASED ON TYPES SMA, SMA 2.92 TNC and SMP				Appl. No.
Executive Member:		DLR		Date: 09/12/2015		329 A
Components (including series and families) submitted for Extension of Qualification Approval:						1
ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR	
3402/001, 3402/002, 3402/003	3402/001: 1 to 10, 12 to 18, 20 to 30, 32 to 35, 37 to 47 3402/002: 1 to 24, 27 to 32, 34, 36 to 51, 53 to 61, 65 to 71 3402/003: 1 to 6, 8 to 14	Click here to enter text.	SMA	32LS101-272U9-A: 3402/001 Variant 40 32LK43T-500S9-A: 3402/002 Variant 02		
3402/008, 3402/009, 3402/010	3402/008: 1 to 7; 3402/009: 1 to 5; 3402/010: 1 to 5	Click here to enter text.	TNC			
3402/021, 3402/022, 3402/023	3402/021: 1 to 5, 7; 3402/022: 1 to 5; 3402/023: 1 to 6	Click here to enter text.	SMA 2.9			
3402/024, 3402/025, 3402/026	3402/024: 1 to 26, 28 to 35; 3402/025: 1 to 14; 3402/026: 1 to 13	Click here to enter text.	SMP			
Component Manufacturer		Location of Manufacturing Plant(s)		Date of original qualification approval:		
Rosenberger		Hauptstraße 1 83413 Fridolfing Germany		Date: 01/12/2013 Certificate Ref No. 329		
ESCC Specifications used for Maintenance of qualification testing:		Deviations to LVT testing and Detail Specification used:		Qualification Extension Report reference and date:		
Generic: 3402 Issue: 2		No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15)		Report No.: 15_0911		
Detail(s): 3402/001 Issue: 3		Deviation from current Specifications:		Date: 20.11.2015		
3402/002 Issue: 4						
3402/003 Issue: 3						
3402/008 Issue: 2						
3402/009 Issue: 2						
3402/010 Issue: 2						
3402/021 Issue: 3						
3402/022 Issue: 3						
3402/023 Issue: 4						
3402/024 Issue: 1						
3402/025 Issue: 2						
3402/026 Issue: 1						
Click here to enter text.		No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details) Marking not yet applied, audit finding (see below)				
Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)						8
Project Name	Testing Level	LAT	Date code	Quantity Delivered		
Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.	Click here to enter text.		
PID changes since start of qualification		Current PID Verified by:		G. Joomann		
None <input checked="" type="checkbox"/>				Name of Executive Representative		
Minor* <input type="checkbox"/>		Ref No: RAA_81		Date: 19.12.2013		
Major* <input type="checkbox"/> *Provide details in box:		Issue: 1.9		Rev Date: 10.12.2013		
Current Manufacturing facilities surveyed by:						11
G. Joomann on 24-25.11.2015 (Name of Executive Representative) (Date)						
Satisfactory: Yes <input checked="" type="checkbox"/>		No <input type="checkbox"/> Explain		Finding: Marking on parts not yet applied		
Report Reference:		ROSE-AU-2015 + CLOSE-OUT REPORT 24/02/2015 Nachverfolgung der Maßnahmen CA/DLR Audit von 23.11.15				



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, RF, COAXIAL, SOLDER AND CRIMP CONTACTS, MALE, FEMALE ADAPTORS AND CONNECTING PIECES, BASED ON TYPES SMA, SMA 2.92 TNC and SMP
Executive Member: DLR Date: 09/12/2015

Page 2
Appl. No.
329 A

Failure Analysis, DPA, NCCS available: Yes No (Supply data) [Click here to enter text.](#)

Ref. No's and purposes: [Click here to enter text.](#)

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15); - that the reports and data are available at the ESCC Executive and therefore applies on behalf of as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 09.12.2015

A. G. Jaan
(Signature of the Executive Coordinator)

Continuation of Boxes above:



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CONNECTORS, RF, COAXIAL, SOLDER AND CRIMP CONTACTS, MALE, FEMALE ADAPTORS AND CONNECTING PIECES, BASED ON TYPES SMA, SMA 2.92 TNC and SMP

Executive Member: DLR

Date: 09/12/2015

Page 3

Appl. No.

329 A

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

Click here to enter text.

16

Executive Manager Disposition

Application Approval: Yes No

Action / Remarks:

Click here to enter text.

17

Date: Click here to enter a date.

Click here to enter text.
Signature, ESA Representative



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: CONNECTORS, RF, COAXIAL, SOLDER AND CRIMP CONTACTS, MALE, FEMALE ADAPTORS AND CONNECTING PIECES, BASED ON TYPES SMA, SMA 2.92 TNC and SMP

Executive Member: DLR

Date: 09/12/2015

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

- ESCC 3402 generic specification; Chart V (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

32LK43T-500s9-A	# 1492854	(3402002408)
32LS101-272U9-A	# 1492860	(13407001)

Detail Specification reference: [Click here to enter text.](#)

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental / Mechanical Subgroup	Contact Resistance	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.9	16.10.15	8 pairs	0	
	Corrosion	<input checked="" type="checkbox"/>	IEC 68-2-11	20.10.15	4 pairs	0	
	Vibration	<input checked="" type="checkbox"/>	IEC 68-2-6	11.11.15	4 pairs	0	
	Rapid Change of Temperature	<input checked="" type="checkbox"/>	IEC 68-2-14	13.11.15	4 pairs	0	
	Permanence of Marking	<input type="checkbox"/>	ESCC 24800				n/a
	Cable Retention Force	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.14	13.11.15	4 connect ors	0	8 pairs
	Endurance	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.18	17.11.15	4 pairs	0	8 pairs
	Seal Test	<input type="checkbox"/>	ESCC 3402, Para. 9.7				n/a
Electrical and Endurance Subgroup	Cabling and Crimping Capability	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.15	20.10.15	4 connect ors	0	
	VSWR	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.16	20.10.15	8 connect ors	0	
	RF Insertion Loss	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.19	19.11.15	2 pairs	0	
	Coupling Proof Torque	<input checked="" type="checkbox"/>	IEC 410	02.11.15	8 connect ors	0	
	Contact Resistance	<input checked="" type="checkbox"/>	ESCC 3402, Para. 9.9	02.11.15	4 pairs	0	
	Seal Test	<input type="checkbox"/>	ESCC 3402, Para. 9.7				n/a
	Plating Thickness (Hermetic)	<input type="checkbox"/>	ESCC 3402, Para. 9.29				n/a
Additional Tests		<input type="checkbox"/>					
		<input type="checkbox"/>					
		<input type="checkbox"/>					

ENTRIES

Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.