Component Title: WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE INSULATION, BASED ON TYPE 50 CIS

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 1

Appl. No.

Constant		Executive Member:	CNES		Date	18/05/2016	245	s
Components (includ	ling series and families) s	ubmitted for Extension	n of Qualification	Approval:				1
ESCC COMP. NO.	VARIANTS	RANGE OF COMPONENTS		BASED ON		TEST COMPO		
3902 001	01,02,03	Variants 01, 02, and 03 are qualified Miniature flexible 50 ohms coaxial cable. PTFE DielectricPolyimide Jacketed, Double Shield, and Shielded/ Jacketed Maximum voltage: 900 Vrms Operating temperature range (°C): -80 to +200 (-100°C for variant 01)			3	902 001 01	50CIS DTR 50CIS BLG	
Click here to enter text. Click here to enter		Click here to enter text.		Click here to text.		lick here to enter		
		Click here to enter to	ext.					
Component M	lanufacturer 2	Location of A	lanufacturing Disc					
NEXANS	anulacturer Z	140-146, rue Eugèn (B.P. 1) 91211 Drav France		t <u>3</u>	Date of c	original qualification a 02/07/1979	pproval;	4
		11			Certificat	e Ref No. 24		
ESCC Specifications Maintenance of qual Generic: 3902 ls: Detail(s): 3902/00	ification testing: s.2	Deviations to LVT te used: No ⊠ Yes Deviation from curre No ⊠ Yes	(supply de	etails in Box	reference	tion Extension Repo e and date: 191/16 12/05/16	t	7
Summary of procure Project Name	ment or equivalent test re Testing Level	esults during current va	alidity period in su	pport of this ap	200		first) uantity Delivered	
See Appendix				ilan da				
PID changes since s	tart of qualification	9	Current PID V	erified by:		Sauveplane JB		10
None □ Minor* ⊠ Major* □	*Provide detail	,	T SE SESSENTATIONS OF	IPL-FRDR-011		of Excutive Represe		10
51			Rev Date: 0	1/05/2016				Т.,
Current Manufacturin	ng facilities surveyed by:		Sauveplane J	В	on	04	/11/2013	11
Satisfactory:	Yes ⊠		e of Executive Rep plain	presentative)	_		(Date)	

	APPLICAT	ON FOR EXT	ENSION OF ESCC QUA	LIFICATION APPROVAL	Page 2
ESCC	Component title:	WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE INSULATION, BASED ON TYPE 50 CIS			Appl. No.
	Executive Member:	CNES		Date: 18/05/2016	24S
illure Analysis, DPA, NCCS av	railable: Yes	□ No		Click here to enter text.	1
e undersigned hereby certifies on beha	If of the ESCC Executiv	ve - that the ab	ove information is correc	xi; -	
at the appropriate documentation has been as stated in box 15; - that the reponents as the responsible Executive Mer	een evaluated; - that fu irts and data are availal	Il compliance to ble at the ESCO	all ESCC requirements Executive and therefor	is evidence e applies on behalf of	Wneuet
te: 24/05/2016				JP. BUSSENOT	2007/25
				((Signature of the Executi	ve Coordinator)
ntinuation of Boxes above:					
X9: Several Changes considered as n date of the issues of purchasing specif date the issues of wire drawing & addi	ications and drawings	ince last PID is	sue ;		



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE

Appl. No.

Page 3

			Appl. No		
4 Design Control		Executive Membe	r: CNES	Date: 18/05/2016	248
oncompliance	to ESCC requirements	•			L
No.:	Specification		Paragraph	Non	compliance
dial and a selec	(4 4 6 111		qualification or rationale for ac		
compliance:	required to achieve full	compliance for ESCC	qualification or rationale for act	ceptability of	
ecutive Manac	ger Disposition				
plication Appr tion / Remarks		No 🗆			
				(2)	192
e: Click he	ere to enter a date.				- 131 says (Sel
				Signature ESA Reg	recentative



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE INSULATION, BASED ON TYPE 50 CIS Component title:

CNES Date: 18/05/2016 Executive Member:

Page 4

Appl. No. 245

N	OTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive
Box 1	Member; - the entering date; - the certificate number and its sequential suffix. shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Вох 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
D44	To be used when these is a good to average any of the house from 1 through 12 Identify hav affected and reference the Poy 14 in
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.