

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title:

CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, REMOVABLE AND NON REMOVABLE, GAUGE 26, PCB PIN CONTACT. BASED ON TYPE 8MCG

Page 1 Appl. No.

			Exe	cutive	Memb		CNES		SED ON	I YPE 8IVI	CG	Date: 01/07/20	016	301	С
Components (including :	series and famil	ies) sub	mitted	for Ext	ensio	n of Qu	alification	n Appro	val:			in in lancari id		1
ESCC COMPONE NO.	NT	VARIANTS		RA	NGE C	OF CO	OMPONI	ENTS		BASED)	TEST		COMPONE	
3401/081	1	& 2		reinford (alumin Shells,	ced the nium all	rmopl loy). C	Gold Pla angeme	variant 0: ited	8M	CG		3401 081 01E J104PNMB 1, 3401 082 01E J104SNMB	A7N		
3401/082	401/082 1 & 2			Contacts terminations OL3 (straight PCB), 1AxN (90° PCB 2.54mm spacing), 1BxN (90° PCB 2.84mm spacing).			* 1			3401 081 01B 13PNMB 0L3 3401 082 01B 13SNMB 3401 082 02B 3401 082 02B	C F25P				
3401/083	1 to 4						el 24, 26 3 24, 26					3401 082 01B H51PNMB			
3401/084	1	to 62		Operati		npera	ature Ra	inge (°C)):			3401 082 01B H51SNMB	Ì		
Compon SOURIAU	ent Manu	facturer		Rue o	du Valle	on	anufacti	uring Pla	ant(s)	3	Dat	te of original qualif te: 01/06 rtificate Ref No.	ication approv	val:	4
Detail(s): 34			1	used: No Deviatio	⊠ `	Yes		(supply 15) cification	il Specific y details ns: ly details	in Box	refe	alification Extension erence and date: 8985-15-109 Issue			7
Summary of project Na		t or equivalent to		ilts dur	ing cur LA		alidity p	eriod in	support Date of		plicat	ion (those to ESC	C listed first) Quantity Deli	NEOLOGIA II	
		7									nello-		eganny ben	VOICE	
PID changes si	nce start o	of qualification				9	Curre	ent PID	Verified	by:		CNES			10
None ☐ Minor* ⊠							Ref N	Vo.	DC P	C 02/0		Name of Excutive	Representativ	/e	
Major*		ovide details in I	box:		3 To 10 To 1		Issue		E 11/04/	G-03/0 /2016	0		Date:	17/06/2016	
Current Manufa	cturing fa	cilities surveyed	bv:				CNES	and ESA	A		c	on	01/07/2	016	11
			m = 5005			(Nami	State of the State of the	100000000000000000000000000000000000000	Represer	ntative)		4000	(Date		
Satisfactory:		Yes ⊠		No		Ex	plain								
Report Referen	ce:	CRIM_101012 2016_Souriau		-07-		_									

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVA			LIFICATION APPROVAL	Page 2	
ESCC	Component title:	REMOVABI	LE AND	ECTRICAL, RECT NON REMOVABL ON TYPE 8MCG	FANGULAR, MICROMINIATUR E, GAUGE 26, PCB PIN	200
Company of the second	Executive Member:	CNES			Date: 01/07/2016	301C
	•					12
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No	\boxtimes	(Supply data)		
Ref. No's and purposes:						
						4
The undersigned hereby certifies on behalf	f of the ESCC Executiv	e - that the al	bove info	rmation is correct,	(E) 100	1
that the appropriate documentation has be (except as stated in box 15;) - that the repo						
as the responsible Ex						in.
Date:						
Date.					(Signature of the Execut	ve Coordinator)
					(orginalare of the Excess)	ve obordinator)
Continuation of Boxes above:						

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, REMOVABLE AND NON REMOVABLE, GAUGE 26, PCB PIN CONTACT, BASED ON TYPE 8MCG

Appl. No.

Page 3

		Executive Member:	CNES	Date: 01	Date: 01/07/2016		
Non compliance	to ESCC_requirements	:				301C	
No.:	Specification		Paragraph		Non compliance		
				-			
		ľ					
noncompliance:	required to achieve full	compliance for ESCC qu	alification or rationale for acce	eptability of		16	
Executive Manag	ger Disposition	- 1a				17	
Application Appro	oval: Yes 🗆	No 🗆					
Action / Remarks							
					i		
				(10	1	
						4	
Date:					STATE		



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title:

CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, REMOVABLE AND NON REMOVABLE, GAUGE 26, PCB PIN CONTACT, BASED ON TYPE 8MCG

Executive Member: CNES

Date: 01/07/2016

Appl. No. 301C

18

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
Or PID-TFD (for ESCC/QML parts)

(for ESCC/QML parts)

Tests vehicle identification/description:

3401 081 01B J104PNMB 1A7N	3401 081 01B C 13PNMB OL3				
3401 082 01B J104SNMB	3401 082 01B C 13SNMB				
3401 082 02B F25P 3401 082 02B F25S	3401 082 01B H51PNMB 3401 082 01B H51SNMB				

Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed Comments on Rejection
Environ ment al and Mechanical Subgroup	Wiring	×	ESCC 3401 Para. 9.10	1538	4	0	
	Climatic Sequence	⊠	ESCC 3401 Para. 9.13	1538	4	0	
	Permanence of Marking	×	ESCC 24800	1538	4	0	
	Corrosion		IEC Publication No. 68-2-11	1538	4	0	
	Seal Test		ESCC 3401 Para. 9.9				NA
	Plating Thickness	\boxtimes	ESCC 3401 Para. 5.2.3	1538	4	0	
sdno	Wiring		ESCC 3401 Para. 9.10	1538	4	0	
	Rapid change of Temperature	⊠	ESCC 3401 Para. 9.16	1538	4	0	
	Contact Retention		ESCC 3401 Para. 9.17	1538	4	0	
	Maintenance Ageing		ESCC 3401 Para. 9.27	1538	4	0	
ubgr	Endurance	\boxtimes	ESCC 3401 Para. 9.18	1538	4	0	
Endurance Subgroups	Seal Test		ESCC 3401 Para. 9.9				NA
durar	Joint Stength	\boxtimes	ESCC 3401 Para. 9.15	1538	4	0	
Enc	Engage/Separ. Forces	×	ESCC 3401 Para. 9.28	1538	4	0	
	Oversize Pin Exclusion	\boxtimes	ESCC 3401 Para. 9.29	1538	4	0	
	Probe Damage	⊠	IEC Publication No. 512-8	1538	4	0	
nal ,							
Additional							
A A							



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CONNECTORS, ELECTRICAL, RECTANGULAR, MICROMINIATURE, REMOVABLE AND NON REMOVABLE, GAUGE 26, PCB PIN CONTACT, BASED ON TYPE 8MCG

Executive Member: CNES Date: 01/07/2016 Appl. No.

Page 6

301C

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

1	TO THE STATE OF THE ATTENDED TO THE ATTENDED T
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family, - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15, in case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.