	ES	CC
The same of the sa		

Component Title:

Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS

Page 1 Appl. No.

		Executive Member: (	CNES			Date: 19/05/2017	25Q	
Components (includ	ling series and families)	submitted for Extension	of Qualification	Approval:				1
ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS BASED ON			TEST VEHICLE / S	COMPONEN SIMILAR	π	
3401/008	01	Circular Multicontacts	Circular Multicontacts connectors. DBAS			DBAS 70-3-01 PN 1A		
3401/009	01 to 20		Standard contact arrangements with 3, 7, 12, 19, 27, 37 or 61 contacts in wire size AWG # 20			DBAS 78G 3-01 SN 090 L5624		
3401/012	01 to 04	Special contact arran contacts size AWG 2 and 8.				DBAS 70-61-0 PN 1A 090		
3401/064	01 to 41	Operating Temperatu	Operating Temperature Range (°C):			DBAS 78G 61-0 SN 1A 090		
Component M Deutsch	Manufacturer 2	Location of Manufacturing Plant(s) 3 17, rue Lavoisier 27000 Evreux France			Date of original qualification approval:  Date: 03/07/1979			
						Certificate Ref No. 25		
ESCC Specification Maintenance of qua Generic: 3401 Detail(s): 340100	lification testing: Issue: 3	Deviations to LVT terused:  No	☐ (supply d	letails in B		Qualification Extension Report reference and date: PVE 025-175 VA, 15/12/2016		
Summary of procure	ement or equivalent test	results during current va	alidity period in su	upport of th	nis ap	oplication (those to ESCC listed fi	rst)	8
Project Name	Testing Level	LAT		Date code			Delivered	
See appendix								
PID changes since	start of qualification	9	Current PID \	Verified by	:	CNES		10
None						Name of Excutive Represe	ntative	
Minor* ⊠	and the second second			PID-025		Bures	11/05/2015	
Major* □	*Provide details in box	С		0 06/04/201	7	Date:	11/05/2015	
Current Manufactur	ing facilities surveyed by	r.	CNES			on 19	/03/2015	11
		(Name of Executive Representative)			ive)	<del>_</del>	(Date)	
Satisfactory:	Yes 🛛	No 🗆 Ex	plain					
Report Reference:	CRIM_996719_l Deutsch.docx	e 19-03-2015-	(with	EJA:	~	epart OCS/LB/100	207)	

	APPLICAT	ON FOR EXT	ENSION	OF ESCC QUAL	LIFICATI	ON APPROVAL	Page	2
<b>ESCC</b>	Component title: Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS Appl. No.				No.			
	Executive Member:	CNES			Date:	19/05/2017	25Q	
								12
Failure Analysis, DPA, NCCS ava	ilable: Yes	□ No	$\boxtimes$	(Supply data)				
Ref. No's and purposes:								
The undersigned hereby certifies on behalf	of the ESCC Executiv	e - that the ab	ove info	rmation is correct	E			13
that the appropriate documentation has bee (except as stated in box 15;) - that the repo CNES as the responsible Executive Memi	rts and data are availa	able at the ESC	CC Exec	cutive and therefor	re applies	s on behalf of	- Wrow	<u></u>
Date: 22/05/2017						JP. BUSSENO		
superior control of the control of t					(S	ignature of the Executive 0		_
Continuation of Boxes above:								14

Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS Component title:

Date: 19/05/2017 Executive Member: CNES

Appl. No. 25Q

Page 3

Non comp	pliance to ESCC requirements:			15
No.:	Specification	Paragraph	Non compliance	
Additiona	Il tasks required to achieve full compliance for liance:	ESCC qualification or rationale for acceptability	of	16
Homosinp				
			\$	
Executive	e Manager Disposition			17
	on Approval: Yes 🗹 No 🗆			
Action / F	Remarks:			
			Of ha	
Date:				
			Signature, ESA Representative	



Component Title: Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS

Executive Member: CNES Date: 19/05/2017 Appl. No.

18

Page 4

25Q

# ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);

Or PID-TFD (for ESCC/QML parts)

#### Tests vehicle identification/description:

DBAS 70-3-01 PN 090 1A (DC 1621A)	DBAS 70-3-01 SN 090 1A (DC1615A)
DBAS 78G 3-01 SN 090 L5624 (DC1625A)	DBAS 78G 3-01 PN 090 L5624 (DC1626A)
DBAS 70-61-0 PN 090 1A (DC1622A) DBAS 78G 61-0 SN 090-1A (DC1642A)	340106415B (DC1630) 340106412B ( DC1627) 340100915B (DC1628) 340100916B (DC1448) 340100901B (DC1621) 340100901B (DC1620)

# Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Wiring	$\boxtimes$	ESCC 3401 Para. 9.10	1615	3	0	
nud	Climatic Sequence	×	ESCC 3401 Para. 9.13	1615	3	0	
Environmental and Mechanical Subgroup	Permanence of Marking	×	ESCC 24800	1615	3	0	
	Corrosion	⊠	IEC Publication No. 68-2-11	1615	3	0	
Med	Seal Test		ESCC 3401 Para. 9.9				NA
	Plating Thickness	⊠	ESCC 3401 Para. 5.2.3	1615	10 410	0	
	Wiring	×	ESCC 3401 Para. 9.10	1615	2	0	
Endurance Subgroups	Rapid change of Temperature	Ø	ESCC 3401 Para. 9.16	1615	2	0	
	Contact Retention	⊠	ESCC 3401 Para. 9.17	1615	2	0	
	Maintenance Ageing	×	ESCC 3401 Para. 9.27	1615	2	0	_
	Endurance	×	ESCC 3401 Para. 9.18	1615	2	0	
	Seal Test		ESCC 3401 Para. 9.9				NA
	Joint Stength	⊠	ESCC 3401 Para. 9.15	1615	12	0	
	Engage/Separ. Forces	×	ESCC 3401 Para. 9.28	1615	10	0	
	Oversize Pin Exclusion	×	ESCC 3401 Para. 9.29	1615	10	0	
	Probe Damage	×	IEC Publication No. 512-8	1615	10	0	
lar,							
Additional Tests							
A							



Component title:

Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS

Executive Member: CNES

Date: 19/05/2017

Page 6 Appl. No.

# NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

_	
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.