ESCC			APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL						
			Component Title: Relays, non-latching, Type E 215						
		E	xecutive Member: CNES		Date: 17/05/2017	205F			
Components (include	ding series and fa	milies) s	ubmitted for Extension of Qualification	Approval:					
ESCC COMPONENT NO.	VARIANT	s	RANGE OF COMPONENTS	BASED	TEST VEHICLE / S	COMPONENT SIMILAR			
3601 007B , 04B, 06B	3601 007B , 04B, 03,04,06		Coil Voltage 12 and 28 Volts	Type E 215	SCC 3601 007 06 28V	All variants			
Component N REL - STPI	/lanufacturer	2	Location of Manufacturing Plan	t(s) 3	Date of original qualification ag	onroyal:			
KEL-SIPI			22, rue des chaises		Date: 01/02/1990	оргоча.			
			45140 St Jean de la Ruelle - Fr	ance					
					Certificate Ref No. 205				
		5		6					
ESCC Specifications used for Maintenance of qualification testing:			Deviations to LVT testing and Detail used:	Specification	Qualification Extension Report reference and date:				
Generic: 3601	Issue: 4	Issue: 4 No ⊠ Yes ☐ (supply details in 15)			3576 Rapport de VOQ E215 (11/01/2017)				
Detail(s): 3601 007 Issue 4			Deviation from current Specifications	*	Report 3555 chart F4 ES 215 157 A F7096 Lot 544774(02/11/2016)				

								8
Summary of procurement or equivalent test results during Project Name Testing Level		during curre		support of this applic Date code	ication (those to ESCC listed first) Quantity Delivered		ered	
2017-05-02-Donnée livraison E215 on CD- ROM								
PID changes since start	of qualification		9 Current PID	Verified by:	CNES			_10
None			5.41	DID 5040 5045	Name of Excutive	Representative	е	
Minor* ⊠ Major* □ *P	and the second		Ref No:	PID E210 et E215 N		Date:	03/05/2017	
Major* P	rovide details in box:		Rev Date:	15/02/2017		Date.	03/03/2017	
All			T NOT DUIC.	TOTOLIZATI				11
Current Manufacturing fa	acilities surveyed by:		ESA and C	NES	on	15/09/20	16	
			Name of Executive	Representative)		(Date))	
Satisfactory:	Yes ⊠ N	No 🗆	Explain					
Report Reference:	ESCC-AUD-RELF2016- Dec. 2016	-01,	v:					

☐ (Supply details)

Report 70-15 (E215), 20/08/2015

	112 224 244 244 244 244 244 244 244 244	APPLICAT	ON FOR EXT	ENSION	OF ESCC QUAI	IFICATION	ON APPROVAL	Page 2
	FSCC	Component title:			. Type E 215			Appl. No.
100	Loce	Executive Member:	CNES			Date:	17/05/2017	1.5
		Executive ivietriber.	CNES			Date.	17/03/2017	205F
ailure	Analysis, DPA, NCCS av	vailable: Yes	□ No	⊠	(Supply data)			
Ref. No	s and purposes:							
at the a	ersigned hereby certifies on beha appropriate documentation has b as stated in box 15;) - that the rep as the responsible Executive Men	een evaluated; - that ful oorts and data are avail	I compliance to the ES	o all ESC	C requirements	is evidend re applies	on behalf of	1.
ate:	17/05/2017					7.9	JP. BUSSE	
						(Si	gnature of the Execut	
ontinua	ation of Boxes above:							1

ESCC	
2 de la companya del companya de la companya del companya de la co	

Date: 17/05/2017

Component title:

Executive Member: CNES

Relays, non-latching, Type E 215

Page 3

Appl. No. 205F

15

Non com	pliance to ESCC requirements:			
No.:	Specification	Paragraph	Non compliance	
	10			
				•
Additional noncomp	Il tasks required to achieve full compliance fo ·liance:	r ESCC qualification or rationale for acceptability	of of	16
100000000000000000000000000000000000000				
Executive	e Manager Disposition			17
Application / F	on Approval: Yes No			
Action / F	temarks:			
			46	
Data			CH M	
Date:			Signature, ESA Representative	
			Signaturo y topi cocinativo	



Component Title: Relays, non-latching, Type E 215

Executive Member: CNES Date: 17/05/2017

Page 4
Appl. No.

18

205F

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3601 generic specification; Chart F4 (for ESCC/QPL parts);
 Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

SCC 3601 007 06 B28V (16-45)	E 215 147 A F70 (15-29)
ES 215 157 A F 7096 (15-50)	

Detail Specification reference: 3601/007

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Subgroup	Thermal Shock	⊠	MIL-STD-202, Test Method 107	16-45	6	0	
	Low Level Sine Vibration	Ø	MIL-STD-202, Test Method 204	16-45	6	0	
	Random Vibration	0	MIL-STD-202, Test Method 214	16-45			
Environmental / Mechanical (Column 1)	Low Level Mechanical Shock	×	MIL-STD-202, Test Method 213	16-45	6	0	
Ital / N (Co	Resistance to Soldering Heat	×	MIL-STD-202, Test Method 210	16-45	6	0	
onmen	Seal (Fine and Gross Leak)	×	MIL-STD-202, Test Method 112	16-45	6	0	
Envir	External Visual Inspection	×	ESCC Basic Specification No. 20500	16-45	6	0	
.2)	High Level Sine Vibration	×	MIL-STD-202, Test Method 204	16-45	6	0	
Environmental / Mechanical Subgroup (Column	High Level Mechanical Shock	Ø	MIL-STD-202, Test Method 213	16-45	6	0	
Environmental Mechanical ogroup (Colum	Seal (Fine and Gross Leak)	Ø	MIL-STD-202, Test Method 112	16-45	6	0	
El Subg	External Visual Inspection	×	ESCC Basic Specification No. 20500	16-45	6	0	
Endurance Subgroup 1 (Column 1)	Low Level Life	×	ESCC 3601 Para. 8.11.1	16-45	3	0	
	Inductive Life	×	ESCC 3601 Para. 8.11.2	16-45	3	0	
	Seal (Fine and Gross Leak)	×	MIL-STD-202, Test Method 112	16-45	3	0	
	External Visual Inspection	×	ESCC Basic Specification No. 20500	16-45	3	0	



Component title:

Relays, non-latching, Type E 215

Page 5

Appl. No. 205F

Executive Member: CNES

Date: 17/05/2017

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
0.50	Coil Life		ESCC 3601 Para. 8.12				
Endurance Subgroup 1 (Column 2)	Seal (Fine and Gross Leak)		MIL-STD-202, Test Method 112				
Sub (Co	External Visual Inspection		ESCC Basic Specification No. 20500				
1 ₀	Intermediate Current	×	ESCC 3601 Para. 8.13	16-45	3	0	
ubgrounn 3)	Mechanical Life	×	ESCC 3601 Para. 8.14	16-45	3	0	
Endurance Subgroup 1 (Column 3)	Seal (Fine and Gross Leak)	⊠	MIL-STD-202, Test Method 112	16-45	3	0	
Endura	External Visual Inspection	×	ESCC Basic Specification No. 20500	16-45	3	0	
5.0	Resistive Life	×	ESCC 3601 Para. 8.11.3	16-45 15-50	12	0	
Endurance Subgroup 2	Seal (Fine and Gross Leak)	×	MIL-STD-202, Test Method 112	16-45 15-50	12	0	
	External Visual Inspection	×	ESCC Basic Specification No. 20500	16-45 15-50	12	0	
	Solderability	⊠	MIL-STD-202, Test Method 208	16-45 15-29	6	0	
ability	Overload	×	ESCC 3601 Para, 8.16	16-45 15-29	6	0	
Assembly Capability Subgroup	Permanence of Marking	⊠	ESCC Basic Specification No. 24800	16-45 15-29	6	0	
Asserr	Terminal Strength	×	MIL-STD-202, Test Method 211	16-45 15-29	6	0	
	Seal (Fine and Gross Leak)	⊠	MIL-STD-202, Test Method 112	16-45 15-29	6	0	
<u>a</u>							
Additional Tests							
A							



Component title:

Relays, non-latching, Type E 215

Appl. No.

Executive Member: CNES

Date: 17/05/2017

205F

Page 7

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

NOTE	S ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes, Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments,