
		APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Component Title: RECTIFIER DIODES based on types 1N5806 and 1N5811 Executive Member: CNES Date: 13/11/2017			Page 1 Appl. No. 297D
Components (including series and families) submitted for Extension of Qualification Approval:					1
ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
5101/014	13, 14	LCC2A	1N5806U01A	ID33404006XX	
5101/013	11, 12	LCC2B	1N5811U01B	ID33142008ZA	
Component Manufacturer STMicroelectronics		Location of Manufacturing Plant(s) 3, rue de Suisse BP4199, 35041 Rennes Cedex	Date of original qualification approval: Date: 01/11/2009 Certificate Ref No. 297		
ESCC Specifications used for Maintenance of qualification testing: Generic: 5000 Issue: 7 Detail(s): 5101/014 Issue: 3 5101/013 Issue: 3		Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)		Qualification Extension Report reference and date: ID33142008ZA_1N5811U01B_Chart F2/F3 07/12/2015 and ChartF4 - 07/12/2015 ID33404006XX_1N5806U01A_Chart F2/F3 - 01/08/2016 - ChartF4 - 06/02/2017	
Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)					8
Project Name	Testing Level	LAT	Date code	Quantity Delivered	
Alter Spain			1535A, 1545A, 1631A, 1649A		
SAC/INDIA			1604A, 1714A		
TESAT/ AGENCY			1719A		
PID changes since start of qualification None <input type="checkbox"/> Minor* <input type="checkbox"/> Major* <input checked="" type="checkbox"/> *Provide details in box:		Current PID Verified by: CNES Name of Executive Representative Ref No: 8097046 (generic) Rev17 8170379 (specific Diodes switching) rev17 DICE LAYOUT PID DM00438881 rev 1 Issue: Date: Rev Date:	10		
Current Manufacturing facilities surveyed by: ESA & CNES on 31/08/2016 (Name of Executive Representative) (Date) Satisfactory: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explain Report Reference: CNES DCT_AQ_CQ_2016_13092 (ST-AUDIT-2016)					11

		APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL		Page 2
Component title: RECTIFIER DIODES based on types 1N5806 and 1N5811		Executive Member: CNES		Date: 13/11/2017
				Appl. No. 297D


12

Failure Analysis, DPA, NCCS available: Yes ☐ No ☒ (Supply data)

Ref. No's and purposes:

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; -
 that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence
 (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of
 CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.



JP. BUSSENOT
 (Signature of the Executive Coordinator)

Date: 17/11/2017

14

Continuation of Boxes above:



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: RECTIFIER DIODES based on types 1N5806 and 1N5811

Executive Member: CNES

Date: 13/11/2017

Page 3

Appl. No.

297D

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition


17

Application Approval: Yes ☐ No ☐

Action / Remarks:

Date:

Signature, ESA Representative

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL					Page 4				
	Component Title: RECTIFIER DIODES based on types 1N5806 and 1N5811					Appl. No.				
	Executive Member: CNES					Date: 13/11/2017				
ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION						18				
Tests conducted in compliance with: <ul style="list-style-type: none"> - ESCC 5000 generic specification: Chart F4 (for ESCC/QPL parts); - or PID-TFD (for ESCC/QML parts) 										
Tests vehicle identification/description: <table border="1" style="width: 100%;"> <tr> <td>1N5806U01A Lot ID33404006XX DC1622A</td> <td>Full Chart F4</td> </tr> <tr> <td>1N5811U01B Lot ID33142008ZA DC1524A</td> <td>Full Chart F4</td> </tr> </table>							1N5806U01A Lot ID33404006XX DC1622A	Full Chart F4	1N5811U01B Lot ID33142008ZA DC1524A	Full Chart F4
1N5806U01A Lot ID33404006XX DC1622A	Full Chart F4									
1N5811U01B Lot ID33142008ZA DC1524A	Full Chart F4									
Detail Specification reference: <table border="1" style="width: 100%;"> <tr> <td>1524A</td> <td>1622A</td> </tr> </table>							1524A	1622A		
1524A	1622A									
Chart F4	Test	Tick when done	Conditions	Date Code Diffusion Lot	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection			
Environmental/Mechanical Subgroup	Mechanical shock	<input checked="" type="checkbox"/>	MIL-STD-750 TM2016	1524A 1622A	15 + 15	0				
	Vibration	<input checked="" type="checkbox"/>	MIL-STD-750 TM2056	1524A 1622A	15 + 15	0				
	Constant acceleration	<input checked="" type="checkbox"/>	MIL-STD-750 TM2006	1524A 1622A	15 + 15	0				
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1524A 1622A	15 + 15	0				
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1524A 1622A	15 + 15	0				
	External Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1524A 1622A	15 + 15	0				
	Thermal shock	<input type="checkbox"/>	MIL-STD-750 TM1056	Click here to enter text.			Only applicable to axial lead glass diodes			
	Temperature Cycling	<input checked="" type="checkbox"/>	MIL-STD-750 TM1051	1524A 1622A	15 + 15	0				
	Moisture Resistance	<input checked="" type="checkbox"/>	MIL-STD-750 TM1021	1524A 1622A	15 + 15	0				
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1524A 1622A	15 + 15	0				
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1524A 1622A	15 + 15	0				
	External Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1524A 1622A	15 + 15	0				
Endurance Subgroup	Operating Life	<input checked="" type="checkbox"/>	ESCC 5000 Para. 8.19	1524A 1622A	15 + 15	0				
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1524A 1622A	15 + 15	0				
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1524A 1622A	15 + 15	0				
	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1524A 1622A	15 + 15	0				
Assembly Capability Subgroup	Permanence of Marking	<input type="checkbox"/>	ESCC Basic Spec 24800				Not applicable on Laser marking			
	Terminal Strength	<input checked="" type="checkbox"/>	ESCC 5000 Para. 8.18	1524A 1622A	5 + 5	0				
	Internal Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20400	1524A 1622A	5 + 5	0				
	Bond Strength	<input checked="" type="checkbox"/>	MIL-STD-750 TM 2037	1524A 1622A	3 + 3	0				
	Die Shear	<input checked="" type="checkbox"/>	MIL-STD-750 TM 2017	1524A 1622A	3 + 3	0				



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: RECTIFIER DIODES based on types 1N5806 and 1N5811

Executive Member: CNES

Date: 13/11/2017

Page 5

Appl. No.

297D

Chart F4	Test	Tick when done	Conditions	Date Code Diffusion Lot	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
Additional Tests		<input type="checkbox"/>					
		<input type="checkbox"/>					
		<input type="checkbox"/>					

