F	SCC	С	APPLICA Omponent Title:	Wires	And Cables,	Fluoropoly	ymer I	nsulate	CATION APPROVAL ed, Low Frequency, 600	)V, -	Page 1 Appl. No	
E			200 To +200°C, Based On T xecutive Member: CNES			Date: 17/01/2018				299D		
Components (include	ling series and famil	lies) s	ubmitted for Ext	ension of	Qualification	Approval:						1
ESCC COMP. NO.				RANGE OF COMPONENTS			BASED ON		TEST VEHICLE / S		COMPONENT SIMILAR	Г
3901 024	01 to 64		Voltage Ratin 600	g, maximu	um (Vrms):	SPLD	ON		3901 024 46		variants includi	
			Temperature +200 Wires and Ca of 1, 2, 3 and without jacket	bles varia 4 cores w	nts consist				multicore cable composed by 2 Silve Plated Copper wires AWG20, a SPC served wire shield, one expanded PTFE	r	,	
			Note: The hig fluoropolymer use for the m primary insula named "ART	PTFE tap anufacturi ation of the	ne (HST-F) ng of the				tape and one extruded fluoropolymer jacket			
			Click here to	enter text								
Component N Axon	Manufacturer	2	Axon'Cable S Route de Cha 51210 Montre	A alons enCl	ufacturing Pla	int	3	Date:	of original qualification 15/12/2009 ficate Ref No. 299	approv	al:	4
		5					6					7
ESCC Specification Maintenance of qua Generic: 3901 Detail(s): 3901 0	dification testing:		used: No ⊠ Deviation fro	Yes [ m current	15) Specifications	details in E		refere	ffication Extension Rep ence and date: F REPORT N°4100 Issi		<sup>n</sup> December 201	7
Summary of progure	amont or equivalent	tost s	oculta durina cu	eront valid	lity period in s	upport of I	hic or	alicatio	on (those to ESCC liste	d first\		8
Project Name	Testing Leve			AT	inty period in s		e code				y Delivered	
See appendix												
					-							
5000 E 800	start of qualification	į.		9	Current PID	Verified by	y:	_	CNES  Jame of Excutive Repre	eontati		10
None ☐ Minor* ☒ Major* ☐	*Provide detail				Ref No: Issue: Rev Date:	ESA-PID- 14 01/12/201			Da		17/01/2018	
								1000				11
Current Manufactur	ing facilities survey	ed by:	_	(Name o	CNES of Executive F	b E J v Representa	500	or	1	09/06/2 (Dat		
Satisfactory:	Yes ⊠		No 🗆	Expla	ain							
ng	: cares	C	n 999	274								

	APPLICATI	ON FOR EXTER	NSION OF ESCC QUAL	IFICATION APPROVAL	Page 2		
<b>ESCC</b>	Component title:	Wires And Cab 200 To +200°C	oles, Fluoropolymer Insu C, Based On Type CSW	alated, Low Frequency, 600V, -	Appl. No.		
	Executive Member:	CNES		Date: 17/01/2018	299D		
Failure Analysis, DPA, NCCS ava	ilable: Yes	□ No		Click here to enter text	12		
Ref. No's and purposes:							
The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence except as stated in box 15; - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.							
Date: 17/01/2018				JP. BUSSENOT			
				((Signature of the Executive	Coordinator)		
Continuation of Boxes above:					14		
ar and a second a second and a second a second and a second a second and a second a second a second a second and a second a second a second a second a second and a second and							

Cart a	<b>ESCC</b>
	200

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Wires And Cables, Fluoropolymer Insulated, Low Frequency, 600V, -200 To +200°C, Based On Type CSWL

Page 3 Appl. No.

V SAFET	Execu	tive Member: CNES	Date:	17/01/2018	299D
oncompliance to ESCC re	equirements:				_ 1
***	Specification	Paragraph		Non compliano	e
	4				
+					
			-		
ditional tasks required to ncompliance:	achieve full compliance	e for ESCC qualification or rationale for acco	eptability of		
icompilance.					
ecutive Manager Disposi	ition				
	,				
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
olication Approval: Ye					
plication Approval: Ye					
plication Approval: Ye					
ecutive Manager Disposi plication Approval: Yo tion / Remarks:				216	7,
plication Approval: Ye			de	3/16	21
plication Approval: Ye	es d No		d d	3./ E.	21



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Wires And Cables, Fluoropolymer Insulated, Low Frequency, 600V, -200 To +200°C, Based On Type CSWL

Executive Member

CNES

Date: 17/01/2018 Appl. No. 299D

Page 4

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRI	=5
Form h	eading

Box 1

Box 12

shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member: - the entering date: - the certificate number and its sequential suffix.

shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross

Box 2: 3 and 4 As per QPL entry; otherwise, an explanation of the changes must be supplied

Box 5 Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.

Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or Box 6

revision indicate also whether the test data deviates or not from such current documents.

Must reference the report(s) supplied in support of the application Box 7

Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box. Box 8

Box 9 If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution

shall be provided together with the reasons for the changes. Major changes shall be clearly marked

Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension. Box 10

This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the Box 11 practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.

Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced

satisfactory results

**Box 13** Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive

Coordinator

To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded. Box 14

Box 15 State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance

shall be sequentially numbered. If relevant state 'None

Box 16 Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 17 All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.