

Component Title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Executive Member:

Page 1 Appl. No.

Date: 17/04/2018 221J 1 Components (including series and families) submitted for Extension of Qualification Approval: ESCC BASED ON TEST VEHICLE / S COMPONENT SIMILAR COMPONENT VARIANTS RANGE OF COMPONENTS NO. 3401/044 01 # 20 with standard contact MIL-C-38999 340104401B03 1098SN arrangements serie 2 340104401B06G 1098PN 3,6,10,18,26,32,41,55,61 #22 with high density arrangements 340104401B03 6,13,22,37,55,66,79,100,128 2429SN 340104401B06G 2429PN Other arrangements with contact sizes: 20, 16, 12, Receptacle and Plug shell sizes: 08,10,12,14,16,18,20,22,24 3401 045 02B 3401 045 04B 3401/045 01 to 08 3401 045 06B 3401 045 08B 3401 062 02B Operating temperature (°C): -65 to +200 3401/062 01 to 27 3401 062 11B 3401 062 18B 3401 062 27B Component Manufacturer 2 Location of Manufacturing Plant(s) 4 3 SOURIAU 3 Rue du Vallon Date of original qualification approval: 94440 Marolles en Brie Date: 01/05/1995 France Certificate Ref No. 7 5 6 ESCC Specifications used for Deviations to LVT testing and Detail Specification Qualification Extension Report Maintenance of qualification testing: reference and date: PV8975-17-048 issue A 23/02/18 Generic: 3401 (supply details in Box Issue: No X Yes 15) Detail(s): 3401/044 Issue: 2 Deviation from current Specifications: 3401/045 4 Yes ☐ (Supply details) 3401/062 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Testing Level Quantity Delivered Project Name LAT Date code See appendix 1 Current PID Verified by: 10 PID changes since start of qualification 9 CNES Name of Excutive Representative None Minor* X Ref No: ZQU 92 M 256 0 Major* *Provide details in box: Issue Date: 24/01/2018 Rev Date: 24/01/2018 11 01/07/2016 Current Manufacturing facilities surveyed by: CNES (Name of Executive Representative) (Date) Satisfactory: Yes 🗵 No Explain

Report Reference:

CRIM-1010122-1-07-2016

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Page 2 CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II Component title: Appl. No. Executive Member: CNES Date: 17/04/2018 221J 12 Failure Analysis, DPA, NCCS available: Yes \boxtimes (Supply data) No Ref. No's and purposes: 13 The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein. Date: 18/04/2018 JP. BUSSENOT (Signature of the Executive Coordinator) Continuation of Boxes above: 14

Contract of the Contract of th	ESCC
THE N	

Component title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Appl. No.

Page 3

The state of the s	Executive	Member: CNES	Date:	17/04/2018	221J
Non compliance to ESCC requirer	ments:				15
No.: Specific	ation	Paragraph		Non compliance	ì
Additional tasks required to achiev	e full compliance for	ESCC qualification or rationale for a	cceptability of		46
noncompliance:		07	1 6		16
Executive Manager Disposition					17
	□ No □				L
Action / Remarks:					
				101	
Dates				2.1/	
Date:			Signat	ture, ESA Representative	



Component Title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Date: 17/04/2018

Page 4 Appl. No.

Executive Member:

CNES

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

340104401B03 1098SN	340104401B06G 1098PN		
340104401B03 2429SN	340104401B06G 2429PN		

Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	×	ESCC 3401 Para. 9.10	1724	4	0	
	Climatic Sequence	×	ESCC 3401 Para. 9.13	1724	4	0	
	Permanence of Marking	×	ESCC 24800	1724	4	0	
	Corrosion	×	IEC Publication No. 68-2-11	1724	4	0	
	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	×	ESCC 3401 Para. 5.2.3	1724	4	0	
	Wiring	⊠	ESCC 3401 Para. 9.10	1724	4	0	
	Rapid change of Temperature	×	ESCC 3401 Para. 9.16	1724	4	0	
	Contact Retention	×	ESCC 3401 Para. 9.17	1724	4	0	
Endurance Subgroups	Maintenance Ageing	⊠	ESCC 3401 Para. 9.27	1724	4	0	
	Endurance	×	ESCC 3401 Para. 9.18	1724	4	0	
	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Joint Stength	⊠	ESCC 3401 Para. 9.15	1724	4	0	
	Engage/Separ. Forces	⊠	ESCC 3401 Para. 9.28	1724	4	0	
	Oversize Pin Exclusion	×	ESCC 3401 Para. 9.29	1724	4	0	
	Probe Damage	⊠	IEC Publication No. 512-8	1724	4	0	
Additional Tests							
A							

18



Component title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES II

Page 6
Appl. No.

Executive Member: CNES

Date: 17/04/2018

221J

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member, - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed; - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry, otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.