	CCC	APPLICA	ATION FOR	EXTENSION	OF ESCC QU	ALIFIC	ATION APPROVAL		Page 1	
E C	SLL	Component Title:				OW FREQUENCY, FLUROPOLYMER ED ON TYPE CSWL 600V, -200°C to +200°C			Appl. No. 305 D	
E SHIPPERS		Executive Member:	ecutive Member: DLR				Date: 30.10.18			
Components (includ	ling series and familie	s) submitted for Exte	ension of Qu	ualification Ap	proval:				1	
ESCC VARIANTS		RANGE	RANGE OF COMPONENTS BASED ON)	TEST VEHICLE / S	COMPONEI S SIMILAR		
3901/024	01 to 64				CSWL		3901/024-42B			
Component	Manufacturer	2 Locati	on of Manut	facturing Plant	3				4	
WL Gore & Associa		Nordring 1 91785 Pleinfeld Germany				Date:	f original qualification ap 01.01.11 ate Ref No. 305	oproval:		
ESCC Specification Maintenance of qua Generic: 3901 ls: Detail(s): 3901/02	dification testing:	Deviation from	res □ current Spe	(supply de	etails in Box 15)	referen	cation Extension Report ice and date: No. 7666-5 / 25.10.201		7	
		No ⊠ Ye	es 🗆	(Supply d	etails)				8_	
	ement or equivalent to Testing Level		rrent validity .AT	period in sup	port of this appl Date cod		those to ESCC listed fi	rst) Quantity Delive		
Project Name Various see Appendix: Order list space products ESCC 3901024 2019	resuling Level		AI		See Appen	155		1690 m	316	
PID changes sinc	e start of qualification		9 9	Current PID by:	Verified	5-	B. Gökgöz		10	
None □ Minor* ⊠				Ref No:	PLFWI-1772	N	lame of Excutive Repre		10 20 to a	
Major* □ Wording corrected	*Provide detail			Issue: Rev Date:	1 Revision E 18.10.18		Dat	te: 30.11	1.18	
Current Manufacturing facilities surveyed by:			\$2	G. Joormann . me of Executive Representative)			2'	728.10.15 (Date)	11	
Satisfactory:	Yes ⊠	No 🗆	Explain							

	APF	LICATION	ON FO	R EXTE	NSION	OF ESCC QUA	LIFICATION	ON APPROVA	AL.	Page	2
ESCC	Component title: WIRES AND CABLES, LOW FREQUENCY, FLUROPOLYMER INSULATION, 600V, BASED ON TYPE CSWL 600V, -200°C to +200°C							Appl. No.			
No. of Street, St. of Street, St.	Executive M	lember:	DLF				Date:	30.10.18		305	0
Failure Analysis, DPA, NCCS ava	ailable:	Yes		No	⊠	(Supply data)					12
The undersigned hereby certifies on behal that the appropriate documentation has be except as stated in box 15; - that the repor as the responsible E. Date: 30.10.18	en evaluated; ts and data ar	- that fu e availal	II comp	liance to	all ESC Execu	CC requirements tive and therefor	s is evider re applies	on behalf of omponent(s) li		b	13
							(S	signature of the	e Executive	Coordinator)	
Continuation of Boxes above:											14
=											

		T					
	ESCC	APPLICA Component title:	ATION FOR EXTENSION O WIRES AND CABLES,	LOW FREQUENCY, F	LUROPOLYMER	Page 3	3
100	LOCU	Component une.	INSULATION, 600V, BA +200°C	ASED ON TYPE CSWL	. 600V, -200°C to	Appl. N	lo.
		Executive Member	er: DLR	Date:	30.10.18	305 D)
Noncompl	liance to ESCC requirements:						13
No.:	Specification		Paragraph		Non compliane	ce	
Additional	tasks required to achieve full ciance:	compliance for ESCC	: qualification or rationale for	acceptability of			14
Executive	Manager Disposition						15
Applicatio Action / R	n Approval: Yes 🕏	No 🗆					

Date:

B. Schade, Head of ESA Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: WIRES AND CABLES, LOW FREQUENCY, FLUROPOLYMER INSULATION, 600V, BASED ON TYPE CSWL 600V, -200°C to +200°C

Date: 30.10.18 Executive Member: DLR

Page 4 Appl. No.

305 D

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.