	000		APPLICA	TION FO	OR EXTENSION	OF ESCC QU	IALIFICA	TION APPRO	VAL	Page	1
E	Componen	omponent Title: CABLE, "SPACEWIRE", ROUND, QU FLEXIBLE, -200 TO +180°C according									
Exe		Executive I	ecutive Member: DLR						304 [304 D	
Components (includ	ling series and famili	es) submitte	for Exte	nsion of	Qualification Ap	proval:					1
ESCC	VARIANTS		RANGE (OF COM	PONENTS	BASE	D	TEST		COMPONEN	
COMP. NO. 3902/003	01 & 02					GSC		VEHICLE 3902/003-02B	-/S	SIMILAR	
						12.5.5					
						-					
Component I WL Gore & Associa	Manufacturer [tes GmbH	Nordrin 91785 Germa	g 1 Pleinfeld	on of Mar	nufacturing Plant	3	Date:	original qualifi 01.01. ate Ref No.		al:	4
ESCC Specification Maintenance of qua Generic: 3902 Is: Detail(s): 3902/00	lification testing:	No	⊠ Y	es [and Detail Spe (supply depecifications: (Supply d	etails in Box 15	reference	ce and date:	10.50		7
Summary of procure	ement or equivalent t	est results d	urina cum	ent valid	ity neriod in sun	nort of this ann	lication /t	hose to ESCC	listed first\		8
Project Name	Testing Leve			AT	, period in sup	Date cod		1000 10 1000		ity Delivere	
Various see Appendix: Order list space products ESCC 3902003 2019					See Appendix 5250 m			250 m			
PID changes since	e start of qualification			9	Current PID by:	Verified		B. Gökg	öz		10
None 🗆					220		N	ame of Excutiv	e Representa	tive	
Minor* ⊠					Ref No:	PLFWI-1759					
Major* □	*Provide detail				Issue:	1 Revision F			Date:	29.10.18	
Front page adjust	ed				Rev Date:	05.10.18					1 33
Current Manufactur	ing facilities surveyed	l by:		Name of	G. Joormann		on		2728. (Dat	//	11_
Satisfactory:	Yes ⊠	No		Explai		/			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

F060	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL							Page 2	
ESCC	Component title:	CABLE, "SPACEWIRE", ROUND, QUAD CABLES, FLEXIBLE, -200 TO +180°C at 3902/003				AD USING accordin	G SYMMETRIC g to Det. Spec.	Appl. No.	
	Executive Member:	DL	_R			Date: 30,11,18		304 D	
Failure Analysis, DPA, NCCS av	/ailable: Yes		No	×	(Supply data)			ļ	12
Ref. No's and purposes:									
The undersigned hereby certifies on beha that the appropriate documentation has b except as stated in box 15; - that the reposition as the responsible E	een evaluated; - that fu orts and data are availa	ill com	pliance to the ESCO	all ESO Execu	CC requirements tive and therefore	is eviden	on behalf of emponent(s) listed herein		13
Date: 30,11,18						i.A. I	B. Gökgöz	Figs	
						(S	ignature of the Executive	Coordinator)	
Continuation of Boxes above:									14

		E	C	
23m				
2	7	NEW.		

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

CABLE, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE, -200 TO +180°C according to Det. Spec. 3902/003

Appl. No.

Page 3

		Executive M	ember: DLR	Date:	30.11.18	304 D	
Noncompli	ance to ESCC requirements:						13
No.:	Specification		Paragraph		Non compliance	9	
Additional noncomplia	tasks required to achieve full cance:	ompliance for E	SCC qualification or rationale for acceptability	of			14
Executive	Manager Disposition						15
Application Action / Re	n Approval: Yes 🕥	No 🗆			Z (I)	1	
Date:					chade, Head of ESA Produ	 uct Assurance	ð



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: C

CABLE, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE, -200 TO +180°C according to Det. Spec. 3902/003

Executive Member: DLR

Date: 30.11.18

Page 4 Appl. No. 304 D

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.