APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES,LOW FREQUENCY, 600V, SILVER-PLATED COPPER,EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION,BASED ON TYPE 55/995X Component Title:

Page 1

Appl. No.

			xecutive i	nemi	Jer.	ESA					ale. ZZIUZIZ	1019		159 F	,
Components (inclu	ding series and fami	lies) s	ubmitted f	or Ex	tension	of Qu	alification	Approva	al:						1
ESCC VARIANTS			RANGE OF COMPONENTS						BASED ON		TEST VEHICLE / S		COMPONENT SIMILAR		
3901/012 1 - 80								55/99	952		Var. 01, 04,		wires	N. C.	
									55/995X		Var. 53, 68 cables				
Component	Manufacturer	2		ocati	ion of N	/anufa	icturina Pla	ant	3						4
Component Manufacturer 2 TE connectivity (Tyco Electronics UK)			Location of Manufacturing Plant Faraday Road Dorvan, Swindon Wiltshire SN35HH						, <u>[</u>		Date of original qualification approval: Date: 01/02/1989				
			United F	Kinga	iom					Certi	ficate Ref No.	159			
ESCC Specificatio	Davidian to IVE tooking and Data!! On the						6	Cust	Ovelification Federalism Beauty						
Maintenance of qu		Deviations to LVT testing and Detail S used:						ation		Qualification Extension Report reference and date:					
Generic: 3901 i	No ⊠ Yes ☐ (supply details in Box 15) Deviation from current Specifications:						в Вох	WQ2	2356 iss5, Janu	ary 2019, D	y 2019, Doc. Nr. 501-116141				
Detail(s): 3901/															
			No	\boxtimes	Yes		(Supply	details)							
					700		3 73	· · · · · · · · · · · · · · · · · · ·				100 11-1-1 5-			8
Project Name	rement or equivalent Testing Leve		esuits dun		AT	railuity	period in :		ate coc		on (those to Es		ntity De	livered	
												See an	nex (co	nfidential)	
DID change since	and of suglification				9	10) (a siti a si			F. Martine	- 504			1 4/
PID changes since start of qualification None □					_ 9	Cu	rrent PID	vermed	Uy.		lame of Excutiv		ntativo	-24	10
None □ Minor* ⊠						Pa	f No:	ELE-4K	'D 010		value of Excuti	ve ixepiesei	itative		
Major*	*Provide detail					Iss	ue:	8		,		Date:	3	1/01/2019	
				-		Re	v Date:	22/02/2	019						Τ.,
Current Manufactu	ring facilities survey	ed by:			(uks	A (T.F	.) and ESA	A (F. Mar	tínez)	01	n	25/	01/2017		1.
	(Name of Executive Repr					Represer	presentative)			(Date)					
Satisfactory:	Yes ⊠		No] E:	xplain	See	ESA-TEC	QES-I	VIN-004	093 report				

ESCC Component title:

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES,LOW FREQUENCY, 600V, SILVER-PLATED COPPER,EXTRUDED CROSSLINKED FLUOROPOLYMER

Appl. No.

Page 2

The second second	and the second			INSUI	LATION	BASE	O ON TYPE 55/9	95X			
		Executive	Member:	ESA	Α			Date:	22/02/2019	1	59 P
											12
Fallon Arabaia DDA	N000	Ale to Lea	12				(0 1 1 1)				1 12
Failure Analysis, DPA,	NCCS ava	illable:	Yes		No	\boxtimes	(Supply data)				
Ref. No's and purposes:											
											13
The undersigned hereby cert	ifies on behalf	of the ESC	C Executi	ve - that	the abo	ove info	rmation is correc	t; -			
that the appropriate documer	itation has bee	en evaluate	d; - that fu	III compl	iance to	all ESC	CC requirements	is evider	nce		
except as stated in box 15; -											
ESA as the responsible Exec	utive iviember	IOI ESCC 0	quamicatio	n status	to be e	xtended	to the compone	int(s) liste	ed nerein.)	
15-07 77 PHACAPATHODOS - 15-08-05								\sim	11100 6	eces	
Date: 04/03/2019								صر	mogen s		
								(F	A. Pesce, ESCC Exec	cutive Coordinat	or)
Continuation of Boxes above	10 1 10 1 10 1										14
This extension of validity incli	udes the valida	ation of a ne	ew conduc	ctor supp	plier, use	ed in te	st vehicle 39010	1201B, 0	3B, 05B, 07B through	LAT1 testing.	
				3,00					, ,	•	
1											

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

WIRES AND CABLES, LOW FREQUENCY, 600V, SILVER-PLATED COPPER, EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION BASED ON TYPE 55/995X

Appl. No.

Page 3

13
14
15

Date:

B. Schade, Head of ESA Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES,LOW FREQUENCY, 600V, SILVER-PLATED COPPER,EXTRUDED CROSSLINKED FLUOROPOLYMER INSULATION,BASED ON TYPE 55/995X Component title:

Executive Member: 22/02/2019 Date:

Appl. No.

Page 4

159 P

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

No.	OTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.