E	SCC	3		nt Title:	+200°	ide Ir C, ba	sulated w	rires	& cable	es Lo	ow Frequence	uency, 600 to ESCC	OV, -200°C Det. Spec.	to 3901/00	A CONTRACTOR OF THE PARTY OF TH	
	P 3 79			Member:		107	ination A	nnr	rol:		Date	e: 07.0	5.2019		138 N	1
Components (including series and families) submitted for Extension of C ESCC VARIANTS RANGE OF COMP							RASED						COMPONENT SIMILAR	Г		
COMP. NO. 3901/009	01 to 66		All	w.co.sec.	W. C.			SF		OIA		3901/009-			SIIVIILAIN	
Component	Manufacturer	2		Locati	ion of Man	ufact	uring Plan	ıt	Т	3	1					4
Component WL Gore & Associa		Nordring 1 Da 91785 Pleinfeld Da Germany					Date:	Date of original qualification approval:								
ESCC Specification Maintenance of qua Generic: 3901 ls Detail(s): 3901/0	alification testing:	5	No	⊠ \	Yes []	(supply d	etails	s in Box		referen	ce and da	ension Rep te: 5 / 07.01.2			7
Summary of procur	rement or equivalen	it test i	esults	durina cu	rrent validi	tv pe	riod in sur	port	of this	appl	ication (those to E	SCC listed	d first)		8
Project Name	Testing Lev		Jeans	l	_AT	, ,,			Date	cod	е			Quanti	ty Delivered	
Order list space products ESCC 3901019 2019.pd	f								See t	he fi	le			5	133 m	
PID changes sin	ce start of qualificati	ion			9	Cu by:	rrent PID	Ver	ified			В.	Gökgöz			10
None					by.						lame of Ex	ecutive Rep	resentat	ive		
Minor* ⊠ Major* □ Front page upda	*Provide detail					Iss	f No: ue: v Date:	7 F	FWI-15 Revision	n F			Ţ	Date:	07.05.2019	
	uring facilities surve	yed by	:	-	(Name of	G	. Joorman	ın .			on			2728. (Da		11
Satisfactory:	Yes ⊠		N	0 🗆	Expla	in	,									
(-	uf. Gon	E-	A(1-2	015)											

	APPLICATI	Page 2							
ESCC	Component title:	Polyn +200 3901	°C, base	lated w d on ty	rires & cables Lov de SPC 2110 acc	v Frequer ording to	ncy, 600V, -200°C to ESCC Det. Spec.	Appl.	
	Executive Member: DLR					Date: 07.05.2019			N
Failure Analysis, DPA, NCCS available:	Yes		No	×	(Supply data)			9	12
Ref. No's and purposes:									
The undersioned basels, and the second	-/	vovo 1 24 do							13
The undersigned hereby certifies on behalt that the appropriate documentation has be except as stated in box 15; - that the reporDLR	en evaluated; - that fu ts and data are availal	II comp	oliance to he ESCO	all ES	CC requirements	is eviden	on behalf of	rein.	
Date: 07.05.2019							Billale galegis		
						T	B. Gökgöz		_
						(Si	gnature of the Executive	Coordinator)	
Continuation of Boxes above:									14

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Polymide Insulated wires & cables Low Frequency, 600V, -200°C to +200°C, based on type SPC 2110 according to ESCC Det. Spec. 3901/009

and Safety Department

Appl. No.

Page 3

	Executive M	lember: DLR	Date:	2 0.05.2019	138 N	
Noncompliance to ESCC requirer	nents:					13
No.: Specific	ation	Paragraph		Non compliance		
Additional tasks required to achievoncompliance:		Paragraph ESCC qualification or rationale for accept	ability of	Non compliance		14
Executive Manager Disposition						15
Application Approval: Yes Action / Remarks:	E No □		3			
Date:		.8.	D R Sch	nade. Head of ESA Produ	uct Assurance	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, LOW FREQUENCY, FLUROPOLYMER INSULATION, 600V, BASED ON TYPE CSWL 600V, -200°C to +200°C

Executive Member:

Component title:

Date: 30.10.18

Page 4 Appl. No.

305 D

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRICE	
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.