Cart III	ESCO	7
THE WAY		

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title:

Page 1 Appl. No.

Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, - 200 to +180°C CNES Date: 25/07/2019 Executive Member: 291F 1 Components (including series and families) submitted for Extension of Qualification Approval: COMPONENT ESCC COMP. NO. BASED TEST **VARIANTS** RANGE OF COMPONENTS VEHICLE / S SIMILAR ON Variant 01 AWG 28/07 (white) and Variant 02 AWG 26/07 (blue) are 3902 003 01 3902 003 01 & 02 Space wire qualified, 100 Ω Data Rate, Operating Voltage Click here to enter (Continuous), Current text Variant 01: 100Mb/s - 400MHz, 200V, 1.5A Variant 02: 200Mb/s - 400MHz, 200V, 2.5A 4 Component Manufacturer 2 Location of Manufacturing Plant 3 Axon'Cable SA Date of original qualification approval: Axon Route de Chalons enChampagne 51210 Montmirail 15/06/2009 Date: Certificate Ref No. 291 5 6 7 ESCC Specifications used for Maintenance of qualification testing: Qualification Extension Report reference and date: Deviations to LVT testing and Detail Specification used: PV4345 Issue A, 14th June 2019 Generic: 3902 No (supply details in Box 15) Deviation from current Specifications: Detail(s): 3902 003 ☐ (Supply details) 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Quantity Delivered Project Name Testing Level LAT Date code See appendix Current PID Verified by: 10 9 CNES PID changes since start of qualification Name of Excutive Representative None Ref No: ESA-PID-01-AXON Minor* \boxtimes 25/07/2019 15 Date: Issue: Major* *Provide detail Rev Date: 17/12/2018 11 09/06/2015 Current Manufacturing facilities surveyed by: CNES and ESA (FM) (Date) (Name of Executive Representative) ref: AXON-AUD-2015 (CNES' CR999274) Satisfactory: Yes 🛛 No

		APPLICAT	ION FOR EXTEN	SION OF ESCC QUA	LIFICATION APPROVAL	Page 2
ESCC		Component title: Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, 200 to +180°C		Appl. No.		
		Executive Member:			Date: 25/07/2019	291E
						12
Failure	Analysis, DPA, NCCS ava	ailable: Yes	□ No		Click here to enter text.	• a=a
				Sec. 1980 250 250		
Ref. No's	and purposes:					
					Likiji kirga	1.0
The unde	ersigned hereby certifies on behalf	f of the ESCC Execution	ve - that the above	information is correct	:-	13
that the a	appropriate documentation has be s stated in box 15; - that the report	en evaluated; - that fu	Il compliance to al	I ESCC requirements	is evidence	
CNES a	s the responsible Executive Memb	per for ESCC qualification	tion status to be e	xtended to the compor	nent(s) listed herein.	- where
Date:	25/07/2019				JP BUSSENOT	0 1 1 1
					((Signature of the Executive	Coordinator)
Continua	tion of Boxes above:					14

San San	ES	C	C
The same of the sa	SA.		_

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title:

Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, - 200 to +180°C

Page 3 Appl. No.

	Executive	Member: CNES	Date: 25/07/2019	291E
Noncompliance to ESCC requirem	ents:			13
No.: Specifica	ation	Paragraph	Non complianc	В
			9	
Additional tasks required to achieve	full compliance for	ESCC qualification or rationale for acco	eptability of	14
noncompliance:				0
*				
Executive Manager Disposition				15
Application Approval: Yes	No □			
Action / Remarks:				
			B 41	
Date:			B. Schade, Head of ESA Produ	ct Assurance

and Safety Department

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, - 200 to +180°C

Executive Member: CNES Date: 25/07/2019

Page 4
Appl. No.
291E

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family, - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed; - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.