ESUL
------

Component Title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.

Page 1 Appl. No.

The state of the s		Executive Member: ESA Date: 11/09/2019 3270					327C			
Components (includ	ing series and families)	submitted for Extension	of Qualification	Approval:						1
ESCC COMPONENT NO.	VARIANTS	RANGE OF COM					TEST VEHICLE / S	COMPONENT SIMILAR		
3012/004	01 A-G16	ESCC 3012/004 Tab	le 1(a)	TES		Se	e box 14	All o	ther variants a	and
	02 B-G16	1uF-470uF, 6V -50V		İ		İ				
	03 C – P17	ĺ		Ï		i				
	04 D-P17 05E-P17			1						
Component M		IN ORDER AND AND AND AND AND AND AND AND AND AND	nufacturing Plan	nt(s)	3					4
AVX Czech Republic	c s.r.o	Dvorakova 328 Lanskroun Czech Republic				Date of or Date:	riginal qualification a 10/12/2013	approval	•	
						Certificate	Ref No. 327			
	5	1000 W 10 10 W1000-1111	92 . 9		6	2 2000 to				7
ESCC Specifications Maintenance of qual		Deviations to LVT ter used:	sting and Detail	Specification	on	Qualificati reference	on Extension Repo and date:	rt		
Generic: 3012	Issue: 3					of Valid Qualification 11th September 20		omer Informa	tion	
Detail(s): 3012/00	04 Issue: 4	Deviation from current Specifications:  No ⊠ Yes □ (Supply details)				1,000				
		NO & res	☐ (Supply	( details)						
Summany of procure	ement or equivalent test	results during current va	alidity period in	support of th	hie an	plication (th	ose to ESCC listed	firet)		8
Project Name	Testing Level	LAT	alidity period in s	Date code		plication (tri		y Delive	ered	
See box 22										
						***				
					-					
PID changes since s	start of qualification	9	Current PID	Verified by	:		ESA			10
None ⊠						Execu	tive Representative	Agency	•	
Minor*	<u> </u>		Ref No:		sue 4,	PID 100/00			05/00/0040	
Major* □	*Provide details in box	C	Issue: Rev Date:	6 11/09/201	9		Date	<u> </u>	25/02/2019	
Current Manufacturi	ng facilities surveyed by	r.	ESA			on	23-24 Jur	ne 2015		11_
		0	itive Representa	ative Agenc	y)			(Date)		
Satisfactory:	Yes ⊠	No □ Exp	olain							
Report Reference:	ACXLAN-AUD-20	015								

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL	Page 2
Component title: Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.	Appl. No.
Executive Member: ESA Date: 11/09/2019	327C
	12
Failure Analysis, DPA, NCCS available: Yes □ No ⊠ (Supply data)	
Tallato Attalysis, 51 71, 14000 available.	
Ref. No's and purposes:	
The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of ESA as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.	13
Date: 18/10/2019	
(Signature of the Executive Coord	dinator)
Continuation of Boxes above:	14
Selection of codes was besed on:	
o Coverage of different case sizes o Coverage wide range of voltage	
o Coverage different capacitances and used powders	
Selected codes:	
A10/10 — 301200401B106KA1800 B1/50 — 301200402B105KT2000 C22/20 — 301200408B226KD0400 D22/35 — 301200408B226KV0100 E470/6,3 — 301200405B477KJ0030	

and a second	ES	CC
10 h		

Component title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.

Page 3 Appl. No.

		Executive N	Member: ESA	Date: 11/0	9/2019	327C
Non comp	pliance to ESCC requirements:					15
No.:	Specification		Paragraph	Non compliance		
130.	Openication		T Grayraphi		Non compliance	
Additional	I tasks required to achieve full con	mpliance for l	ESCC qualification or rationale for acceptability	of		16
noncompl	lance:					16
Everytive	Manager Disposition					
Executive	Manager Disposition					17
Application Action / R		No 🗆				
Date:				Ē,	D1	
					Head of ESA Product . Department	Assurance

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES. Component Title:

11/09/2019 ESA Date: 327C

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

Tests vehicle identification/description:

ESCC 3012 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

	- Control (Marie Marie )
ľ	

Executive Member:

Detail Specification reference: 3012/004

Chart IV	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Mounting	×	IEC 384-1	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
hanical n 1)	Adhesion	×	ESCC 3012, Para. 9.10	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
Environmental / Mechanical Subgroup (Column 2) Subgroup (Column 1)	External Visual Inspection		ESCC 20500	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Permanence of Marking	×	ESCC 24800	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Climatic Sequence	×	ESCC 3012, Para. 9.13	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Mounting		IEC 384-1	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Rapid Change of Temperature		IEC 68-2-14	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Vibration		IEC 68-2-6	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	

18

Page 4

Appl. No.

	Shock or Bump	×	IEC 68-2-27 or IEC 68-2-29	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
Endurance Subgroup	External Visual Inspection	×	ESCC 20500	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Permanence of Marking	⊠	ESCC 24800	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Climatic Sequence	×	ESCC 3012, Para. 9.13	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Mounting	×	IEC 384-1	A 1845, B 1845, C 1845, D 1845, E 1845	36x5	0	
	Operating Life at 85 °C	×	ESCC 3012, Para. 9.17.2	A 1845, B 1845, C 1845, D 1845, E 1845	36x5	0	
	Electrical Measurements during Endurance Testing	⊠	ESCC 3012, Para. 9.4.5	A 1845, B 1845, C 1845, D 1845, E 1845	36x5	0	



Component title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.

Executive Member:

ESA

Date: 11/09/2019

Appl. No. 327C

Page 5

Chart IV	Test	Tick when done	Conditions	Date Code (YearWeek)	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Electrical Subgroup (Electrical Measurements)	High and Low Temperature Stability	⊠	ESCC 3012, Para. 9.14	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	Electrical Measurements at Room Temperature	⊠	ESCC 3012, Para. 9.4.4	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
	External Visual Inspection	⋈	ESCC 20500	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
subgroup ab. Tests)	Surge Voltage	⊠	ESCC 3012, Para. 9.15	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
Electrical Subgroup (Ass. / Capab. Tests)	Solderability	⊠	IEC 68-2-20	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	
Tests	Operating Life at 125°C	⊠	ESCC 3012, Para 9.17.2	A 1845, B 1845, C 1845, D 1845, E 1845	24x5	0	Performed as part of chart IV.
Additional Tests	Damp Heat Steady State	×	ESCC 3012, Para 9.16	A 1845, B 1845, C 1845, D 1845, E 1845	12x5	0	Performed as part of chart IV.



Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES. Component title:

Executive Member: ESA Date: 11/09/2019

Page 7 Appl. No.

327C

### NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.