Component Title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-

LINE, MICROMINIATURE, BASED ON TYPE MTB

Page 1 Appl. No.

Executive Member: Date: 12/09/2019 141 Q 1 Components (including series and families) submitted for Extension of Qualification Approval: BASED TEST COMPONENT COMPONENT **VARIANTS** RANGE OF COMPONENTS VEHICLE / S SIMILAR ON NO. MDM 3401/031 01 & 02 Shell sizes: 5 through 81 contacts MTB See test report Non removable crimp contacts Terminaison type : AWG 26, ESCC 3901 013 02, 2.5A AWG 28, ESCC 3901 013 01, 1.5A AWG 25, Uninsulated rigid wirebent PCB 2.5A Operating Temperature Range (°C): -55 to +125 Component Manufacturer 2 Location of Manufacturing Plant(s) 3 4 **C&K Components SAS** Rue Bertholet B.P. 359 Date of original qualification approval: 39105 DOLE Cedex - France 15/06/2009 Certificate Ref No. 141 5 7 6 ESCC Specifications used for Qualification Extension Report Deviations to LVT testing and Detail Specification Maintenance of qualification testing: reference and date: used: Generic: 3401 Issue: 5 (supply details in Box D190130 C 14/02/2019(contact test report) D190 132C 14/02/2019 (connector test report) 15) Detail(s): 3401/031 Issue: 8 Deviation from current Specifications: Yes (Supply details) 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Project Name Testing Level LAT Date code Quantity Delivered See appendix PID changes since start of qualification 9 Current PID Verified by: Nouals François 10 None Name of Excutive Representative Minor* Ref No: CS-FR029 16/09/2019 ssue: 2 rev N Date: Major* *Provide details in box: 01/06/2019 Rev Date: 11 16/09/2019 Current Manufacturing facilities surveyed by: Nouals François on (Name of Executive Representative) (Date) Satisfactory: Explain Report Reference: CRIM_1040007 du 12/09/2019

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Page 2				2				
ESCC	Component title:				ECTRICAL, CRIN TURE, BASED ON		CONTACTS, SINGLE-IN- YPE MTB App		
	Executive Member:	CNE	ES			Date:	12/09/2019	141 (2
									12
Failure Analysis, DPA, NCCS ava	ilable: Yes		No	\boxtimes	(Supply data)				
Ref. No's and purposes:									
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repoCNESas the responsible Executive Me	en evaluated; - that ful rts and data are availa	compliant the compliant of the complex	ance to he ESC	all ESC	CC requirements in utive and therefor	s evidende e applies	on behalf of	Q.,	13
Date: 16/09/2019						Po	François Vacher		
							gnature of the Executive C	coordinator)	
Continuation of Boxes above:							- Wall		14
300000000000000000000000000000000000000									14
	8								

STANKEN		DL	
7 100	182574		

Component title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Appl. No.

Page 3

a. Take	A VICTOR OF THE PROPERTY OF TH	Executive Member: CNES	Date:	12/09/2019	141 Q	
Non comp	pliance to ESCC requirements:					15
No.:	Specification	Paragra	oh	Non compliance	1	
		,				
Additiona	I tasks required to achieve full co	ompliance for ESCC qualification or ration	nale for acceptability of			16
noncomp	liance:					16
Evecutive	e Manager Disposition					
	/					17
Application / R	on Approval: Yes	No 🗆				
7100	ionano.					
				7001	/	
			7-3	2.601		
Date:				chade: Head of ESA Produ	ct Assurance	
				Safety Department		

Component Title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Executive Member: 12/09/2019 Appl. No. 141 Q

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

340103101B 10PFR112 / 340103101B 10SFR116D2	340103102B 9PFR164 / 340103102B 9SFR164			

Detail Specification reference: 34010031

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	⊠	ESCC 3401 Para. 9.10	1905	4	0	
	Climatic Sequence	⋈	ESCC 3401 Para. 9.13	1905	4	0	
	Permanence of Marking	×	ESCC 24800	1905	4	0	
	Corrosion	×	IEC Publication No. 68-2-11	1905	4	0	
Med	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	×	ESCC 3401 Para. 5.2.3	1905	4	0	
	Wiring	×	ESCC 3401 Para. 9.10	1905	4	0	
	Rapid change of Temperature	⊠	ESCC 3401 Para. 9.16	1905	4	0	
	Contact Retention	\boxtimes	ESCC 3401 Para. 9.17	1905	4	0	
sdno.	Maintenance Ageing		ESCC 3401 Para. 9.27				
Endurance Subgroups	Endurance	⊠	ESCC 3401 Para. 9.18	1905	4	0	
one S	Seal Test		ESCC 3401 Para. 9.9				Not applicable
durai	Joint Stength		ESCC 3401 Para. 9.15				Not applicable
Er	Engage/Separ. Forces		ESCC 3401 Para. 9.28				Not applicable
	Oversize Pin Exclusion		ESCC 3401 Para. 9.29				Not applicable
	Probe Damage		IEC Publication No. 512-8				Not applicable
Additional							
Š.							

18



Component title:

CONNECTORS, ELECTRICAL, CRIMP CONTACTS, SINGLE-IN-LINE, MICROMINIATURE, BASED ON TYPE MTB

Executive Member:

CNES

Date: 12/09/2019

Appl. No.

Page 6

141 Q

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.