

Component Title: Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC

Appl. No.

Page 1

			Acculive Member.	CNES				U	ate. 09/10/2019	149	N
Components (include	ling series and fan	nilies) s	submitted for Extensi	ion of Qual	lification /	Approval:					1
ESCC COMPONENT NO.	ONENT VARIANTS		RANGE OF COMPONENTS		BASED ON			TEST VEHICLE / S	COMPONE SIMILAR		
3401 039	01		3 rows contacts: 26, 44, 62, 80, 98, 144 Contact Codes: 10, 30, 31, 40, 50, 51 and 91 Guiding and Locking Devices Codes: 110, 121, 143, 201, 202, 204, 206, 703			кмс			340103901B0624430 121	Connectors serie	es K
				Contact Ratings: 2 A (1 contact) Operating Temperature Range (°C): -55 to +125					340103901B0625510 110	10	
									PN: 50962-30-J9		
									PN: 50972-30-J9		
Component Manufacturer 2 Smiths interconnect		2	Location of Manufacturing Plant(s)  31 rue Isidore Maille 76410 Saint-Aubin les Elbeuf			Date of original qualification approval: Date: 15/03/1987  Certificate Ref No. 149					
		5					6				7
Maintenance of qua Generic: 3401 Detail(s): 340103	Issue: 5		used: No ⊠ Yes  Deviation from cur No ⊠ Yes	rrent Spec	15)		ox	The state of the s	ence and date: 'Q 104/19 Rev 2 ,15 Janu	ary 2020	
Summary of procure	ement or equivaler	nt test r	esults during current	t validity ne	eriod in su	innort of th	nis an	nlicatio	n (those to ESCC listed fi	iret)	8
Project Name	Testing I		LAT Date code			Pilloudio		Delivered			
See Excel file											
PID changes since s	start of qualification	n		Curre	ent PID V	erified by:	į		F. Nouals (CNES)	<u> </u>	10
None □ Minor* ⊠				Ref N		P.I.D CDC			ame of Excutive Represe		
Major* □	*Provide details	in box:		Issue Rev E		S 18/08/2019	9		Date:	18/09/2019	
Current Manufacturi	ng facilities survey	ed by:			F. Nouals			on		/09/2019	11
Satisfactory:	Yes ⊠		200	ame of Exe Explain	ecutive Re	presentati	ive)			(Date)	
Report Reference:	1040193										



Component title:

Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC

Page 2 Appl. No.

(I) a service that the service the service that the servi	Executive Member:	CNES	Date: 09/10/2019	149N
Failure Analysis, DPA, NCCS ava	ailable: Yes □	No ⊠ (Supply data)		12
	illable. Tes 🗆	140 🖾 (Ouppiy data)		
Ref. No's and purposes:				
The undersigned hereby certifies on behalf	of the ESCC Executive	- that the above information is	correct; -	13
hat the appropriate documentation has be except as stated in box 15;) - that the repo	en evaluated; - that full c orts and data are availab	compliance to all ESCC require le at the ESCC Executive and	ements is evidence therefore applies on behalf of	<b>-</b>
CNES as the responsible Executive Mem	ber for ESCC qualification	on status to be extended to the	component(s) listed herein.	Wrone
Date: 20/01/2020			JP. BUSSENC	
Continuation of Boxes above:			(Signature of the Executive	
ontinuation of Boxes above.				14

in an in the second	EC	CC
ALCO TO STATE OF THE PARTY OF T	LU	UU
61	STATE OF THE PARTY	

Component title:

Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC

Page 3 Appl. No.

D)		Executive Member:	CNES	Date:	09/10/2019	149N	
Non compliance to ES	CC requirements:						15
No.:	Specification		Paragraph		Non compliance	e	
			, diagraph		TON COMPILITO		
Additional tasks require	ed to achieve full co	ompliance for ESCC qu	alification or rationale for acceptabilit	y of			16
noncompliance:						l	10
Executive Manager Dis	sposition						17
Application Approval: Action / Remarks:	Yes 🕡	No 🗆		1	3. D.1	,	
Date:				-	chade: Head of ESA Produ	ict Assurance	



Component Title:

Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC

Page 4
Appl. No.

Executive Member:

CNES

Date: 09/10/2019

149N

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
 Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

3401 016 01B 16 FC 41 00 41	3401 017 04 B	
3401 016 01B 04 MR 55 00 55	3401 017 13 B	

Detail Specification reference:

3401

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring		ESCC 3401 Para. 9.10				Not applicable
	Climatic Sequence		ESCC 3401 Para. 9.13				Not applicable
	Permanence of Marking		ESCC 24800				Not applicable
vironm	Corrosion		IEC Publication No. 68-2-11				Not applicable
Med	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	×	ESCC 3401 Para. 5.2.3				
	Wiring	×	ESCC 3401 Para. 9.10	1926-1917	2	0	
	Rapid change of Temperature	×	ESCC 3401 Para. 9.16	1926-1917	2	0	
	Contact Retention	$\boxtimes$	ESCC 3401 Para. 9.17	1926-1917	2		
Subgroups	Maintenance Ageing	×	ESCC 3401 Para. 9.27	1926-1917	2	0	
ubgr	Endurance	×	ESCC 3401 Para. 9.18	1926-1917	2		
Endurance S	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Joint Stength		ESCC 3401 Para. 9.15				Not applicable
	Engage/Separ. Forces	×	ESCC 3401 Para. 9.28	1812-1821	10		
	Oversize Pin Exclusion	×	ESCC 3401 Para. 9.29	1812-1821	10		
	Probe Damage		IEC Publication No. 512-8				Not applicable



Connectors Electrical for Printed Circuit Boards Non-Removable Solder and Wire-Wrap Contacts and Connector Savers, based on type KMC Component title:

Executive Member: CNES Date: 09/10/2019 Page 6

Appl. No.

149N

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

20-20-20-20-20-20-20-20-20-20-20-20-20-2	
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.