ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: R.F. ATTENUATORS FIXED, COAXIAL, BASED ON TYPE R413

Page 1
Appl. No.

Executive Member: CNES 17/04/2020 Date: 178L 1 Components (including series and families) submitted for Extension of Qualification Approval: **ESCC** BASED **TEST** COMPONENT RANGE OF COMPONENTS **VARIANTS** COMP. NO. VEHICLE / S SIMILAR ON 3403/005 SMA, 0 dB (DC shunt) 3403/005-33 3403/005 53 SMA, 10 dB 3403/005-53 3403/005 3403/005-63 63 SMA, 20 dB 3403/008 23 SMA2.9, 0 dB (DC shunt) 3403/008-23 3403/008 33 SMA2.9, 5 dB 3403/008-33 3403/008 43 SMA2.9, 10 dB 3403/008-43 4 Component Manufacturer 2 Location of Manufacturing Plant 3 RADIALL SAINT QUENTIN FALLAVIER (FRANCE) Date of original qualification approval: Date: 01/01/1991 Certificate Ref No. 178 5 7 6 ESCC Specifications used for Deviations to LVT testing and Detail Specification Qualification Extension Report Maintenance of qualification testing: reference and date: Test report n°2019.49.5624 Rev. – (11.03.2020) Test report n°2019.51.5625 Rev. – (11.03.2020) 3403 issue 7 Generic: No \boxtimes Yes (supply details in Box 15) Detail(s): 3403/005 Issue 6, 3403/008 **Deviation from current Specifications:** issue 6 \boxtimes Yes ☐ (Supply details) 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Project Name Testing Level LAT Date code Quantity Delivered See Annex 1 PID changes since start of qualification 10 Current PID Verified by: CNES Name of Agency Representative None Minor* Ref No: R 413 899 650.PID and 335 99 999.PID \boxtimes Major* Date: 06/04/2020 *Provide detail Issue: J 06/04/2020 Editorial changes Rev Date: 11 17/01/2020 Current Manufacturing facilities surveyed by: CNES & ESA on (Date) (Name of Agency Representative) Satisfactory: Yes \boxtimes No Explain CR_visite_radiall_17_01_2020

	APPLICAT	ION FOR EXT	ENSION	OF ESCC QUAL	LIFICATION APPROVAL	Page 2
ESCC	Component title:	R.F. ATTENU	JATORS	FIXED, COAXIA	AL, BASED ON TYPE R413	Appl. No.
	Executive Member:	CNES			Date: 17/04/2020	178L
						12
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No		(Supply data)	Click here to enter text.	
Ref. No's and purposes: Click here to	o enter text.					
The undersigned hereby certifies on behalf that the appropriate documentation has bee except as stated in box 15; - that the report CNES as the responsible Executive Meml	en evaluated; - that fu is and data are availat	II compliance to ble at the ESCO	all ESC Execut	C requirements i ive and therefore	is evidence applies on behalf of	13
Date: 17/04/2020					JP. BUSSEN	
					((Signature of the Executive	e Coordinator)
Continuation of Boxes above:						14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: R.F. ATTENUATORS FIXED, COAXIAL, BASED ON TYPE R413

Page 3 Appl. No.

B.Schade: Head of ESA Product Assurance

and safety Department

Executive Member: **CNES** 17/04/2020 Date: 178L 13 Noncompliance to ESCC requirements: No.: Specification Paragraph Non compliance Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of 14 noncompliance: Executive Manager Disposition 15 Application Approval: Yes No Action / Remarks: Date:



Box 17

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: R.F. ATTENUATORS FIXED, COAXIAL, BASED ON TYPE R413

Page 4 Appl. No.

Executive Member: **CNES** Date: 17/04/2020 178L

٨	IOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.