


## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 1

E	SCC °	Component			ABLES, RF CO BASED ON TYI			IMIDE		Appl. N	lo.
	E	xecutive M	ember:	CNES			Date: 1	3/05/2020		24U	
Components (includ	ding series and families) s	ubmitted fo	or Extension	of Qualification	on Approval:						1
ESCC COMP. NO.	VARIANTS	RANGE OF COMPONENTS  BASED ON  TEST VEHICLE / S			С	COMPONENT SIMILAR					
3902 001	01,02,03	Miniature cable. Pi Jacketed Shielded Maximun Operating	e flexible 50 TFE Dielectr I, Double Sh I/ Jacketed m voltage: 9 g temperatu		): -	50CIS 3902 - 001 - 01 B1			50CIS 50CIS		
Click here to enter text.	Click here to enter text.	Click her	e to enter te	ext.	Click her text.	Click here to enter text.  Click here to enter text.					
		Click her	re to enter te	ext.							
Component M	Manufacturer 2	Location of Manufacturing Plant 3  140-146, rue Eugène Delacroix			Da	Date of original qualification approval:				4	
	(B.P. 1 ) 91211 Draveil France					Date: 02/07/1979  Certificate Ref No. 24					
ESCC Specification: Maintenance of qua Generic: 3902 Is  Detail(s): 3902/0	Deviations to LVT testing and Detail Specification used:  No   Yes   (supply details in Box 15)  Deviation from current Specifications:  No   Yes   (Supply details)				n Qu ref	Qualification Extension Report reference and date:  LQ 1032/20 12/02/2020					
Summary of procure	ement or equivalent test re	esults durir	na current v	alidity period i	in support of thi	is applica	ation (those	to ESCC listed (	first)		8
Project Name			LAT			Date code			Quantity Delivered		
See Appendix											
PID changes since s	start of qualification		9	Current PII	D Verified by:		CNES	<u></u>			10
None					- · · · · · · · · · · · · · · · · · · ·	_		gency Represer	ntative	_	
Minor* ⊠ Major* □	*Provide detail			Ref No: Issue: Rev Date:	MPL-FRDR 04 01/04/2020			Date:	: 1	3/05/2020	
Current Manufacturi		CNES (Name of Agency Represer			on sentative)		13/06/2018 (Date)		11		
Satisfactory:	Yes ⊠	No	□ Expla	in No vis	sit in 2020 due t	to COVID	D Lockdown	, last visit in 201	8 CR-Ne	xans-13-6-2	2018





## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE INSULATION, BASED ON TYPE 50 CIS Component title:

Executive Member: Date: 13/05/2020 Page 3

Appl. No. 24U

Noncompliance to ESCC requirements:						13
•	•			1		
	0 '' ''	_				

No.:	Specification	Paragraph	Non compliance		
1	ESCC 3902/001 Issue 02	4.8.4 Cold Bend test	Test made at -75°C in place of -80°C		
			L		
Additional	I tasks required to achieve full compliance for I	ESCC qualification or rationale for acceptability	of	14	
noncompl					
ESCC qua	alification looks acceptable because The non o	compliance looks minor. The probability of a fail	llure which would appear at -80°C and not at -75°	C.	
monthes	(with a new cold chamber)	EXAINS cold chamber is too old and does not w	ork well. This test will be done again within a few	/	
	(min a non cola chambol)				
Executive	Manager Disposition			15	
Applicatio	n Approval: Yes ☑ No □				
Action / R	lemarks:				
<b>D</b> .					
Date: (	Click here to enter a date.				
			B. Schade: Head of ESA Product Assurance and Safety Department	ce	



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, RF COAXIAL, PTFE/POLYIMIDE INSULATION, BASED ON TYPE 50 CIS Component title:

13/05/2020 **Executive Member:** Date:

Page 4

Appl. No.

24U

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.