


## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, WIRES AND CABLES, LOW FREQUENCY, PTFE/POLYIMIDE INSULATION, BASED ON TYPES MTV-BTV Component Title:

Page 1 Appl. No.

		E	xecutive Member:	CNES			Date:	13/05/2020		08T	
Components (includ	ing series and famil	ies) s	ubmitted for Extension	n of Qualification	Approval:						1
ESCC COMP. NO.	VARIANTS		RANGE OF COMPONENTS		BASED ON		)	TEST VEHICLE / S		COMPONEN SIMILAR	1T
3901 013	01 to 77		Variants 01 to 77 are qualified Voltage Rating, maximum (Vrms): 600 Temperature Range (°C): -100 to +200		MTV-BTV		390	01- 013 - 01 - B1	-MTV - BTV -MTV/G - BTV/G -MTV/BF/G - BTV/BF/G		
Click here to enter text. Click here to enter text.		er	Click here to enter		Click here to enter text.		ck here to enter t.				
			Click here to enter	text.							
Component M	lanufacturer	2	Location of	Manufacturing Pla	unt	3	<u> </u> 				
Component Manufacturer 2 NEXANS			140-146, rue Eugène Delacroix (B.P. 1 ) 91211 Draveil France			Date of original qualification approval:  Date: 01/01/1979  Certificate Ref No. 08					
ESCC Specifications used for Maintenance of qualification testing: Generic: 3901 lss.3  Detail(s): 3901/013 lss.3			Deviations to LVT testing and Detail Specification used:  No   Yes   (supply details in Box 15)  Deviation from current Specifications:  No   Yes   (Supply details)			Qualification Extension Report reference and date: LQ 1016/20 29/01/2020					
Summary of procure	ement or equivalent	tost re	esults during current	validity period in s	upport of t	hie an	unlication (the	ose to ESCC listed	firet)		8
Project Name	mmary of procurement or equivalent test re Project Name Testing Level			LAT			Date code		Quantity Delivered		
See Appendix											
PID changes since s	start of qualification		9	Current <b>PID</b>	Verified by	/:	C	NES			10
None	·			Ref No:	MPL-FRD	ID 011	Name	of Agency Represe	entative		
Minor* ⊠  Major* □	*Provide detail			Issue:	08 01/04/202		1	Date	e:	13/05/2020	
Current Manufacturi	ng facilities surveye	d by:		CNES			on	1	3/06/201	18	11
			(Nar	me of Agency Rep	resentativ	e)			(Date)		
Satisfactory:	Yes ⊠		No □ E	xplain No visit ir	1 2020 due	to CC	OVID Lockdo	own, last visit in 20 <sup>-</sup>	18 CR-N	exans-13-6-2	018





## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: WIRES AND CABLES, WIRES AND CABLES, LOW FREQUENCY, PTFE/POLYIMIDE INSULATION, BASED ON TYPES MTV-BTV

Executive Member: CNES Date: 13/05/2020

Page 3

Appl. No.

780

Noncompliance	to	ESCC	requirements:
---------------	----	------	---------------

No.:	Specification	Paragraph	Non compliance			
1	ESCC3901 Issue 3	9.17 Cold bend test	Test made at -75°C in place of -80°C			
			·			
A 1 PP			,			
noncomp		ESCC qualification or rationale for acceptability	OT	14		
ESCC qu	alification looks acceptable because The non	compliance looks minor. The probability of a fail	lure which would appear at -80°C and not at -75°	С		
looks very	y low. This test was made at -75°C because N (with a new cold chamber)	EXANS cold chamber is too old and does not w	ork well. This test will be done again within a few	'		
mommoo	(with a new cold originally					
Executive	Manager Disposition			15		
Applicatio	on Approval: Yes 🗵 No 🗆					
Action / R						
71011011711	omano.					
Date:	Click here to enter a date.					
Date.	Onor hole to effici a date.		B. Schade: Head of ESA Product Assurance	е		
			and Safety Department	-		



## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

WIRES AND CABLES, WIRES AND CABLES, LOW FREQUENCY, PTFE/POLYIMIDE INSULATION, BASED ON TYPES MTV-BTV

Executive Member: CNES Date: 13/05/2020

Page 4

Appl. No.

08T

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

Component title:

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.