

Component Title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I

Page 1
Appl. No.

Executive Member:

CNES

Date: 30/07/2020

220K

ESCC							DACED					NIT
COMPONENT NO.	VARI	ANTS	RANGE OF COMPONENTS  BASED TEST VEHICLE / S		TEST VEHICLE / S	COMPONE SIMILAR						
3401/052	01		# 20 with standard contact arrangements 3, 6, 10, 19, 26, 32, 41, 53, 61 # 22 with high density arrangements 6, 13, 22, 37, 55, 66, 79, 100, 128		32, s	MIL-C-38999 serie 1			340105201B001335SN 340105201B061335PN 340105201B031911SN 340105201B062141SN			
3401/058	01 to 14			Other arrangements with contact sizes: 20, 16, 12, 8 Receptacle and Plug Shell Sizes: 09, 11, 13, 15, 17, 19,21,23,25						340105802B 340105804B 340105806B 340105808B		
3401/062	01 to 27		Operatii +200	Operating temperature (°C): -65 to +200						340106212B 340106221B 340106206B 340106215B		
O	ft			4: <b>f</b> N		DI +( - )		<u> </u>				
Component M SOURIAU	lanuracturer	2	3 Rue d	u Vallon Marolles en	lanufacturin	g Plant(s)			Date:	original qualification appro 01/05/1995 ate Ref No. 220	val:	4
ESCC Specifications Maintenance of qual Generic: 3401 Detail(s): 3401/05 3401/06	ification testi Issue: 52 Issue:	5 ng: 5 3 5 3	used: No   Deviation	⊠ Yes	15 ent Specific	upply deta	cification		referen	eation Extension Report ce and date: 5-19-063 issue A 07/02/20		7
												8
			esults duri	ing current LAT	validity perio			appl	ication	(those to ESCC listed first)		
Project Name See Appendix 1	Tes	ting Level		LAI		Dai	e code			Quantity Del	ivered	
PID changes since s	tart of qualifi	cation		9	Current	<b>PID</b> Veri	fied by:			F. Nouals, CNES		10
None					Ref No:	701	J 92 M 2	EG		Name of Agency Representat	ive	
Minor* ⊠ Major* □						P	J 32 IVI 2	50		Deter	30/07/2020	
Major* □	*Provide de	tails in box:			Issue: Rev Date	-	01/2020			Date:	30/07/2020	
•		irveved by:			F. Noual	s. CNES			on	30/07/	2020	11
Current Manufacturin	ng facilities s	aiveyed by.							_			
	ng facilities s	arveyed by.		N	ame of Agend	y Represen	tative			(Da	te)	
	ng facilities s Yes	⊠	No	N:	ame of Agend Explair		tative			(Da	te)	



CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999. SERIES I Component title:

Appl. No.

Page 2

	Executive Member:	CNES	99, SERIES I	Date: 30/07/2020	00014
	LAGGULIVE IVICITIDEI.	OINLO		Date. 00/01/2020	220K
Failure Analysis, DPA, NCCS ava	ilable: Yes	□ No □			12
Ref. No's and purposes:					
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repo CNES as the responsible Executive Memb	en evaluated; - that ful rts and data are availa	I compliance to all able at the ESCC E	ESCC requirements xecutive and therefo	is evidence ore applies on behalf of	13
Date: 31/07/2020				JP. BUSSE	
				(0.9	,
Continuation of Boxes above:					14

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I Component title:

Executive Member: CNES Date: 30/07/2020 Page 3

Appl. No. 220K

and Safety Department

Non comp	pliance to ESCC requirements:				15
No.:	Specification	Paragraph	No	on compliance	
Additional	I I tasks required to achieve full compliance for liance:	I ESCC qualification or rationale for acceptability	of		16
	Manager Disposition				17
Application Action / R	on Approval: Yes ⊾ No □		S.H. D.	Digitally signed by Britta Schade Date: 2020.08.28	
Date:				11:10:49 +02'00' of the Product Assurance	



Component Title: CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON

TYPE MIL-C-38999, SERIES I

Executive Member: CNES Date: 30/07/2020

Page 4

Appl. No.

220K

18

## ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);

- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

340105201B06 1335PN	340105201B00 1335SN
340105201B06 1911PN	340105201B03 1911SN

Detail Specification reference:

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Wiring	$\boxtimes$	ESCC 3401 Para. 9.10	1947	4	0	
roup	Climatic Sequence	×	ESCC 3401 Para. 9.13	1947	4	0	
ental a Subgr	Permanence of Marking	$\boxtimes$	ESCC 24800	1947	4	0	
Environmental and Mechanical Subgroup	Corrosion	$\boxtimes$	IEC Publication No. 68-2-11	1947	4	0	
En	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness	$\boxtimes$	ESCC 3401 Para. 5.2.3	1947	4	0	
	Wiring	$\boxtimes$	ESCC 3401 Para. 9.10	1947	4	0	
	Rapid change of Temperature	$\boxtimes$	ESCC 3401 Para. 9.16	1947	4	0	
	Contact Retention	$\boxtimes$	ESCC 3401 Para. 9.17	1947	4	0	
Endurance Subgroups	Maintenance Ageing	×	ESCC 3401 Para. 9.27	1947	4	0	
	Endurance	$\boxtimes$	ESCC 3401 Para. 9.18	1947	4	0	
	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Joint Stength	$\boxtimes$	ESCC 3401 Para. 9.15	1947	4	0	
	Engage/Separ. Forces	$\boxtimes$	ESCC 3401 Para. 9.28	1947	4	0	
	Oversize Pin Exclusion	$\boxtimes$	ESCC 3401 Para. 9.29	1947	4	0	
	Probe Damage	$\boxtimes$	IEC Publication No. 512-8	1947	4	0	
lar .							
Additional Tests							
Ad							



Box 22

Additional Comments.

## APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I

CNES Date: 30/07/2020 Executive Member:

Page 6

Appl. No. 220K

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

Component title:

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member;
	- the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.