

CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CRIMP CONTACTS BASED ON TYPE D*MA Component Title:

Executive Member: **CNES** 11/12/2020

Page 1 Appl. No.

156N

Components (in	cluding s	eries and fa	amilie	es) sub	mitted fo	r Ext	ension	of Qu	ualificatio	n Approval:				_ 1_	
ESCC COMPONENT NO.	VA	RIANTS			RA	NGE	OF CC	MPC	NENTS			SED ON	TEST VEHICLE / S	Component SIMILAR	
3401/002				Complete range as defined in the Detail Specifications except high density 104 contacts arrangement are qualified Range of Contacts: - 9, 15, 25, 37 and 50 contacts size 20 for standard contact arrangements - 15, 26, 44, 62, 78 contacts size 22 for high density contact arrangements Gold-plated non-magnetic coating Operating Temperature Range (°C): -55 to +125					ity 104 co size 20 fo e 22 for h	or standard nigh	D*N	3401 002 02B DBMA 44PNMB 3401 002 02B DBMA 44SNMB 3401 002 02B DBMA 78PNMB 3401 002 02B DDMA 78SNMB 3401 002 01B DDMA 78SNMB 3401 002 01B DAMA 15SNMB 3401 002 01B DAMA 15SNMB 3401 002 01B DCMA 37SNMB 3401 002 01B DCMA 37			
3401/005	3401/005 01 to 08			Contacts: - variants 01 & 02: standard bucket for wire sizes AWG # 20 to 24 - variants 03 & 04: reduced bucket for wire sizes AWG # 26 and 28 - variants 05 & 06: large bucket for wire sizes AWG # 18 and 20 - variants 07 & 08: high density standard buckets for wire sizes AWG # 22, 24 and 26						ire sizes sizes AWG			340100501B 340100502B 340100503B 340100504B 340100505B 340100506B 340100507B 340100508B		
3401/020	1/020 01 & 02			Connector Savers - For usage with above connector range					vith abov	re			3401 020 01B DDBMA 25PSNMB 3401 020 02B DBBMA 78PSNMB		
3401/021	01 & 02	2		Contacts - For usage with above connector saver range											
Component Manufacturer SOURIAU				2 Location of Manufacturing Plant(s) 3 Rue du Vallon 94440 Marolles en Brie France					uring Pla	ant(s)	3	Date	Date of original qualification approval: Date: 05/08/1988 Certificate Ref No. 156		
Detail(s): 3401/002 Issue: 1			5 1 2	Deviation from current Specifications:				ly details in E		refer	lification Extension Report rence and date: 3949-19-124, Issue A, 27/08/20	7			
3401	3401/005 8 No ⊠ Yes □ (Supply details) 3401/020 8 3401/021 5					8									
Summary of pro	curement	t or equival	ent te	est res	ults durir	na cur	rent va	aliditv	period ir	n support of t	this ar	plication	on (those to ESCC listed first)	_ 0	
Project Nar		Testin						Date code					Quantity Delivered		
PID changes sir	nce start o	of qualificat	ion				9	Cui by:		Verified .			Nouals François, CNES	10	
None 🗆	None			<i>zy.</i>				<u>-</u>		N	Name of Excutive Representative				
Minor* ⊠	nor* ⊠						Ref No: ZQU 92 M 153			1 153					
Major* *Provide details in box:							Issue: U Rev Date: 01/02/2020			20		Date: 24/11/2020			
	I										-			11	
Current Manufacturing facilities surveyed by:									François NOUALS, CNES			or 			
	(Name of Executive Representative) (Date)														
Satisfactory:		Yes			No		Exp	olain							
Report Reference	ce:	CRIM_	1027	7778_2	3 Mai		_								

CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CRIMP CONTACTS BASED ON TYPE D*MA $\,$ Component title:

Page 2 Appl. No.

	Executive Memb	er:	CNES			Date:	11/12/2020	156N rev1
								12
- "								12
Failure Analysis, DPA, NCCS ava	ilable: Yes		No	\boxtimes	(Supply data)			
Ref. No's and purposes:								
								13
The undersigned hereby certifies on behalf	of the ESCC Exec	cutive - 1	that the abo	ve info	rmation is correct	: -		13
that the appropriate documentation has been	en evaluated; - tha	t full cor	mpliance to	all ESC	CC requirements i	s eviden	ce	
(except as stated in box 15;) - that the repo	rts and data are a	/ailable	at the ESC	C Exec	utive and therefor	re applies	on behalf of	> .
CNES as the responsible Executive Memb	per for ESCC quali	tication	status to be	exten	ded to the compo	nent(s) II	sted nerein.	wow
Date: 11/12/2020							JP. BUSSENC	
						(Si	gnature of the Executive	Coordinator)
								1
Continuation of Boxes above:								14

CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CRIMP CONTACTS BASED ON TYPE D*MA $\,$ Component title:

Executive Member: CNES Date: 11/12/2020 Page 3

Appl. No. 156N rev1

B. Schade: Head of the Product Assurance and Safety Department

Non comp	pliance to ESCC requirements:				15
No.:	Specification	Paragraph		Non compliance	
Additiona noncomp	Lasks required to achieve full compliance for liance:	L ESCC qualification or rationale for acceptability	of		16
Executive	Manager Disposition				17
Application / R	on Approval: Yes ⊠ No □ Remarks:				
Date:			5.H	Digitally signed by Britta Schade Date: 2020.12.18 14:34:34 +01'00'	



Component Title: CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CRIMP CONTACTS BASED ON TYPE D*MA

Executive Member: **CNES** Date: 11/12/2020 Appl. No.

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

Série	Références	Brochage	Répartition				
Serie	References	Brochage	LAT 1	LAT 2	Screw Lock	Raccords	
	3401 020 01B DDBMA 50PSNMB	Savers 50 points # 20	1	1	3401 022 06BNMB	1	
D*BMA	3401 020 01B DDBINA 30F 3NINB				3401 022 53B	1	
DOMA	3401 020 02B DBBMA 44PSNMB	Savers 44 points # 22	1	1	3401 022 06BNMB	1	
					3401 022 53B	1	
	3401 002 01B DBMAG 25PNMBFO	25 points# 20	1 couple	1 couple	3401 022 01BNMB	1	
	3401 002 01B DBMAG 25SNMBFO			1 couple	3401 022 65BNMB	1	
	3401 002 01B DEMA 9PNMBFO	9 points# 20	1 couple	1 couple	3401 022 48B	3401 072 35BNMB	
D*MA	3401 002 01B DEMA 9SNMBFO	9 points# 20	1 couple	1 couple	3401 072 03B	3401 072 25BNMB	
	3401 002 02B DAMAG 26PNMBFO	26 points# 22	1 couple	1 couple	3401 022 01BNMB	1	
	3401 002 02B DAMAG 26SNMBFO	20 points# 22	Couple	Couple	3401 022 65BNMB	1	
	3401 002 02B DCMA 62PNMBFO	62 points# 22	1 couple	1 couple	3401 072 01BNMB	3401 072 54BNMB	
	3401 002 02B DCMA 62SNMBFO			Couple	3401 022 01BNMB	3401 072 38BNMB	

Detail Specification reference: $3401/002,\ 3401/020,\ 3401/022,\ 3401/072$

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental and Mechanical Subgroup	Wiring	\boxtimes	ESCC 3401 Para. 9.10	1937	8		
	Climatic Sequence	\boxtimes	ESCC 3401 Para. 9.13	1937	8		
	Permanence of Marking		ESCC 24800	1937	8		
	Corrosion	\boxtimes	IEC Publication No. 68-2-11	1937	8		
En	Seal Test		ESCC 3401 Para. 9.9		0		NA
	Plating Thickness	\boxtimes	ESCC 3401 Para. 5.2.3	1937	8		
	Wiring		ESCC 3401 Para. 9.10	1937	8		
	Rapid change of Temperature		ESCC 3401 Para. 9.16	1937	8		
	Contact Retention	\boxtimes	ESCC 3401 Para. 9.17	1937	8		
sdnc	Maintenance Ageing	\boxtimes	ESCC 3401 Para. 9.27	1937	8		
Endurance Subgroups	Endurance	\boxtimes	ESCC 3401 Para. 9.18	1937	8		
S e S	Seal Test		ESCC 3401 Para. 9.9		0		NA
durai	Joint Stength		ESCC 3401 Para. 9.15	1937	8		
Ē	Engage/Separ. Forces	\boxtimes	ESCC 3401 Para. 9.28	1937	8		
	Oversize Pin Exclusion	\boxtimes	ESCC 3401 Para. 9.29	1937	8		
	Probe Damage	\boxtimes	IEC Publication No. 512-8	1937	8		
lal ,							
Additional Tests							
Ad							

156N rev1

18



CONNECTORS, ELECTRICAL, RECTANGULAR, REMOVABLE CRIMP CONTACTS BASED ON TYPE D*MA $\,$ Component title:

Executive Member: Date: 11/12/2020 Page 6

Appl. No. 156N rev1

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.