THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35* Component Title:

Appl. No.

Page 1

		Executive Member	er: Enter	prise Ireland		D	ate: 19/02/2021	266K ı	rev1	
Components (including	ng series and familie	s) submitted for Ext	ension of Qu	ualification A	Approval:			·	1	
ESCC COMPONENT NO.	VARIANTS	RANGE C	RANGE OF COMPONENTS		BASED ON		TEST VEHICLE / S	COMPONENT SIMILAR	Γ	
400601408; 400601409; and 400601413	00601409; and 13			10000 OHMS (Variant 09); 15000 OHMS (Variants 08 and 13)			G15K4D489 (Variant 08) (different res values and/c qualified lear		e rent	
Component Ma	<u> </u>		Location of Manufacturing Plant(s			_			4	
TE Connectivity Formerly MEAS Ireland (Betatherm) Ltd.		Ballybrit Busir Galway Ireland				Date of original qualification approval: Date: 10/07/2001 Certificate Ref No. 266				
		5			6				7	
ESCC Specifications Maintenance of quali		Deviations to used:	Deviations to LVT testing and Detail Specification				Qualification Extension Report reference and date:			
Generic: ESCC 4006	Issue: 4		15)				Extension of ESCC Qualification Report for ESCC 4006/014 Variants 08; 09 and 13 & Appendices 19/02/2020			
ESCC 4006/014	Issue: 10		Yes ⊠		replaces					
		'							8	
	<u> </u>				pport of this ap Date code	plicatio	n (those to ESCC listed fi	rst) Delivered		
Fiojectivalile	Project Name Testing Level		LAT C				(see annex – confidential			
							`	,		
PID changes since st	art of qualification		9 Cui	rrent PID V	erified by:	Johr	n Brierty, Enterprise Irelan	d	10	
None						Ex	cutive Agency Represent	ative		
Minor* □			Ref				ATION DOCUMENT (P.I. TAIL SPECIFICATIONS 4			
Major* ⊠	*Provide details in b	ox:	Issi		8	OOBL	Date:	18/02/2021		
	Cat 27-1 replaces (being rendered obs		1 Re	v Date: 1	8/02/2021					
									11	
Current Manufacturin	g facilities surveyed	by: 			nterprise Irelar	nd on —		/11/2018		
			(Excutive A	gency Repre	esentative)			(Date)		
Satisfactory:	Yes ⊠	No 🗆	Explain							
Report Reference:	ESA-TECQE	ES-RP-012503								

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35*

Page 2 Appl. No.

	Executive Member:	Enterprise	Ireland	Date: 19/02/2021	266K
5 11 A A 1 1 BBA NGGO	7.11				12
Failure Analysis, DPA, NCCS av	ailable: Yes	□ No		a)	
Ref. No's and purposes:					
					13
The undersigned hereby certifies on beha that the appropriate documentation has be	een evaluated; - that fu	Il compliance to	all ESCC requiremen	its is evidence	
(except as stated in box 15;) - that the rep Enterprise Ireland as the responsible Exe					
				PO R.	十.
				foln Brie	RIY
					O
Date: 19/02/2021				John Brierty, Ent	
				(Signature of the Executive	Coordinator)
Continuation of Boxes above:					14



THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35* Component title:

Executive Member: Enterprise Ireland Date: 19/02/2021

Page 3 Appl. No.

11/2		Executive Member:	Enterprise Ireland	Date:	19/02/2021	266K
Non com	pliance to ESCC requirements:					15
No.:	Specification		Paragraph		Non compliance)
N/A	N/A	N/A		N/A		
Additiona noncomp	I Il tasks required to achieve full co	mpliance for ESCC qua	alification or rationale for accept	ability of		16
Executive	e Manager Disposition					17
Application / R		No 🗆		5,	Digitally by Britta Date: 20. 18:47:09	Schade 21.02.23
Date.					hade: Head of the Product	

and Safety Department

Component Title:

THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35*

Executive Member: 19/02/2021 Enterprise Ireland Date:

Page 4

Appl. No.

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 4006 generic specification; Chart F4 (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

Chart F4 Tests on Variant 08 devices of ESCC 4006/014 - Date Code 1944B; which also requalifies Variants 09 and 13 by Structural

Detail Specification reference:

ESCC 4006/014 lss.10. Note that all references to MIL-STD-202 Test Methods; for the purposes of this requalification; relate to MIL-STD-202H – Issue Date 18th April 2015

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental / Mechanical Subgroups	Shock (Specified Pulse)	\boxtimes	MIL-STD-202-213	1944B	10	0	1944B is Variant 08 of 4006/014
	Vibration		MIL-STD-202-204	1944B	10	0	1944B is Variant 08 of 4006/014
	Dielectric Withstanding Voltages		ESCC 4006 Para. 8.9	1944B	10	0	1944B is Variant 08 of 4006/014
	External Visual Inspection	\boxtimes	ESCC Basic Specification No. 20500	1944B	10	0	1944B is Variant 08 of 4006/014
	Thermal Shock		MIL-STD-202-107	1944B	10	0	1944B is Variant 08 of 4006/014
	Resistance to Soldering Heat	\boxtimes	MIL-STD-202-210	1944B	10	0	1944B is Variant 08 of 4006/014
	Moisture Resistance	\boxtimes	MIL-STD-202-106	1944B	10	0	1944B is Variant 08 of 4006/014
	External Visual Inspection		ESCC Basic Specification No. 20500	1944B	10	0	1944B is Variant 08 of 4006/014
	Dissipation Constant		ESCC 4006 Para. 8.3.1.2	N/A	N/A	N/A	Test is not applicable; reference Paragraph 2.1.1.1 of ESCC 4006/014.
	Thermal Time Constant	\boxtimes	ESCC 4006 Para. 8.3.1.3	1944B	10	0	1944B is Variant 08 of 4006/014
	Solderability		MIL-STD-202, Test Method 208	1944B	10	0	1944B is Variant 08 of 4006/014
	Terminal Strength		MIL-STD-202- 211	1944B	10	0	1944B is Variant 08 of 4006/014
	External Visual Inspection		ESCC Basic Specification No. 20500	1944B	10	0	1944B is Variant 08 of 4006/014

18



THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35* Component Title:

Executive Member: Date: 19/02/2021 Enterprise Ireland

Page 5 Appl. No. 266K

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Short Time Load		ESCC 4006 Para. 8.16	N/A	N/A	N/A	Test is not applicable; reference Paragraph 2.1.1.1 of ESCC 4006/014.
	Low Temperature Storage (also see Additional Tests below)	×	ESCC 4006 Para. 8.17	1944B	20	0	1944B is Variant 08 of 4006/014
	Operating Life	\boxtimes	MIL-STD-202- 108	1944B	20	0	1944B is Variant 08 of 4006/014
Endurance Subgroups	Permanence of Marking	\boxtimes	ESCC Basic Specification No. 24800	1944B	20	0	1944B is Variant 08 of 4006/014
	External Visual Inspection	\boxtimes	ESCC Basic Specification No. 20500	1944B	20	0	1944B is Variant 08 of 4006/014
	Short Time load		ESCC 4006 Para. 8.16	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	Low Temperature Storage		ESCC 4006 Para. 8.17	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	High Temperature Storage		ESCC 4006 Para. 8.20	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
	External Visual Inspection		ESCC Basic Specification No. 20500	N/A	N/A	N/A	Test Sequence is not applicable; reference Note 3 to Chart F4 of ESCC 4006.
onal	Low Temperature Storage	\boxtimes	ESCC 4006 Para. 8.17	1944B	20	0	Low Temperature storage was performed for 168hrs instrad of 3 hrs to validate Cat 27-1
Additional Tests							
,							



Box 22

Additional Comments.

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

THERMISTORS, (THERMALLY SENSITIVE RESISTORS), NTC, BASED ON TYPES G15K4D489 AND *K3A35* Component title:

Executive Member: Enterprise Ireland Date: 19/02/2021 Page 7

Appl. No. 266K

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.