



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Power Mosfet STRH40P10, STRH12P10

Appl. No.

Executive Member: CNES

Date: 24/03/2021

326D

Components (including series and families) submitted for Extension of Qualification Approval:

1

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
5205/025	01, 02	TO-254AA	STRH40P10	ID3390900201	
5205/029	01, 02, 03	TO-257AA	STRH12P10	ID33709005ZS	
				ID33637009Z3 (TO254AA)	
				ID33637009ZC (TO254AA)	

Component Manufacturer STMicroelectronics	2	Location of Manufacturing Plant(s) 3, rue de Suisse BP4199, 35041 Rennes Cedex	3	Date of original qualification approval: Date: 22/03/2013	4	Certificate Ref No. 326
--	---	---	---	--	---	-------------------------

ESCC Specifications used for Maintenance of qualification testing: Generic: 5000 Issue: 10 Detail(s): 5205/025 Issue: 7 5205/029 Issue: 7	5	Deviations to LVT testing and Detail Specification used: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: STRH40P10HYG Lot ID3390900201 Chart F4 sg2 DC1916 STRH12P10GYG Lot ID33709005ZS Chart F4 sg2 and sg3 DC2017 STRH100N10HYG Lot ID33637009Z3 Chart F4 Sg1 et Sg3 DC2044 STRH100N10HYG Lot ID33637009ZC Chart F4 Sg1 et Sg3 DC1848	7
--	---	--	---	--	---

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)

8

Project Name	Testing Level	LAT	Date code	Quantity Delivered
See appendix				

PID changes since start of qualification None <input type="checkbox"/> Minor* <input checked="" type="checkbox"/> Major* <input type="checkbox"/> *Provide details in box:	9	Current PID Verified by: CNES Name of Representative Agency Ref No: 8097046 (generic) Rev 26 and 8212222 (specific Mosfet) rev 14 Issue: Date: 19/09/2018 Rev Date:	10
---	---	---	----

Current Manufacturing facilities surveyed by: Satisfactory: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explain	JB Sauveplane, CNES (Name of Executive Representative)	on (Date)	14/05/2019	11
Report Reference:	CR-Etude SMD.5 ST Mai 2019			



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Power Mosfet STRH40P10, STRH12P10

Executive Member: CNES

Date: 24/03/2021

Page 2

Appl. No.

326D

12

Failure Analysis, DPA, NCCS available: Yes No (Supply data)

Ref. No's and purposes:

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 06/04/2021

JP. BUSSENOT

(Signature of the Executive Coordinator)

14

Continuation of Boxes above:



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Power Mosfet STRH40P10, STRH12P10

Executive Member: CNES

Date: 24/03/2021

Page 3

Appl. No.

326D

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes No

Action / Remarks:

Date:

 Digitally signed
by Britta Schade
Date: 2021.04.29
13:13:08 +02'00'

B. Schade: Head of the Product Assurance
and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Power Mosfet STRH40P10, STRH12P10

Executive Member: CNES

Date: 24/03/2021

Page 4

Appl. No.

326D

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 5000 generic specification; Chart F4 (for ESCC/QPL parts);
- or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

STRH40P10HYG Lot ID3390900201 Chart F4 sg2 DC1916	STRH12P10GYG Lot ID33709005ZS Chart F4 sg2 and sg3 DC2017
STRH100N10HYG Lot ID33637009Z3 Chart F4 Sg1 et Sg3 DC2044	STRH100N10HYG Lot ID33637009ZC Chart F4 Sg1 et Sg3 DC1848

Detail Specification reference: 5205/025 & 5205/029

Chart F4	Test	Tick when done	Conditions	Date Code Diffusion Lot	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
Environmental/Mechanical Subgroup	Mechanical shock	<input checked="" type="checkbox"/>	MIL-STD-750 TM2016	1848 2044	15 +15	0	
	Vibration	<input checked="" type="checkbox"/>	MIL-STD-750 TM2056	1848 2044	15 +15	0	
	Constant acceleration	<input checked="" type="checkbox"/>	MIL-STD-750 TM2006	1848 2044	15 +15	0	
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1848 2044	15 +15	0	
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1848 2044	15 +15	0	
	External Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1848 2044	15 +15	0	
	Thermal shock	<input type="checkbox"/>	MIL-STD-750 TM1056				Only applicable to axial lead glass diodes
	Temperature Cycling	<input checked="" type="checkbox"/>	MIL-STD-750 TM1051	1848 2044	15 +15	0	
	Moisture Resistance	<input checked="" type="checkbox"/>	MIL-STD-750 TM1021	1848 2044	15 + 15	0	
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1848 2044	15 + 15	0	
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1848 2044	15 + 15	0	
	External Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1848 2044	15 + 15	0	
Endurance Subgroup	Operating Life	<input checked="" type="checkbox"/>	ESCC 5000 Para. 8.19	1916 2017	15 + 15	0	16 part used for HTRB 2000h and 14 parts used for HTGB 2000h
	Electrical Measurement	<input checked="" type="checkbox"/>	Intermediate and End-Point Electrical Measurements	1916 2017	15 + 15	0	
	Seal Fine leak Gross leak	<input checked="" type="checkbox"/>	MIL-STD-750 TM1071	1916 2017	15 + 15	0	
	External Visual Inspection	<input checked="" type="checkbox"/>	ESCC Basic Spec 20500	1916 2017	15 + 15	0	
Assembly Capability Subgroup	Permanence of Marking	<input type="checkbox"/>	ESCC Basic Spec 24800				Not applicable on Laser marking
	Terminal Strength	<input checked="" type="checkbox"/>	ESCC 5000 Para. 8.18	1848 2044	5 + 5	0	
	Internal Visual	<input checked="" type="checkbox"/>	ESCC Basic Spec 20400	1848 2044	5 + 5	0	
	Bond Strength	<input checked="" type="checkbox"/>	MIL-STD-750 TM 2037	1848 2044	3 + 3	0	
	Die Shear	<input checked="" type="checkbox"/>	MIL-STD-750 TM 2017	1848 2044	3 + 3	0	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Power Mosfet STRH40P10, STRH12P10

Executive Member: CNES

Date: 24/03/2021

Page 5

Appl. No.

326D

Chart F4	Test	Tick when done	Conditions	Date Code Diffusion Lot	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
Additional Tests	RGA	<input checked="" type="checkbox"/>	MIL-STD-750-1, METHOD 1018.6	2017	3	0	
		<input type="checkbox"/>					
		<input type="checkbox"/>					

**APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL**

Component title: Power Mosfet STRH40P10, STRH12P10

Executive Member: CNES

Date: 24/03/2021

Page 7

Appl. No.

326D

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL**ENTRIES**

Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.