	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL							Page 2	1				
LOCC			Component Title: Polyimide Insulated Wires and +200°C				nd Ca	ables, Low Frequency 600V, -100 to				Appl. N	0.
							5/2021		132F	R			
Components (including series and families) submitted for Extension of Qualification Approval:													
ESCC COMP. NO.	VARIANTS		RANGE OF COMPONENTS			BASED ON			EST ICLE / S	COMPONENT SIMILAR		Т	
3901 001	24 to 47		Voltage Rating, maximum (Vrms): 600			3901001**B		ESCC 39	01 001 29				
3901 002	31 to 73		Temperature Range (°C): -100 to +200			3901002**B		ESCC 39	3901.002.44				
Component M	anufacturer	2	Location of N	lanufa	cturing Plar	nt	3	'	1				4
Axon			Axon'Cable SA Route de Chalons enChampagne 51210 Montmirail				Date of original qualification approval: Date: 01/12/1979						
							Certificate Ref No. 132						
5 ESCC Specifications used for Maintenance of qualification testing: Generic: 3901 Detail(s): 3901 001 & 002			6 Deviations to LVT testing and Detail Specification used: No ⊠ Yes □ (supply details in Box 15) Deviation from current Specifications: No ⊠ Yes □ (Supply details)			on	7 Qualification Extension Report reference and date: PV4695A 22 March 2021 PV4696A 22 March 2021						
										5000 K / / K			8
Summary of procurement or equivalent test re Project Name Testing Level			LAT Date con										
See appendix													
PID changes since s	tart of qualification		9	Cu	rrent PID \	/erified by	:			louals, CNES			10
None □ Minor* ⊠ Major* □	*Provide detail			lss	ue:	ESA-PID- 16			ame of Exc	utive Represe Date:	ntative	26/05/2021	
				I Ke	v Date:	17/12/202	v						11
Current Manufacturing facilities surveyed by:			JB Sauveplane, CNES and F. Martinez, ESA				on 09/06/2015						
Satisfactory: Yes 🖂			(Name of Executive Representative) No □ Explain AXON-AU-2015						(Date)				
					,								

	APPLICAT	ON FOR EXTENSION OF	ESCC QUALIFICATION APPROVAL	Page 2			
ESCC	Component title:	Polyimide Insulated Wire +200°C	es and Cables, Low Frequency 600V, -100 to	Appl. No.			
	Executive Member:	CNES	Date: 26/05/2021	132R			
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No ⊠ (S	upply data)	12			
Ref. No's and purposes:							
The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence except as stated in box 15; - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.							
Date: 27/05/2021			JP BUSSENOT				
			((Signature of the Executive	Coordinator)			
Continuation of Boxes above:				14			

		4.01	PLICATION FOR EXTENSION O			
ESCC				Page 3		
		Component title: Polyimide Insulated Wires and Cables +200°C		, Low Frequency 600V, -100 to	Appl. No.	
		Executive N	lember: CNES		Date: 26/05/2021	132R
Noncomp	liance to ESCC requirements:					13
No.:	Specification		Paragraph		Non compliance	
NO	Specification		Falayiapii		Non compliance	7
Additional noncompl	tasks required to achieve full con iance:	mpliance for E	ESCC qualification or rationale for	 acceptability of 	f	14
Executive	Manager Disposition					45
						15
Applicatio Action / R	••	No 🗆				
////////	omano.					
					SH AN Britta Schade	
Date: 0	Click here to enter a date.				Date: 2021.06.3 17:25:58 +02'00	0 '
					B. Schade: Head of the Produc Safety Department	t Assurance and

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL	Dage 4							
	Component title: Polyimide Insulated Wires and Cables, Low Frequency 600V, -100	Page 4							
ES ES	+200°C	Appl. No.							
	Executive Member: CNES Date: 26/05/2021	132R							
NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL									
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.								
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.								
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.								
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.								
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.								
Box 7	Must reference the report(s) supplied in support of the application.								
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been of								
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.								
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.								
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.								
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis rep Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective satisfactory results.								
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the r Coordinator.	esponsible Executive							
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and re the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.	erence the Box 14 in							
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 e shall be sequentially numbered. If relevant state 'None'.	ach nonconformance							
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	likely to be accepted							
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modificati letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and								