ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, -

200 to +180°C

Page 1
Appl. No.

Executive Member: CNES 26/05/2021 Date: 291F 1 Components (including series and families) submitted for Extension of Qualification Approval: **ESCC** BASED TEST COMPONENT VARIANTS RANGE OF COMPONENTS COMP. NO. VEHICLE / S SIMILAR ON 3902 003 01 & 02 Variant 01 AWG 28/07 (white) and 3902.003.02 Space wire Variant 02 AWG 26/07 (blue) are qualified, 100 $\boldsymbol{\Omega}$ Data Rate, Operating Voltage (Continuous), Current Click here to enter text. Variant 01: 100Mb/s - 400MHz, 200V, 1.5A Variant 02: 200Mb/s - 400MHz, 200V, 2.5A 4 2 3 Component Manufacturer Location of Manufacturing Plant Axon'Cable SA Date of original qualification approval: Axon Route de Chalons enChampagne Date: 15/06/2009 51210 Montmirail Certificate Ref No. 7 5 ESCC Specifications used for Deviations to LVT testing and Detail Specification Qualification Extension Report Maintenance of qualification testing: used: reference and date: Generic: 3902 (supply details in Box PV4704 Issue A, 16^h March 2021 No \boxtimes Yes 15) Detail(s): 3902 003 Deviation from current Specifications: ☐ (Supply details) 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Testing Level LAT **Quantity Delivered** Project Name Date code See appendix 10 PID changes since start of qualification 9 Current PID Verified by: F. Nouals, CNES Name of Excutive Representative None Ref No: ESA-PID-01-AXON Minor* \boxtimes 16 Date: 26/05/2021 Major* *Provide detail Issue: 17/12/2020 Rev Date: 11 JB Sauveplane, CNES and F. Martinez, ESA on Current Manufacturing facilities surveyed by: 09/06/2015 (Name of Agency Representative) (Date) Satisfactory: AXON-AU-2015 Yes \boxtimes No Explain

	APPLICATI	ON FOR EXTE	NSION OF ESCC QUA	LIFICATION APPROVAL	Page 2
ESCC	Component title:	Cable, "Space 200 to +180°		ing Symmetric Cables, Flexible, -	Appl. No.
	Executive Member:	CNES		Date: 26/05/2021	291F
Failure Analysis, DPA, NCCS ava	illable: Yes	□ No	⊠ (Supply data)	Click here to enter text.	12
Ref. No's and purposes:					
The undersigned hereby certifies on behalf that the appropriate documentation has bee except as stated in box 15; - that the report CNES as the responsible Executive Memb	en evaluated; - that full s and data are availab	compliance to le at the ESCC	all ESCC requirements Executive and therefore	is evidence e applies on behalf of	13
Date: 27/05/2021				JP BUSSENOT	
27,00,202				((Signature of the Executive	Coordinator)
Continuation of Boxes above:					14

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, -200 to +180°C Component title:

CNES

Executive Member:

Date: 26/05/2021

and Safety Department

Page 3 Appl. No.

291F

٨	loncom	olianca	to	FSCC	requirements:
I١		Jilanice	ω		reduirements.

13

Noncompliance	e to ESCC requirements:			
No.:	Specification	Paragraph	Non compliance	
		1 21129.25		
A 1 100		5000 "" " 1 (1 1 1 1 1		l
noncompliance	s required to acnieve full compliance to :	r ESCC qualification or rationale for acceptability of		14
·				
Executive Man	ager Disposition			15
A Ii				
Application App Action / Remar				
Action / Remar	KS:			
			Digitally signed	
			Digitally signed by Britta Schade Date: 2021.06.30	
Data: Olicia	para ta antar a data		17:36:45 +02'00'	
Date: Click I	here to enter a date.		B. Schade: Head of the Product Assurance	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Cable, "Spacewire", Round, Quad Using Symmetric Cables, Flexible, -200 to +180°C Component title:

CNES Date: 26/05/2021 Executive Member:

Page 4

Appl. No.

291F

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

N.	OTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.