ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Polyimide Insulated Shielded Cables With Drain Wire, Low Frequency, 600V, -200 To +200 $^{\circ}\text{C}$ Based On Type SPLD Component Title:

Page 1 Appl. No.

		E	executive Member: CNES				Date:	26/05/2021		293F	
Components (includia	ng series and famil	ies) s	ubmitted for Extension of Qual	lification /	Approval:						1
ESCC COMP. NO.	VARIANTS		RANGE OF COMPONENTS		BASED ON		,			COMPONEN SIMILAR	iT
3901 021	01 to 41			SCC 3901 021 1		01 009					
			Temperature Range (°C): -2 +200	200 to				lick here to ente	r 390	01 019	
			All variants including AWG 3 qualified	30 are							
Component Ma	anufacturer	2	Location of Manufact	turing Plar	nt	3					4
Axon		Axon'Cable SA Route de Chalons enChampagne 51210 Montmirail			Date of original qualification approval: Date: 15/06/2009						
							Certificat	te Ref No. 29	93		
		5				6					7
ESCC Specifications used for Maintenance of qualification testing:			Deviations to LVT testing and Detail Specification used:			Qualification Extension Report reference and date:					
Generic: 3901			No ⊠ Yes □ (supply details in Box 15)			PV4701	A 6 April 2021				
Detail(s): 3901 021			Deviation from current Specifications:								
			No ⊠ Yes □ (Supply details)								
											8
Summary of procurer	ment or equivalent	test r	esults during current validity pe	eriod in su	pport of th	is ap	plication (t	hose to ESCC lis	sted first)		
Project Name	Testing Leve	<u> </u>	LAT		Date	code)		Quantity	Delivered	
See appendix											
											_
PID changes since st	tart of qualification		9 Curre	ent PID V	erified by:		Name	F. Nouals, (10
None □ Minor* ⊠			Ref N	اo. F	ESA-PID-0	1-AX		e of Excutive Re	presentative	E	
Major* □	*Provide detail		Issue		16	, , , , ,	.011		Date:	26/05/2021	
			Rev [Date: 1	17/12/2020)					
Current Manufacturin	na facilities surveve	d by:	JB Sauveplane,CN	NES and I	= Martines	, ES	A on		09/06/20	115	11
Current Manufacturin	ig lacilities surveye	u by.	(Name of Age			-			(Date)		
Satisfactory:	Yes ⊠		No □ Explain		AU-2015	,			(Date)	,	
Gausiacioi y.	163		TTO L Explain	AAON-	AU-2010						

	APPLICATI	ON FOR EXTE	NSION OF ES	SCC QUAL	IFICATIO	N APPROVAL	Page	2
ESCC	Component title: Polyimide Insulated Shielded Cables With Drain Wire, Low Frequency 600V, -200 To +200°C Based On Type SPLD				Wire, Low Frequency,	Appl. No.		
	Executive Member:	CNES			Date:	26/05/2021	293F	:
Failure Analysis, DPA, NCCS ava	ilable: Yes	□ No	⊠ (Sup	ply data)	Click he	ere to enter text.		12
Ref. No's and purposes:								
The undersigned hereby certifies on behalf that the appropriate documentation has bee except as stated in box 15; - that the report CNES as the responsible Executive Member	en evaluated; - that ful s and data are availab	I compliance to le at the ESCC	all ESCC requ Executive and	uirements is d therefore	s evidence applies o	n behalf of	- Work	13
Date: 27/05/2021					JP	BUSSENOT		
						gnature of the Executive	Coordinator)	
Continuation of Boxes above:								14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Polyimide Insulated Shielded Cables With Drain Wire, Low Frequency, 600V, -200 To +200 $^{\circ}\text{C}$ Based On Type SPLD Component title:

Executive Member: Date: 26/05/2021 Page 3

Appl. No. 293F

	13
Noncompliance to ESCC requirements:	

No.:	Specification	Paragraph		Non compliance	
Additional	I I tasks required to achieve full compliance for I	ESCC qualification or rationale for acceptability	of		14
noncompl	liance:				14
Evocutivo	Manager Disposition				1
LXCCUIIVE	· Manager Disposition				15
	on Approval: Yes 🗷 No 🗆				
Action / R	temarks:				
				f section of	
			7 11	Digitally signed by Britta Schade	
			5.4	Date: 2021.06.30	
Date: /	Click here to enter a date.			17:40:57 +02'00'	
Date:	Click here to enter a date.				

B. Schade: Head of the Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Polyimide Insulated Shielded Cables With Drain Wire, Low Frequency, 600V, -200 To +200 $^{\circ}\text{C}$ Based On Type SPLD Component title:

26/05/2021 Executive Member: Date:

Page 4

Appl. No. 293F

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.