_		Τ	APPLICATION	FOR	EXTENSIO	N OF ES	CC Q	UALIFI	CATION	APPROVAL		Page	1
LJUU			Component Title: Polyimide/Fluorothermoplast Insula Frequency, 600V, -200 to +200°C E									Appl. N	0.
			xecutive Member: CNES Date: 26/05/2021					/05/2021		300F			
Components (including series and families) submitted for Extension of Qualification Approval:													
ESCC COMP. NO.	VARIANTS		RANGE OF COMPONENTS			BASED ON			TEST HICLE / S	COMPONENT SIMILAR		Т	
3901 018	01 to 88		Voltage Rating, max 600	aximum (Vrms):		SPLD		390101	804	Click here to enter tex		text.	
			Temperature Range +200	(°C):	-200 to				Click he text.	ere to enter	Clic	ck here to enter	text.
			All variants including 32 are qualified	g AW(G 30 and						Clic	ck here to enter	text.
Component M	anufacturer	2	Location of N	lanufa	acturing Plar	nt	3	-					4
Axon			Axon'Cable SA Route de Chalons enChampagne 51210 Montmirail				Date of original qualification approval: Date: 15/12/2009						
							Certificate Ref No. 300						
		5					6						7
ESCC Specifications			Deviations to LVT testing and Detail Specification				Qualification Extension Report						
Maintenance of quali Generic: 3901	incation testing:		used: No ⊠ Yes □ (supply details in Box				reference and date: TEST REPORT N°4698 Issue A, 31 th March 2021						
Detail(s): 3901.01	8		15) Deviation from current Specifications:										
Detail(s): 3901 018			No ⊠ Yes □ (Supply details)										
Summary of procure	ment or equivalent	test r	esults during current v	aliditv	period in su	inport of t	nis an	onlicatio	n (those to	n ESCC listed	first)		8
Summary of procurement or equivalent test r Project Name Testing Level			LAT Date code										
See appendix													
PID changes since s	tart of qualification		9	Cu	rrent PID V	erified by	:		F.	Nouals, CNE	S		10
None 🗆					f Niel				ame of Ex	cutive Repres	sentativ	e	
Minor* ⊠ Major* □	*Provide detail					ESA-PID- 16	J1-AX	CON		Date	<u>-</u> .	26/05/2021	
	FIOVIDE DETAIL					17/12/202	0			Date		20/00/2021	
Current Manufacturir	ng facilities surveve	d bv [.]	JB Sauvenla	ne. Cl	NES and F	Martinez	ESA	on		ſ)9/06/20)15	11
can an mananataning idollitics surveyed by.			JB Sauveplane, CNES and F. Martinez, ESA (Name of Agency Representative)			(Date)							
Satisfactory:	Yes 🖂		No Explain AXON-AU-2015										
	_												

	APPLICAT	ON FOR EXTE	NSION OF ESCC QU	ALIFICATION APPR	OVAL	Page 2
ESCC	Component title:	Polyimide/Flue Frequency, 60	orothermoplast Insulat 00V, -200 to +200°C B	ed Wires And Cables ased On Type SPM	, Low	Appl. No.
	Executive Member:	CNES		Date: 26/05/20)21	300F
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No	⊠ (Supply data)		12
Ref. No's and purposes:						
The undersigned hereby certifies on behalt that the appropriate documentation has be except as stated in box 15; - that the report CNES as the responsible Executive Memb	en evaluated; - that ful ts and data are availab	I compliance to le at the ESCC	all ESCC requirement Executive and therefore	s is evidence ore applies on behalf (13
Date: 27/05/2021				JP BUSSEN	OT of the Executive Coo	rdinator)
				((0.9.101010)		
Continuation of Boxes above:						14

	r			1
	AP	PLICATION FOR EXTENSION OF ESCC QUA	ALIFICATION APPROVAL	Page 3
ESCC	Component title: Polyimide/Fluorothermoplast Insulated Wires And Cables, Low Frequency, 600V, -200 to +200°C Based On Type SPM			
	Executive N	Member: CNES	Date: 26/05/2021	300F
Noncompliance to ESCC requirements:				13
No.: Specification		Paragraph	Non compliance	9
	mpliance for f	ESCC qualification or rationale for acceptability		2
Executive Manager Disposition Application Approval: Yes <section-header> Action / Remarks:</section-header>	No 🗆		Digitally si by Britta S Date: 2021 17:45:44 + B. Schade: Head of the Produc	02'00'

	APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL	Page 4						
E	Component title: Polyimide/Fluorothermoplast Insulated Wires And Cables, Low	0						
	Frequency, 600V, -200 to +200°C Based On Type SPM	Appl. No.						
	Executive Member: CNES Date: 26/05/2021	300F						
NOTE	S ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVA	L						
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.							
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.							
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.							
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.							
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.							
Box 7	Must reference the report(s) supplied in support of the application.							
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already hav to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been draw							
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of sub be provided together with the reasons for the changes. Major changes shall be clearly marked.	ch evolution shall						
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the curren arranged as close as possible to the required date of extension.	nt PID should be						
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.							
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective actions satisfactory results.							
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the response Coordinator.	onsible Executive						
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and referer the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.	nce the Box 14 in						
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each shall be sequentially numbered. If relevant state 'None'.	nonconformance						
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard like by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.	y to be accepted						
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and date							