

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

CABLE, LOW MASS, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE,-100 TO +150°C Component Title:

Page 1 Appl. No.

		Executive Men	nber:	CNES			Da	ate: 26/05/2021		335C	
Components (include	ling series and familie	s) submitted for E	Extension	of Qualif	ication	Approval:					1
ESCC COMP. NO.	VARIANTS	RANGE	RANGE OF COMPONENTS			BASED ON		TEST VEHICLE / S			Т
3902 004	01	Variant 01	Variant 01 AWG 28/07			1		3902 004 01			
			Data Rate, Operating Voltage (Continuous), Current				Click here to enter text.				
		Variant 01: 200V, 1.5A		- 400MH	lz,						
Component Manufacturer 2 Axon		Axon'Cable Route de C	Location of Manufacturing Plant Axon'Cable SA Route de Chalons enChampagne 51210 Montmirail				Date of original qualification approval: Date: 15/06/2009			4	
							Certifi	icate Ref No. 291			
		5				6					7
ESCC Specification Maintenance of qua	Deviations used:	Deviations to LVT testing and Detail Specification used:				Qualification Extension Report reference and date:					
Generic: 3902	No ⊠	No ⊠ Yes □ (supply details in Box 15)				PV4705A, 15 th Mars 2021					
Detail(s): 3902 0	04	Deviation fi	rom curre		•						
. ,		No 🗵	Yes	_ (Supply	details)					
Summary of procur	oment or equivalent to	set reculte during	current ve	alidity po	iod in c	innert of this an	plication	n (those to ESCC liste	od firet)		8
Project Name	Testing Level		LAT	allulty per	100 111 30	Date code		TI (tilose to Loco liste		y Delivered	
See appendix										,	
PID changes since	start of qualification		9	Currer	nt PID \	/erified by:		F. Nouals, CN	ES		10
None								ame of Excutive Repr	esentativ	ve	
Minor* ⊠				Ref No		ESA-PID-01-AX	ON				
Major* □	*Provide detail			Issue: Rev D		16 17/12/2020		Da	ate:	26/05/2021	
Current Manufactur	ina facilitias sumusus d	hur ID Ca		ONEC	d ⊏ M	artinas FCA			00/06/5	1045	11
Current Manufactur	ing facilities surveyed	by: JB 38				esentative)	on		09/06/2 (Date		
Satisfactory:	Yes 🛛	No [·	plain		-AU-2015			,	•	

	APPLICAT	ION FOR EXTE	NSION OF ESCC QUA	ALIFICATION APPROVAL	Page 2	
ESCC	Component title: CABLE, LOW MASS, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE, -100 TO +150°C				Appl. No.	
	Executive Member:	CNES		Date: 26/05/2021	335C	
Failure Analysis, DPA, NCCS ava	uilable: Yes	□ No	⊠ (Supply data)	Click here to enter text.		12
The undersigned hereby certifies on behalf that the appropriate documentation has bee except as stated in box 15; - that the report CNES as the responsible Executive Member	en evaluated; - that ful s and data are availab	I compliance to ble at the ESCC	all ESCC requirements Executive and therefor	is evidence re applies on behalf of	ynere	13
Data: 27/05/2024				ID DUCCENOT		=
Date: 27/05/2021				JP BUSSENOT ((Signature of the Executive	e Coordinator)	-
Continuation of Boxes above:						14
Continuation of Boxos above.					<u>L</u>	-1-

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CABLE, LOW MASS, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE, -100 TO +150°C

Executive Member: CNES Date: 26/05/2021

Appl. No.

Page 3

Noncompliance to ESCC requirements:

13

иопсотр	liance to ESCC requirements:			
No.:	Specification	Paragraph	Non compliance	
Additional noncompl	ı tasks required to achieve full compliance for l liance:	ESCC qualification or rationale for acceptability	Oī	14
			'	
Executive	Manager Disposition			15
				10
	n Approval: Yes ⊠ No □			
Action / R	emarks:			
			(Digitally signed	
			Digitally signed by Britta Schade Date: 2021.06.30	
			Date: 2021 06 30	,
Date: /	Click here to enter a date.		17:50:42 +02'00'	'
Date: (UIIUN HEIE IU EHIEH A UAIE.		B. Schade: Head of the Product Assurance	
			and Safety Department	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: CABLE, LOW MASS, "SPACEWIRE", ROUND, QUAD USING SYMMETRIC CABLES, FLEXIBLE,-100 TO +150°C

Executive Member: CNES Date: 26/05/2021

Page 4

Appl. No.

335C

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL entry, letters to the manufacturer, etc. shall be entered clearly in Box 17, signed by the representative for ESA, and dated.