

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Component Title: Quartz Crystal Units in metal holder TO8

Page 1

D Seller	3LL	1	omponent rue.	Quartz	Crystal Uli	its iii iiiet	ai Hoic	iei 100	•		Appl. N	0.
		E	xecutive Member:	CNES	3			D	ate: 14/06/2021		334B rev	v.1
Components (includ	ing series and famil	ies) s	ubmitted for Extension	n of Qu	alification	Approval:						1
ESCC COMPONENT NO.	VARIANTS		RANGE OF CO	MPON	ENTS	В	ASED ON)	TEST VEHICLE / S		COMPONEN SIMILAR	IT
3501/019	All		Frequency Range :	2.5 to	140 MHz	Туре Т	1507		STC4587-A	All	other variants	
Companent M	lanufacturar	2	Location of Ma	anufool	turing Dlant	(0)	3					4
Component M RAKON France	ianuiaciurei	_ 2	Location of Ma 2 Rue Robert Keller 10 150 Pont Sainte		uring Plani	(s)	3	Date:	of original qualificatio 01/09/2015 ficate Ref No. 334	5	al:	4
		5					6					7
ESCC Specifications Maintenance of qual			Deviations to LVT to used:	esting a	and Detail S	Specificati	ion		fication Extension Re ence and date:	port		
Generic: 3501	Issue: 5		No ⊠ Yes					VOQ_T1507_51002109-A0 570_Dossier6321- DC1845.pdf				
Detail(s): 3501/0 ⁻²	19 Issue: 6		Deviation from curre No ⊠ Yes	ent Spe □	15) ecifications: (Supply o			Quali base Quali ESC	oras, pur fication Environmenta d on 51002109.570-A fication Mechanical s C3501019 based on 5 2/2021)	.0-ls02.pd ubgroup (if (08/02/2021) higher level) -	
			l .					(00/0	2/2021/			8
			esults during current v	alidity				plicatio				
Project Name SalesOverview_Sep mber2017- August2019.xlsx	Testing Le	evel	LAT			Date code	e		Qua	ntity Deliv	rered	
PID changes since s	tart of qualification		9	Cur	rent PID \	/erified by	/:		C.Douchet,CNES	3		10
None								N	ame of Agency Repre	esentative	:	
Minor* □				Ref	No:	PID GEN	_PSM	510018	381_E0			
Major* ⊠	*Provide details in Relocation of Arg Gennevilliers		ill manufacture to	Issu Rev		E0 17/02/202	21		Di	ate:	17/02/2021	
	1				NIEO 0 EO					04/04/06	245	11
Current Manufacturi	ng facilities surveye	a by:	-		ONES & ES		,	on —		01/01/20		
Satisfactory:	Yes ⊠		•	ne of A	gency Repr	esentativ	e)			(Date)	
Report Reference:	RAKPSM-Al annexes	JD-20	015-01 V1									

	APPLICATI	ON FOR EXTENSION	OF ESCC QUALIFICA	TION APPROVAL	Page 2
ESCC	Component title:	Quartz Crystal Unit	s in metal holder TO8		Appl. No.
	Executive Member:	CNES	Date	: 14/06/2021	334B rev.1
					12
Failure Analysis, DPA, NCCS ava	illable: Yes	⊠ No □	(Supply data)		
Ref. No's and purposes: 1CRKN901					
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repo CNES as the responsible Executive Members.	en evaluated; - that ful orts and data are availa	I compliance to all ES able at the ESCC Exec	CC requirements is evide cutive and therefore appl	ies on behalf of	13
					Wrone -
Date: 14/06/2021			_	JP. BUSSENO (Signature of the Executive (
				(Signature of the Executive C	- T
Continuation of Boxes above:	on 222D ooksoudodaa	a tha implamentation	by Dakan of abandon to	TCCC 2504 and 2504/040 th	14
Box 5 & 7 : This revision of CNES application implementation of environmental and mech These data will be supplemented, as a minimum.	anical tests and seque	ences of test.			_
These data will be supplemented, as a mill	mum, with endurance	testing in the context	or the flext Maintenance	of ESCO Qualification, due i	ii September 2021.

ESCC

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Quartz Crystal Units in metal holder TO8

Executive Member: CNES Date: 14/06/2021

Appl. No. 334B rev.1

Page 3

Non comp	pliance to ESCC requirements:			15
No.:	Specification	Paragraph	Non compliance	
Additional	I I tasks required to achieve full compliance for l	I ESCC qualification or rationale for acceptability	of	16
noncompl	liance:			16
Executive	Manager Disposition			17
Application / R	on Approval: Yes ⊠ No □		Digitally signed by Britta Schade Date: 2021.06.30	
Date:			17:49:12 +02'00' B. Schade: Head of ESA Product Assurance and Safety Department	ce



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Quartz Crystal Units in metal holder TO8

Appl. No.

Executive Member: **CNES**

14/06/2021 Date:

334B rev.1

18

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3501 generic specification; Chart F4 (for ESCC/QPL parts);
Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

STC4587-A / 12.000000MHz DC 1845 (7 additional parts for certificate revision)	STC5888-A / 13.446217MHz DC 1730	STC5946 / 50.040761MHz DC 1839
STC5947 / 49.768617MHz DC 1839	STC5968 / 10.000000MHz DC 1939	STC5885-A / 13.449545MHz DC 1811
STC5886-A / 13.442633MHz DC1811	STC5470-A / 50.349684MHz DC 1840	

3501/019 Detail Specification reference:

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Shock		IEC Publication No. 68-2-27	1845 + see above	3 + 14	0	
thanica	Vibration	\boxtimes	IEC Publication No. 68-2-6	1845 + see above	3 + 14	0	
al/Mec (Colur	Seal Test	\boxtimes	IEC Publication No. 68-2-17	1845 + see above	3 + 14	0	
Environmental/Mechanical Subgroup (Column 1)	Electrical Measurements at Reference Temperature	\boxtimes	Table 2 of the Detail Specification	1845 + see above	3 + 14	0	
ū	External Visual Inspection	\boxtimes	ESCC Basic Specification No. 20500	1845 + see above	3 + 14	0	
<u></u>	Climatic Sequence	\boxtimes	ESCC 3501 Para. 9.14	1845 + see above	3 + 17	0	
thanicann 2)	Rapid Change of Temperature	\boxtimes	IEC Publication No. 68-2-14	1845 + see above	3 + 17	0	
(Colur	Seal Test	\boxtimes	IEC Publication No. 68-2-17	1845 + see above	3 + 17	0	
Environmental/Mechanical Subgroup (Column 2)	Electrical Measurements at Reference Temperature	\boxtimes	Table 2 of the Detail Specification	1845 + see above	3 + 17	0	
Ш	External Visual Inspection	\boxtimes	ESCC Basic Specification No. 20500	1845 + see above	3 + 17	0	
Φ 0	Life Test	\boxtimes	ESCC 3501 Para. 9.17	1845 + see above	5	0	
Endurance Subgroup	Electrical Measurements during Endurance Testing		Table 6 of the Detail Specification	1845 + see above	5	0	
ш •	External Visual Inspection		ESCC Basic Specification No. 20500	1845 + see above	5	0	
Electrical Subgroup – Electr. Meas.	Electrical Measurements at Reference Temperature	\boxtimes	Table 2 of the Detail Specification	1845 + see above	5 + 31	0	
Electrical Subgroup Electr. Mea	Electrical Measurements at High and Low Temperatures		Table 3 of the Detail Specification	1845 + see above	5 + 31	0	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Quartz Crystal Units in metal holder TO8

Page 5
Appl. No.

Date: 14/06/2021

Executive Member: CNES

334B rev.1

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
al o – ab.	Solderability	\boxtimes	IEC Publication No. 68-2-20	1845	5	0	
Electrical Subgroup – Ass. Capab. Tests	Permanence of Marking		ESCC Basic Specification No. 24800			0	N/A : Cover engraved
Sul	Robustness of Terminations	\boxtimes	ESCC 3501 Para. 9.16	1845	5	0	
lar .							
Additional Tests							
Ad							



Box 22

Additional Comments.

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Quartz Crystal Units in metal holder TO8

Executive Member: CNES Date: 14/06/2021

Page 7

Appl. No. 334B rev.1

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.