

Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS Component Title:

Page 1 Appl. No.

		Exe	ecutive Membe	er: (CNES				D	ate: 05/08/2021		25S	
Components (including	ng series and familie	es) sub	omitted for Ext	ension	of Qualifi	ication A	Approval:						1
ESCC COMPONENT NO.	VARIANTS		RANGE C	OF CON	MPONEN	TS	В	ASED ON)	TEST VEHICLE / S		COMPONEN' SIMILAR	Т
3401/008	01		Circular Multicontacts connectors.			DBAS			See Box 18				
3401/009	01 to 20		Standard cont 3, 7, 12, 19, 2 wire size AW0	7, 37 o	or 61 conta								
3401/012	01 to 04		Special contactontacts size and 8.										
3401/064	01 to 41		Accessories for Circular Connectors 3401/008 (DBAS)										
Component Ma	anufacturer	2	Location	of Ma	nufacturir	ng Plant(s)	3					4
TE Connectivity, Connecteurs Electriq	ues Deutsch		17, rue Lavoisier 27000 Evreux France				Date of original qualification approval: Date: 03/07/1979						
									Certi	ficate Ref No. 25			
		5						6					7
ESCC Specifications Maintenance of quali			Deviations to LVT testing and Detail Specification used:			on	Qualification Extension Report reference and date:						
Generic: 3401	Issue: 5		No ⊠ Yes □ (supply details in Box 15)			PVE	025-190 VA, 15/07/2021	1					
Detail(s): 3401008 Issue: 6			Deviation from current Specifications:										
			No ⊠ Yes □ (Supply details)										
,						. ,.			r	// / F000 F / I	. ()		8
	Testing Le		LA		alidity peri		pport of t Date code		plicatio	on (those to ESCC listed	tirst) ty Delive	orod	
Project Name See file 2 Analyse de	T T	VCI	LA	V I			Jale Code	7		Quantil	y Delive	<u> 160</u>	
ventes VOQ 2021.pd													
PID changes since st	art of qualification			9	Current	t PID V	erified by	' :		CNES			10
None									N	ame of Representative	Agency		
Minor* ⊠					Ref No	: F	PID-025						
Major* □	*Provide details in	box:			Issue:		Q			Date) :	05/08/2021	
					Rev Da	ate: 2	7/07/202	1					
Current Manufacturing facilities surveyed by:				F. Nouals, CNES			on	n 2	9/07/20)21	11		
		•		(Name	e of Agen	cv Repre	esentative	e)			(Date)		
Satisfactory:	Yes 🖂		No 🗆	`	plain	,		-,			(=)		
Report Reference:	Compte Rend juillet 2021DS 2021.0011168	SO/AQ/	CQ-	_									

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Page 2 Component title: Connectors Miniature Electrical Circular Push-Pull Coupling Appl. No. Removable Crimp Contacts, based on type DBAS Executive Member: **CNES** Date: 05/08/2021 25S 12 Failure Analysis, DPA, NCCS available: Yes No (Supply data) Ref. No's and purposes: 13 The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein. 05/08/2021 Date: JP. BUSSENOT (Signature of the Executive Coordinator) Continuation of Boxes above: 14



Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS Component title:

Executive Member: CNES Date: 05/08/2021

Page 3 Appl. No.

	15
Non compliance to ESCC, requirements:	

No.:	Specification	Paragraph	Non compliance	
		. a.agrapii	. to oompilatioo	
Additional	I tasks required to achieve full compliance for	LESCC qualification or rationale for acceptability of	of	40
noncompl	liance:			16
Evecutive	Manager Disposition			
				17
	n Approval: Yes ☑ No □			
Action / R	emarks:			
			Britta Digitally signed by Britta Schade	
			Cchado Date: 2021.08.31	
Date:				
			B. Schade: Head of the Product Assurance and Safety Department	



Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS Component Title:

Executive Member: 05/08/2021

Page 4 Appl. No.

25S

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);
Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

Receptacle + accessory	Code date	Plug + accessory	Code date	Qty
340100801B-DBAS 74-61-0 SN-1A + 006-0910-61-A499 SCC	21-13A	340100801B-DBAS 76-61-0 PN + 006-0909-61-A499 SCC	21-11A	1
340100801B-DBAS 70-12-0 PN + 006-0908-14-A499SCC	21-13A	340100801B-DBAS 76-12-0 SN + 006-0908-14-A499SCC	21-13A	2

Receptacle + acce	ssory Code date	Plug + accessory	Code date	Qty
340100801B-DBAS 74-61 006-0910-61-A499	21-13A	340100801B-DBAS 76-61-0 PN + 006-0909-61-A499 SCC	21-11A	1
340100801B-DBAS 70- 006-0908-14-A499	21-12Δ	340100801B-DBAS 76-12-0 PN + 006-0908-14-A499SCC	21-09A	1

Detail Specification reference: 3401/008

		Tick	İ				
Chart V	Test	when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
	Wiring	\boxtimes	ESCC 3401 Para. 9.10	2113	3	0	
roup	Climatic Sequence		ESCC 3401 Para. 9.13	2113	3	0	
ental a	Permanence of Marking	\boxtimes	ESCC 24800	2113	3	0	
Environmental and Mechanical Subgroup	Corrosion		IEC Publication No. 68-2-11	2113	3	0	
En Meck	Seal Test		ESCC 3401 Para. 9.9	2113			NA
	Plating Thickness		ESCC 3401 Para. 5.2.3	2113	20	0	
	Wiring	×	ESCC 3401 Para. 9.10	2113	2	0	
Endurance Subgroups	Rapid change of Temperature	\boxtimes	ESCC 3401 Para. 9.16	2113	2	0	
	Contact Retention	\boxtimes	ESCC 3401 Para. 9.17	2113	2	0	
	Maintenance Ageing	\boxtimes	ESCC 3401 Para. 9.27	2113	2	0	
nbgr	Endurance		ESCC 3401 Para. 9.18	2113	2	0	
Security	Seal Test		ESCC 3401 Para. 9.9	2113			NA
durar	Joint Stength		ESCC 3401 Para. 9.15	2113	10	0	
핍	Engage/Separ. Forces	\boxtimes	ESCC 3401 Para. 9.28	2113	10	0	
	Oversize Pin Exclusion	\boxtimes	ESCC 3401 Para. 9.29	2113	10	0	
	Probe Damage	\boxtimes	IEC Publication No. 512-8	2113	10	0	
lar ,							
Additional Tests							
Ad ,							



Connectors Miniature Electrical Circular Push-Pull Coupling Removable Crimp Contacts, based on type DBAS

Executive Member: Date: 05/08/2021 Page 6

Appl. No. 25S

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

Component title:

ENTRIES	
Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.