



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220
 Executive Member: CNES Date: 29/03/2021

Page 1
 Appl. No.
 109Q

Components (including series and families) submitted for Extension of Qualification Approval:

ESCC COMPONENT NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3009 003 - 3009 004	03, 06	See box 14	0805 - 1210	3009003061001FE 3009003063900KE 3009004064701FE 3009004061002JC	
3009 005	03, 06		1812	3009005062201JE	
3009 006	03, 06		2220	3009006063302JE	
3009 022	03, 06		1206	AN20CD0222FT3/JT3 AN20CE0332JT3	

Component Manufacturer AVX France A division of AVX Corporation	2	Location of Manufacturing Plant(s) Avenue du Colonel Prat 21850 SAINT APOLLINAIRE – France	3	Date of original qualification approval: Date: 01/02/1983 Certificate Ref No. 109	4
---	---	--	---	---	---

ESCC Specifications used for Maintenance of qualification testing: Generic: 3009 Issue: 2 / 3 Detail(s): 3009/003 Issue: 7 / 6 3009/004 3009/005 3009/006	5	Deviations to LVT testing and Detail Specification used: No <input type="checkbox"/> Yes <input checked="" type="checkbox"/> (supply details in Box 15) Deviation from current Specifications: No <input checked="" type="checkbox"/> Yes <input type="checkbox"/> (Supply details)	6	Qualification Extension Report reference and date: VoQ 2021 Certificate 109 (Type 1), March 2021	7
--	---	--	---	---	---

Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first)

Project Name	Testing Level	LVT	Date code	Quantity Delivered
AIRBUS (TESAT) TAS		1	20-17	
ALTER A.BEHRENS (G)				
RUAG TTI			Feb. 2019 to Jan. 2021	25 817 parts

PID changes since start of qualification None <input type="checkbox"/> Minor* <input checked="" type="checkbox"/> Major* <input type="checkbox"/> *Provide details in box: 19	9	Current PID Verified by: JP Bussenot, CNES Name of Agency Representative Ref No: 1G2 PID 100 20WQ Issue: 20 Date: 11/02/2021 Rev Date: 10/02/2021	10
---	---	---	----

Current Manufacturing facilities surveyed by: JP Bussenot, CNES on 12/12/2018 (Name of Agency Representative) (Date)	11
Satisfactory: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Explain	
Report Reference: CNES/DSO/AQ/CQ-2018.0022759, 18/12/2018	



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Page 2

Component title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Appl. No.

Executive Member: CNES

Date: 29/03/2021

109Q

12

Failure Analysis, DPA, NCCS available: Yes No (Supply data) NCCS 2CAVX001

Ref. No's and purposes: 2CAVX001: TC between -30°C/ppm and -35°C/ppm on the end of 50V type 1 ranges manufactured with the ceramic 90CA and the lowest dielectric thickness (NCCS closed and appended)

13

The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; - that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein.

Date: 06/04/2021

JP. BUSSENOT

(Signature of the Executive Coordinator)

Continuation of Boxes above:

14

Style	Model	Detail Spec.	Variants	Capacitance Range (pF)	Rated Volt. (V)	Tolerance (±%)	TC (ppm/°C)
0805	A_12C	3009/003	03, 06	4.7 to 9.1 10 to 1 500 1800 to 2200	50, 100 50, 100 50	0.5 pF 1, 2, 5, 10 1, 2, 5, 10	± 30
1206	A_20C	3009/022	03, 06	10 to 3 900 4 700	50, 100 50	1, 2, 5, 10	± 30
1210	A_13C	3009/004	03, 06	22 to 6 800 8 200 to 10 000	50, 100 50	1, 2, 5, 10	± 30
1812	A_14C	3009/005	03, 06	100 to 15 000	50, 100	1, 2, 5, 10	± 30
2220	A_15C	3009/006	03, 06	470 to 33 000	50, 100	1, 2, 5, 10	± 30



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Executive Member: CNES

Date: 29/03/2021

Page 3

Appl. No.

109Q

Non compliance to ESCC requirements:

15

No.:	Specification	Paragraph	Non compliance

Additional tasks required to achieve full compliance for ESCC qualification or rationale for acceptability of noncompliance:

16

Executive Manager Disposition

17

Application Approval: Yes No

Action / Remarks:

Date:

SH 8/1
Digitally signed
by Britta Schade
Date: 2021.04.29
13:08:09 +02'00'

B. Schade: Head of the Product Assurance
and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component Title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types 0805, 1206, 1210, 1812, 2220

Executive Member: CNES

Date: 29/03/2021

Page 4

Appl. No.

109Q

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

18

Tests conducted in compliance with:

- ESCC 3009 generic specification; Chart V (for ESCC/QPL parts);
- Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

3009003061001FE (A612CE0102FNC) – DC 1928, 2017 3009003061001FE (A612CE0102F2J) – DC 1948 3009003063900KE (A612CE0391KNC) – DC 2024	3009004064701FC (A613CE0472FNC) – DC 1938, 2005 3009004061002JC (A613CD0103J2J) – DC 2020
3009005062201JE (A614CE0222JNC) – DC 2048 3009006063302JE (A615CE0333JNC) – DC 2007	AN20CD0222FT3 – DC 1943 AN20CE0332JT3 – DC 2025

Detail Specification reference: 3009/003/004/005/006

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental / Mechanical Subgroup	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*)	25 25 20 25 25 25 25 25 20	0	(*) Customer LVT
	Rapid Change of Temperature	<input checked="" type="checkbox"/>	IEC 60068-2-14	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*)	25 25 20 25 25 25 25 25 20	0	
	Steady State Humidity	<input checked="" type="checkbox"/>	ESCC 3009, Para. 8.2	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*)	25 25 20 25 25 25 25 25 20	0	1 000 hours
	Visual Inspection	<input checked="" type="checkbox"/>	ESCC 3009, Para. 8.5	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*)	25 25 20 25 25 25 25 25 20	0	

Endurance Subgroup	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*) 1943 (**) 2025 (**)	25 25 25 25 25 25 25 10 20 20	0	(*) Customer LVT (**) CECC	
	Operating Life	<input checked="" type="checkbox"/>	ESCC 3009, Para. 8.9	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*) 1943 (**) 2025 (**)	25 25 25 25 25 25 25 10 20 20	0	2 000 hours except (*) 1 000 hours (Customer LVT)	
	Electrical Measurements during Endurance Testing	<input checked="" type="checkbox"/>	ESCC 3009, Para. 8.9	1928 1938 1948 2005 2007 2020 2024 2048 2017 (*) 1943 (**) 2025 (**)	25 25 25 25 25 25 25 10 20 20	0		
Electrical Subgroup (Elect. Meas.)	Mounting	<input checked="" type="checkbox"/>	IEC 60384-1	1928 1948 2005 2007 2020 2024 2048 2017 (*)	10 6 6 6 6 6 6 3	0	Before Robustness of Terminations	
	Insulation resistance at +125°C	<input checked="" type="checkbox"/>	ESCC 3009, Para 8.10	1948 2005 2007 2020 2024 2048 2017 (*)	6 6 6 6 6 6 3	0		
	Temperature Coefficient (Type I)	<input checked="" type="checkbox"/>	ESCC 3009, Para. 8.10	1938 1948 2005 2007 2020 (**) 2048 2017 (*)	6 6 6 6 6 + 6 6 3	0 0 0 0 2 + 3 0 0	(*) Customer LVT (**) Initial measurements @ +125°C, -30,1 & -30,6 ppm/°C Second test @ +125°C, -30,3, -32 & -32,2 ppm/°C (See NCCS 2CAVX001)	
	Temperature Characteristic (Type II)	<input type="checkbox"/>	ESCC 3009, Para. 8.10					Not Applicable
	Robustness of Terminations	<input checked="" type="checkbox"/>	ESCC 3009, Para 8.7	1928 1948 2005 2007 2020 2024 2048 2017 (*)	10 6 6 6 6 6 6 3	0		

Assembly Capability Subgroup	Solderability	<input checked="" type="checkbox"/>	IEC 60068-2-58 Test Td	2017 (*)	3	0	(*) Customer LVT
	Permanence of Marking	<input type="checkbox"/>	ESCC 24800				Not Applicable
Additional Tests	Resistance to Soldering Heat	<input checked="" type="checkbox"/>	CECC 32101-801, +260°C - 30s	1943 2025	12 12	0	AN20CD0222F Lot B94100501 AN20CE0332J Lot C02000201
		<input type="checkbox"/>					
		<input type="checkbox"/>					

**APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL**

Page 6

Component title: Capacitors, Fixed, Chip, Ceramic Dielectric, type I, based on types
0805, 1206, 1210, 1812, 2220

Appl. No.

Executive Member: CNES

Date: 29/03/2021

109Q

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL**ENTRIES**

Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.