

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

TRANSISTORS, POWER MOSFET Type BUY **CS**; N-CHANNEL, BASED ON TYP BUY15CS Component Title:

DLR Executive Member: Date: 08/10/2021 Page 1

Appl. No.

		Executive Member:	DLR		D	ate: 08/10/2021	33	9C
Components (including	ng series and familie	s) submitted for Extension	of Qualification A	Approval:				1
ESCC COMPONENT NO.	VARIANTS	RANGE OF CO	RANGE OF COMPONENTS)	TEST VEHICLE / S	COMPON SIMILA	
5205/031	01R 02R 03R				J-01 'A-01 K-01	2044E	Х	
	04R			BUY15CS45	B-01	2107C		
Component Ma	anufacturer	2 Location of Ma	anufacturing Plant((s) 3				4
Infineon Technologie	_	Villach, Austria for S Neubiberg, German	ilicon		Date of original qualification approval: Date: 2016			
					Certif	icate Ref No. 339, ini	itial: May 2016	
		5		6				7
ESCC Specifications Maintenance of quali		Deviations to LVT to used:	esting and Detail S	fication Extension Report ence and date:	Į.	·		
Generic: 5000	Issue: 8/		15)	etails in Box	2013LR10, lss. 1b, Aug. 2021 2013LR20, lss. 1a, Aug. 2021 2013LR30, lss. 1, Aug. 2021			
Detail(s):	Issue:	Deviation from curre	ent Specifications.			2013LR40, Iss. 1, Aug. 2021		
5205/027 5205/030	2 2	No ⊠ Yes	☐ (Supply d	letails)		LR50, Iss. 1a, Aug. 2021 LR60, Iss. 1, Aug. 2021		
5205/031	1				20101			
								8
		st results during current v	1		plicatio			
Project Name	Testing Lev	el LAT		Date code		Quantity	Delivered	
					ĺ			
PID changes since st	art of qualification	9	Current PID V	erified by:		B. Gökgöz (DLR)		10
None					N	ame of Excutive Represe	ntative	
Minor* ⊠						GEPID-P000, Issue 2f, 13 L5491-P000, Issue 9a, 13		
Major* □	*Provide details in b	ox.	'	Detail PID: A	03300-1	_5491-P000, ISSUE 9a, 13). 10.2021	
[1 TOVIGE GETAILS III D	UA.	1					
			•					11
Current Manufacturin	g facilities surveyed	by: DL	R (B. Gökgöz, T. l	(aupisch	on	13	/10/2021	
		(Nam	e of Executive Re	presentative)	<u>_</u>		(Date)	
Satisfactory:	Yes 🗵	No □ Ex	plain					
Report Reference:	Infineon_MoQ_ 1.5	_2021_MoM_Rev						

	APPLICAT	ION FOR EXTENSION	ON OF ESCC QUALIFIC	CATION APPROVAL	Page 2
ESCC	Component title:	TRANSISTORS, P BASED ON TYP B	BUY **CS**; N-CHANNEL,	Appl. No.	
	Executive Member:	DLR	Da	ate: 08/10/2021	339C
					12
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No ⊠	(Supply data)		
Ref. No's and purposes: Available fr	om 250V activities: CA	A0628 (SMD) & CA06	654 (TO)).		
The undersigned hereby certifies on behalf	ef the ECCC Evenution	va that the above in	formation is somet.		13
that the appropriate documentation has be	en evaluated; - that ful	I compliance to all E	SCC requirements is ev		
(except as stated in box 15;) - that the repo DLR as the responsible Executive Member					
				Bellooke gå	lighs
Date: 17/11/2021				B. Gökgöz	
				(Signature of the Executive 0	Coordinator)
Continuation of Boxes above:					14



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

TRANSISTORS, POWER MOSFET Type BUY **CS**; N-CHANNEL, BASED ON TYP BUY15CS Component title:

Page 3

Appl. No.

			Executiv	e Member:	DLR		Date:	08/10/2021	3390)
lon complia	nce to ESCC red	quirements:								1
No.:	Sp	ecification			Paragraph			Non complia	ance	
								·		
dditional ta	sks required to a	chieve full c	ompliance f	or ESCC qual	lification or rational	e for acceptability	of			
oncompliar	ice:									L
executive M	anager Dispositio	on								
pplication A	Approval: Yes	X	No 🗆	1						
ction / Rem				-						

Date:

Britta Digitally signed by Britta Schade Schade Date: 2021.12.20 14:03:55 +01'00'

B. Schade:Head of the Product Assurance and Safety Department



APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

TRANSISTORS, POWER MOSFET Type BUY **CS**; N-CHANNEL, BASED ON TYP BUY15CS Component Title:

08/10/2021 Executive Member: Date:

Page 4 Appl. No.

339C

18

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 5000 generic specification; Chart F4 (for ESCC/QPL parts); or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

BUY25CS54A-01, AC SG, EndSG, EnvMechSG BUY25CS54A-01, Solderability
BUY25CS12K-01, AC SG. Solderability
BUY15CS45B-01. EndSG
BUY15CS23J-01, EnvMechSG
BUY25CS45B-01, EnvMechSG

Detail Specification reference: 5205/027; 5205/030; 5205/031

Chart F4	Test	Tick when done	Conditions	Date Code Diffusion Lot	Tested Qty	N° of Rejects	Comments if not performed. Comments on Rejection
	Mechanical shock	\boxtimes	MIL-STD-750 TM2016	2044E 2014A 2005A.	17 17 17.	0 0 0.	
	Vibration	\boxtimes	MIL-STD-750 TM2056	2044E 2014A 2005A.	17 17 17.	0 0 0.	
	Constant acceleration	\boxtimes	MIL-STD-750 TM2006	2044E 2014A 2005A.	17 17 17.	0 0 0.	
group	Seal Fine leak Gross leak	\boxtimes	MIL-STD-883 TM1014	2044E 2014A 2005A.	17 17 17.	0 0 0.	See Appendix 'A' in ESCC Detail Specifications – Deviations from Chart F4
al Sub	Electrical Measurement	\boxtimes	Intermediate and End-Point Electrical Measurements	2044E 2014A 2005A.	17 17 17.	0 0 0.	
echanic	External Visual	×	ESCC Basic spec 20500	2044E 2014A 2005A.	17 17 17.	0 0 0.	
al/Me	Thermal shock		MIL-STD-750 TM1056				Temperature Cycling performed
Environmental/Mechanical Subgroup	Temperature Cycling	\boxtimes	MIL-STD-883 TM1010	2044E 2014A 2005A.	17 17 17.	0 0 0.	See Appendix 'A' in ESCC Detail Specifications – Deviations from Chart F4
	Moisture Resistance	\boxtimes	MIL-STD-750 TM1021	2044E 2014A 2005A.	17 17 17.	0 0 0.	
	Seal Fine leak Gross leak	\boxtimes	MIL-STD-883 TM1014	2044E 2014A 2005A.	17 17 17.	0 0 0.	See Appendix 'A' in ESCC Detail Specifications – Deviations from Chart F4
	Electrical Measurement	\boxtimes	Intermediate and End-Point Electrical Measurements	2044E 2014A 2005A.	17 17 17.	0 0 0.	
	External Visual	\boxtimes	ESCC Basic spec 20500	2044E 2014A 2005A.	17 17 17.	0 0 0	
	Operating Life	\boxtimes	ESCC 5000 Para. 8.19	2107C 2005A.	17 17.	0	
ance	Electrical Measurement	\boxtimes	Intermediate and End-Point Electrical Measurements	2107C 2005A.	17 17.	0	
Endurance Subgroup	Seal Fine leak Gross leak	\boxtimes	MIL-STD-883 TM1014	2107C 2005A.	17 17.	0	See Appendix 'A' in ESCC Detail Specifications – Deviations from Chart F4
	External Visual Inspection	\boxtimes	ESCC Basic spec 20500	2107C 2005A.	17 17.	0	
ty	Permanence of Marking		ESCC Basic Spec 24800				n.a. due to laser marking
pabili p	Terminal Strength		ESCC 5000 Para. 8.18	2107B	6	0	
mbly Capa Subgroup	Internal Visual	\boxtimes	ESCC Basic Spec 20400	2005A 2107B	6 6	0 0	
imbly Sub	Bond Strength	\boxtimes	MIL-STD-750 TM 2037	2005A 2107B	6	0	
Assembly Capability Subgroup	Die Shear		MIL-STD-750 TM 2017	2005A 2107B	6	0	

<u>a</u>	Solderability	\boxtimes	MIL-STD-750, TM 2026	2031B 2107B	6 6	0	
Additional Tests						-	
Ad							



Box 22

Additional Comments.

APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

TRANSISTORS, POWER MOSFET Type BUY **CS**; N-CHANNEL, BASED ON TYP BUY15CS Component title:

Executive Member: DLR 08/10/2021 Date:

Page 7 Appl. No.

339C

NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.