

### APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

CONNECTORS ELECTRICAL RECTANGULAR REMOVABLE CRIMP CONTACTS, BASED ON TYPE D\*MA  $\,$ Component Title:

Executive Member:

Date: 11/01/2022

Page 1 Appl. No.

72 T

Components (includi	ing series and families)	submitted for	Extension	of Qu	ıalificatioı	n Approval:					1
ESCC COMPONENT NO.	VARIANTS		RANGE C	F CO	MPONE	NTS		BASED ON	TEST VEHICLE / S	COMPON SIMILA	
3401/002	01 & 02	15, 25, 37 density lay - AWG # 2	and 50 siz	e 20* pts w andar	contacts	of Contacts: 9 s for standard : : variants 01		D*MA	See Annex 1 page 4	D*M	
3401/005	01 to 08	and 04) pe -AWG # 1 06) per 34	AWG # 26 and 28 (reduced bucket: variants 03 and 04) per 3401/005 -AWG # 18 and 20 (large bucket: variants 05 to 06) per 3401/005, 15, 26, 44, 62, 78 and 104 size 22** contacts for high density layout. **								
3401/020	01 & 02	bucket: va Mounting	ariants 07 to	o 08) <sub> </sub> k: sta	per 3401 ndard mo	26 (standard /005 ounting holes					
3401/021	01 & 02	Savers: F	Gold-plated non-magnetic coating Connector cavers: For usage with above connector range operating Temperature Range (°C): -55 to +125								
3401/097	01 & 02 (only 4 way)	For varian	it 2 only 4 v	vay				Space Splice			
Component M	anufacturer 2	Loca	ation of Ma	nufac	turing Pla	ant(s)	3				4
C&K Components		2, rue Berthollet 39100 DOLE - France				Date of original qualification approval: Date: 12/02/1981					
			Certifica						No. 72 T		
	5						6				7
ESCC Specifications Maintenance of qual	s used for	Deviations used:	s to LVT te	sting a	and Deta	il Specificatio		Qualification Ex	xtension Report date:		
Generic: 3401	Issue: 5	No ⊠	Yes		(supply	y details in Bo	X	D210160C Cor D210162C Cor			
Detail(s): 3401/00 3401/00 3401/02 3401/02 3401/02	02 13 05 10 20 9 21 5	Deviation	from curre	nt Spe	ecificatior	ns:		D210498C for :	space splice		
		No ⊠	Yes		(Suppl	ly details)					-
											8
	ment or equivalent test	results during		alidity	period in		is ap	oplication (those to			
Project Name	Testing Level	_	LAT		1	Date code		-	Quantity Delive	erea	
See appendix											
PID changes since s	start of qualification		9	Cur	rrent <b>PID</b>	Verified by:		Noua	ls François, CNES		10
None								Name of Ex	cutive Representative	Э	
Minor* ⊠				Ref	No:	CS-FR009					
Major* □	*Provide details in box	:		Issu	ue:	7 rev P			Date:	11/01/2022	
				Rev	v Date:	01/05/2021					
Current Manufacturin	ng facilities surveyed by	:		No	ouals Fra	ınçois, CNES		on	15/09/20	21	11
		_	(Name	e of E	xecutive	Representati	ve)		(Date)		
Satisfactory:	Yes ⊠	No	•	olain		·	,		,		
Report Reference: CRIM du 15/09/21											

	APPLICATI	ON FOR EXTE	ENSION	OF ESCC QUAI	LIFICATI	ON APPROVAL	Page	2
<b>ESCC</b>	Component title:			OTRICAL RECTA		R REMOVABLE CRIMP	Appl. N	lo.
	Executive Member:	CNES			Date:	11/01/2022	72 T	
								12
Failure Analysis, DPA, NCCS ava	ilable: Yes	⊠ No		(Supply data)			<u>-</u>	
Ref. No's and purposes:								
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repo CNES as the responsible Executive Member	en evaluated; - that ful rts and data are availa	I compliance to able at the ESC	all ESC C Execu	C requirements in tive and therefore the contraction of the contractio	s evidend re applies	on behalf of	neve	13
Date: 17/01/2022						JP. BUSSENOT	Γ	
					(S	gnature of the Executive C	Coordinator)	
Continuation of Boxes above:								14
Box 1: Addition of Space Splice per ESCC	3401/097 and report I	D210498C						

Г

<b>ESCC</b>

### APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

CONNECTORS ELECTRICAL RECTANGULAR REMOVABLE CRIMP CONTACTS, BASED ON TYPE D\*MA  $\,$ Component title:

Executive Member: Date: 11/01/2022 Page 3

Appl. No. 72 T

		1	5
Non comp	pliance to ESCC requirements:		

No.:	Specification	Paragraph	Non compliance	
Additional	I tasks required to achieve full compliance for	ESCC qualification or rationale for acceptability	of	16
noncompl	liance:			16
Executive	e Manager Disposition			17
				17
	on Approval: Yes ☑ No ☐			
Action / R	Remarks:			
			<b>Britta</b> Digitally signed	
			by Britta Schade	
			Cala a da Date: 2022.01.28	3
Date:			SChade <sub>11:20:48 +01'00'</sub>	
			P. Cohada: Haad of the Draduat Assurance	

schade: Head of the Product Assurance and Safety Department



#### APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

Component CONNECTORS ELECTRICAL RECTANGULAR REMOVABLE Title: CRIMP CONTACTS, BASED ON TYPE D\*MA

Executive CNES Date 11/01/2022 Member: : 11/01/2022

Appl. No.

Page 4

ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts);

Or PID-TFD (for ESCC/QML parts)

Tests vehicle identification/description:

Rapport D210162C page 3/6

Level 1 Environnemental and Mechnical subgroup

					•							
Traceability	N°	Connector Description	C&K Part Number	Date Code	Contact Description / C&K Part Number	Date Code	Wiring	Wire Type	Crimp Tool	Locator	Selector Position	Accessories / Backshells
Appendix 3		DAM15PNMBOL3 340100101B	C115371-5154	2105A	15 cts D*M Pin #20 OL3 SD Straight PCB	/	Not Applicable	/	/	/	/	,
Appendix 4	1.1	DAMA15SNMB-FO 340100201B	C115370-5013	2105B	15 ets D*MA Skt #20/20 340100502B C031-8996-101H	2105	Applicable	AWG20	M22520/2-01	M22520/2-08	7	/
Appendix 5		DEMA15PNMB-FO 340100202B	C115368-5031	2111A	15 cts D*MA Pin #22/22 340100507B C330-8998-101H	2105A	Applicable	AWG22	M22520/2-01	M22520/2-09	4	Backshell 340102281B C115366-2274C DC2105A
Appendix 6	1.2	DEBMA15PSNMB-FO 340102002B	C115368-6015	2105A	15 cts D*MA Savers #22/22 340102102B C031-8992-101H	2107A	Not Applicable	1	/	/	/	1
Appendix 7		DEM15SNMBOL3 340100102B	C115371-6601	2105A	15 cts D*M Skt #22 OL3 HD Straight PCB	/	Not Applicable	/	/	/	/	Lightweight Backshell 340107205B NMBA-A174 C115366-2586D DC2105A
Appendix 8	1.3	DAM26PNMB 340100102B	C115371-6852	2105A	26 cts D*M Pin #22/22 Soder Bucket	/	Applicable	AWG22		Solder Iron		1
Appendix 9	1.3	DAMA26SNMB-FO 340100202B	C115368-5033	2105B	26 ets D*MA Skt #22/22 340100508B C031-8998-101H	2105A	Applicable	AWG22	M22520/2-01	M22520/2-06	4	/

## Level 2 Endurance Subgroup

Traceability	N°	Connector Description	C&K Part Number	Date Code	Contact Description / C&K Part Number	Date Code	Wiring	Wire Type	Crimp Tool	Locator	Selector Position	Accessories / Backshells
Appendix 10	2.1	DBMA25PNMB-FO 340100201B	C115370-5014	2105A	25 cts D*MA Pin #20/26 340100503B C330-8997-101H	2107A	Applicable	AWG26	M22520/2-01	M22520/2-08	7	/
Appendix 11		DBM25SNMB 340100101B	C115371-5015	2108A	25 cts D*M Skt #20/20 Soder Bucket	/	Applicable	AWG26	Solder Iron		/	
According 12	DBMSWSPNMB CUKSTLED		CHEST FOR	2105B	2 cts Coax Pin Crimp Braid 340100415B C053740-0013C	2105A	Applicable	50CIS ESCC 3902/001	HX4 M22520/5-01	/	Closure B	,
	340100101B	340100101B C115371-5016	2105B	3 ets Power Pin Crimp Braid 340104011B C115224-3010C	2108A	Applicable	AWG 12	M300BT	UH2-5	1	,	
A		DBM5W5SNMB	C11C221 C012	21004	2 ets Coax Skt Crimp Braid 340100416B C053742-0014C	2105A	Applicable	50CIS ESCC 3902/001	HX4 M22520/5-01	/	Closure B	,
Appendix 13		340100101B	C115371-5017	2108A	3 cts Power Skt Solder Braid 340104004B C115224-2020C	2107A	Applicable	AWG 12		Solder Iron		,

Contac rapport D 210160

Level	N°	Contact Type	Contact Reference	C&K Part Number	Date Code	Batch N°	Tracability
	1 to 10	Skt D*MA Standard # 20/20 Crimp Type	340100502B	C031-8996-101H	2105A	20-2294	Appendix 2
	1 to 10	Savers Pin/Skt D*BMA #22	340102102B	C031-8992-101H	2107A	20-2043	Appendix 3
	1 to 10	Skt D*MA Standard # 22/22 Crimp Type	340100508B	C031-8998-101H	2105A	20-1321	Appendix 4
	1 to 10	Skt D*MHD-OL3-NM-AS-T12	/	C031-8999-101	/	20-1953	Appendix 5
2	1 to 10	Skt D*M-SOLDER-NM-AS-T12	/	C031-8919-101	/	20-2227	Appendix 6
	N°	Contact Type	Contact Reference	C&K Part Number	Date Code	МО	Tracability
	1 to 10	Pin D*M Coaxial Crimp Braid Type	340100415B	C053740-0013C	2105A	M219660	Appendix 7
	1 to 10	Skt D*M Coaxial Crimp Braid Type	340100416B	C053742-0014C	2105A	M219670	Appendix 8
	1 to 10	Skt D*M Power Solder Braid Type	340104004B	C115224-2020C	2107A	M224650	Appendix 9

18


### TRACEABILITY OF SPACE SPLICE GROUP I

N°	Connector Description	Variant	Mounting type	C&K Part Number	Date Code
1.1 to 1.4	SPACE SPLICE 340109701B	01B	No mounting holes (N)	C115366-2776C	2128B
1.5 to 1.8	SPACE SPLICE 340109702B 04RA3014	02B	Radial (R)	C115366-3014C	2128B
1.9 to 1.12	SPACE SPLICE 340109702B 94AA3015	02B	Axial (A)	C115366-3015C	2128B

# TRACEABILITY OF CONTACTS & WIRES

Contact Type	Description	Part number	Wire Type	Crimp Tool	Locator	Selector Position
CTPIND*MA-2020-NM-AS-T14-P			FIL SCC3901-002- 59 B3 AWG20		M22520/2-08	
CTSKTD*MA-2020-NM-AS-T14-P			(C970-8838-000)	M22520/2-01	M12252012-08	,

### DEVIATIONS FROM QUALIFICATION TESTS (Chart IV)



No failures allowed

# ABSTRACT OF RESULTS OF TESTS

PLANT NAME AND ADDRESS: C & K components SAS.		Generic specification number : - Generic specification ESCC 3401 - Issue 5 - March 2018							
B.P. 359	Contain specific		and a resident and the		D210162C Test report date :				
39105 DOLE CEDEX	Detail specificat	ion number:			March 10th 2021				
FRANCE	- Detail specifica	Product :							
	- Detail specifica	- Detail specification ESCC 3401/002 - Issue 12 - April 2020							
	<ul> <li>Detail specifica</li> </ul>	- Detail specification ESCC 3401/004 - Issue 4 - April 2014							
		tion ESCC 3401/005 -							
			Issue 9 - December 2020	)					
		tion ESCC 3401/021 -							
		tion ESCC 3401/022 -							
		tion ESCC 3401/040 -							
		tion ESCC 3401/072 -	issue 10 - June 2020 0-26C - Rev1 - 15 Marci	2017					
				12017					
	- Applicable doci	uments : ECSS-Q-ST-7	0-08C - 6 March 2009						
Test or Group	ESCC 3401	Number Tested	Number Passed	Number Failed	Remarks				
LEVEL 1									
Wiring	§ 9.10				Appendix 1 pages 1 to 4				
- voltage drop					Not Applicable				
- connection resistance					Electrical measurements that IV only				
- low level contact resistance	20122								
Climatic sequence : dry heat - insulation resistance	§ 9.13.2				Appendix 1 page 5				
	§ 9.1.1.1				Appendix 1 page 6 Appendix 1 page 7				
Climatic sequence : cold test	§ 9.13.3 § 9.13.4				Appendix 1 page 8				
Climatic sequence : cold test Climatic sequence : low air pressure	8 9.13.5				Appendix 1 page 9				
- voltage proof	§ 9.13.3	9	9	0	Appendix 1 pages 10				
Climatic sequence : damp heat	\$ 9.13.6				Appendix 1 page 11				
- insulation resistance	§ 9.1.1.1				Appendix 1 page 12				
- voltage proof	§ 9.1.1.2				Appendix 1 page 13				
- visual examination	\$ 9.13.7				Appendix 1 page 14				
Permanence of marking	§ 9.19				Appendix 1 page 15				
Corrosion	§ 9,22				Appendix 1 pages 16 & 17				
- visual examination	§ 9,22				Appendix 1 page 18				
Seal test	§ 9.9				Appendix 1 page 19				
Plating thickness	5 9,14				Appendix 1 page 20				
LEVEL 2									
Wiring	§ 9.10				Appendix 2 pages 1 to 3				
- voltage drop					Not tenticable				
- connection resistance					Not Applicable Electrical measurements that IV only				
- low level contact resistance									
Rapid change of temperature	§ 9.16				Appendix 2 page 4				
- insulation resistance	§ 9.1.1.1				Appendix 2 page 5				
- voltage proof	§ 9.1.1.2				Appendix 2 page 6				
- visual examination	§ 9.16				Appendix 2 page 7				
Contact retention	§ 9.17				Appendix 2 page 8				
non-removable contacts	§ 9,17				<u> </u>				
Maintenance aging removable contacts	§ 9,27 § 9,27				Appendix 2 pages 9 & 10				
-ldld	20.00				Appendix 2 page 11				
- visual examination - contact retention	§ 9,27 § 9,17				Appendix 2 pages 12 to 14				
- contact insertion and withdrawal forces	§ 9,27	4	4	0	Appendix 2 pages 12 to 14 Appendix 2 pages 15 & 16				
Endurance	§ 9.18	-	_	-	Appendix 2 page 17				
Initial measurements :	\$ 25.00								
- low level contact resistance	§ 9.1.1.3				Appendix 2 pages 20 to 22				
- mated shell conductivity	§ 9.1.1.4				Appendix 2 page 25				
- mating / unmating forces	§ 9.20				Appendix 2 page 18				
Final measurements :									
- visual examination	§ 9.18				Appendix 2 page 19				
- mating / unmating forces	§ 9.20				Appendix 2 page 18				
- low level contact resistance drift	§ 9.1.1.3				Appendix 2 pages 20 to 22				
- mated shell conductivity	§ 9.1.1.4				Appendix 2 page 25				
- insulation resistance	§ 9.1.1.1				Appendix 2 page 23				
- voltage proof	§ 9.1.1.2				Appendix 2 page 24				
Seal test	§ 9.9				Appendix 2 page 26				
Scal test	2 2.2								



Box 22

Additional Comments.

### APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL

CONNECTORS ELECTRICAL RECTANGULAR REMOVABLE CRIMP CONTACTS, BASED ON TYPE D\*MA  $\,$ Component title:

Page 6

Appl. No.

Executive Member: Date: 11/01/2022 72 T

## NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

	No.125 of the Committee of the Art Provincial Control Control Control Control Control
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.