

Component Title: Polymide/Fluorothermoplast insulated Wires and Cables, Low Frequency, 600V, -200°C to +200°C according to Det. Spec. 3901/018

Low Frequency, 600V, -200°C to +200°C according to Det. Spec. 3901/018

Executive Member: DLR

Date: 24.01.2022

Page 1

Appl. No.

216 N

1

ESCC COMP. NO.	VARIANTS	RANGE OF COMPONENTS	BASED ON	TEST VEHICLE / S	COMPONENT SIMILAR
3901/018	01 to 88	COMI CIVELVIO	SPM	3901/018-54B	Olivillar
Component Manufacture WL Gore & Associates		Location of manu Nordring1 91785 Pleinfeld Germany		Date of original quali Date: Certificate Ref. No.:	fication approval July 1994 216
ESCC Specifications use Generic: ESCC 3901 Details: ESCC 3901/018	Deviations for tes LAT1 and Detail No Yes Deviation from cu No Yes	and date: - Order list space products ESCC 3901018 17.12.20 - C of C ESCC 3901018 15.12.20 - PID Rev. H ESCC 3901018 17.11.20 - T.D.RNo. 8997-5 Production-Date			
Project Name Various See Appendix: Order list space products ESCC 3901018 Issue 17	Te	esting Level	LAT	Date code See Appendix	Quantity Delivered ca. 37418 m
PID Changes since Origi or last extension of Qual. None Minor* *Front Executive, included), D 0181, Lot traveler exam corrected, Process visu additional test capabilit Major*	Page updated (App ocument reference ple updated, Typo o ualization improved	changed to SP- corrected, Table , Added	Current PID Ref. No.: PLF Issue: 2 Rev.: H Date: 04.10	Name o	Gökgöz, DLR f Excutive Representative te: 17.11.2021
Current Manufacturing Fa Satisfactory: Yes ⊠			loormann, DLR Excutive Repre		2728.11.2015 (date)



Component Title: Polymide/Fluorthermoplast insulated Wires and Cables, Low Frequency, 600V, -200°C to +200°C according to Det. Spec. 3901/018

Appl. No.

Page 2

216 N

	Executive Mem	ber: DLR			Date:	24.01.2022	210 N	
Failure Analysis, DPA, NC	:CS available:	Yes	No	X	(supply dat	a)		12
Ref. No's and purposes:								
The undersigned hereby c that the appropriate docun except as stated in box 15 qualification status to be e	nentation has bee ; that the reports	en evaluated; tha and data are av	at full com _l ailable at t	pliance to	all ESCC re	quirements is ev	vidence olies for ESCC	13
Date: 03.02.2022				<u>I.A.</u> (Signati	B. Gökgöz ure of the ES	SCC Executive C	oordinator)	_
Continuation of Boxes abo	ove:							14



Component Title: Polymide/Fluorthermoplast insulated Wires and Cables, Low Frequency, 600V, -200°C to +200°C according to Det. Spec. 3901/018

Appl. No.

Date: 24.01.2022

Executive Member: DLR

216 N

Page 3

			15
Noncompl	iance to ESCC requirements:		
No.:	Specification	Paragraph	Non compliance
	<u> </u>		16
Additional	tasks required to achieve full compliance for	ESCC qualification or rationals for a	
Additional	tasks required to achieve full compliance for	ESCC qualification of fationale for ac	cceptability of Horicompliance.
			17
ESCC Dis	position:		
Application	n Approval: Yes x No		
Action/Ren	marks:		
		5 .	Digitally signed by
		Bri	Britta Schade
Date:		Sch	Date: 2022.03.31
			0
		B. Sc	hade: Head of the Product Assurance and Safety Department
			and Salety Department
1			



Component Title: Polymide/Fluorthermoplast insulated Wires and Cables, Low Frequency, 600V, -200°C to +200°C according to Det. Spec. 3901/018

Executive Member: DLR Date: 24.01.2022

Page 4
Appl. No.

216 N

	NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL
ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Вох 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'

Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the

sequentially numbered. If relevant state 'None'.

Additional Comments.

ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.

Box 21

Box 22