

Component Title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I

Appl. No.

Page 1

			Executive	Member:	CNE	ES				Date: 02/08/2022	220	L
Components (incl	uding series and fa	amilies) s	submitted	for Extensi	on of C	Qualification	Approv	/al:				1
ESCC COMPONENT NO.	VARIAN	RANGE OF COM		ОМРО	ONENTS	BASED ON		D	TEST VEHICLE / S	COMPONE SIMILAR		
3401/052	01		# 20 with standard contact arrangements 3, 6, 10, 19, 26, 32 41, 53, 61 # 22 with high density arrangeme 6, 13, 22, 37, 55, 66, 79, 100, 128			9, 26, 32, rangements	serie	MIL-C-38999 serie 1		340105201		
3401/058	01 to 14			Other arrangements with contact sizes: 20, 16, 12, 8 Receptacle and Plug Shell Sizes: 09, 11, 13, 15, 17, 19,21,23,25						340105802 340105804 340105806 340105808		
3401/062	01 to 27	Operating temperature (°C): -65 to +200					3401 062 12B 3401 062 21B 3401 062 06B 3401 062 15B					
Component Manufacturer 2 SOURIAU			Location of Manufacturing Plant(s) 3 3 Rue du Vallon 94440 Marolles en Brie France					3	Date of original qualification approval: Date: 01/05/1995  Certificate Ref No. 220			
Maintenance of qu Generic: 3401/ Detail(s): 3401/ 3401/	aintenance of qualification testing: used: eneric: 3401 Issue: 5 No ⊠			⊠ Yes	15) I from current Specifications:				7			
Summary of procu	rement or equivale	nt test re	esults duri	ing current	validity	period in s	support o	of this ac	plication	on (those to ESCC listed firs	t)	8
Project Name Testing Level See Appendix 1				LAT			Date co			Quantity D		
PID changes since start of qualification 9  None □  Minor* ⊠					rrent PID		erified by: F. Noulas, CNES  Name of Executive Representative Agency QU 92 M 256			re Agency	10	
Major* □	*Provide details	in box:	С			ue: v Date:	Q 10/01/20	0/01/2022		Date:	02/08/2022	
Current Manufacturing facilities surveyed by:  (Nam				Fra	François NOUALS, CNES			or		7/2022 ate)	11	
Satisfactory:	Yes ⊠		No	137						The state of the s		
Report Reference:	de reun 022	ion visite	du ———							Mr. 7		

# APPLICATION FOR EXTENSION OF ESCC QUALIFICATION APPROVAL Page 2 CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I Component title: Appl. No. Executive Member: CNES 02/08/2022 220L 12 Failure Analysis, DPA, NCCS available: Yes No (Supply data) Ref. No's and purposes: 1CSOU201 see box 14 13 The undersigned hereby certifies on behalf of the ESCC Executive - that the above information is correct; that the appropriate documentation has been evaluated; - that full compliance to all ESCC requirements is evidence (except as stated in box 15;) - that the reports and data are available at the ESCC Executive and therefore applies on behalf of CNES as the responsible Executive Member for ESCC qualification status to be extended to the component(s) listed herein. Gjoronole Gale, 02/08/2022 G.QUADRI Date: (Signature of the Executive Coordinator) Continuation of Boxes above: 14 BOX 12:NCCS 1SOU201 The root causes of the detected anomalies have to do with a non-compliance in the tests realization in the laboratory, a lack of sensitization of defect cause analysis and an improper cabling of one test specimen The qualification status is not impacted, nevertheless several corrective actions lie open before to allow the close out of the NCSS

ESCC
------

Component title:

CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I

Page 3 Appl. No.

		Executive N	Member: CNES	Date:	02/08/2022	220L			
Non compliance to ESCC requirements:									
No.:	Specification		Paragraph		Non compliance				
Additional noncompl	I tasks required to achieve full con liance:	npliance for E	ESCC qualification or rationale for acceptabilit	ty of		16			
	Manager Disposition	'- n				17			
Action / Re		No 🗆							
Date:					ade: Head of Product Assur and Safety Department	 rance			



CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I Component Title:

Executive Member: CNES Date: 02/08/2022 220L

18

Page 4

Appl. No.

### ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3401 generic specification; Chart V (for ESCC/QPL parts); Or PID-TFD (for ESCC/QML parts)

#### Tests vehicle identification/description:

C.f.i.	Référence	Décimostico	Danahasa	Répartition		Raccord	Dácionation
Série	Reference	Désignation	Brochage	LAT1	LAT2	3401062xxB	Désignation
	340105201B001518SN	Embase Collerette Carrée taille 15	15-18 (18 Cts #20)			3401 062 13B 3401 062 22B	Raccord s/c droit
Série 1 (3401/052)	340105201B061518PN	Fiche taille 15					Raccord s/c 90°
	340105201B032116PN	Embase Collerette Carrée				3401 062 07B	Raccord simple
	340105201B062116SN	taille 21 Fiche taille 21	21-16 (16 Cts #16)			3401 062 16B	Raccord s/c droit

Référence	Désignation				
340105801B	Broche #22 pour série I et III				
340105803B	Broche #20 pour série I et III				
340105805B	Broche #16 pour série I et III				
340105807B	Broche #12 pour série I et III				
340104501B	Broche #22 pour série II				
340104503B	Broche #20 pour série II				
340104505B	Broche #16 pour série II				
340104507B	Broche #12 pour série I				

Référence	Désignation				
340105802B	Douille # 22 pour série I et III				
340105804B	Douille # 20 pour série I et III				
340105806B	Douille # 16 pour séries I et III				
340105808B	Douille # 12 pour séries I et III				
340104502B	Douille # 22 pour série II				
340104504B	Douille # 20 pour série II				
340104506B	Douille # 16 pour séries II				
340104508B	Douille # 12 pour séries II				

Detail Specification reference:

3401/052

Chart V	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed Comments on Rejection
	Wiring	×	ESCC 3401 Para. 9.10	2021	4	0	
dno.	Climatic Sequence	×	ESCC 3401 Para. 9.13	2021	4	0	
Environmental and Mechanical Subgroup	Permanence of Marking	⊠	ESCC 24800	2021	4	0	
	Corrosion	×	IEC Publication No. 68-2-11	2021	4	0	
Mect	Seal Test		ESCC 3401 Para. 9.9				Not applicable
	Plating Thickness		ESCC 3401 Para. 5.2.3	2021	4	0	
	Wiring		ESCC 3401 Para. 9.10	2021	4	0	
	Rapid change of Temperature		ESCC 3401 Para. 9.16	2021	4	0	
	Contact Retention		ESCC 3401 Para. 9.17	2021	4	0	
sdno	Maintenance Ageing		ESCC 3401 Para. 9.27	2021	4	0	
Endurance Subgroups	Endurance		ESCC 3401 Para. 9.18	2021	4	0	
S eo	Seal Test		ESCC 3401 Para. 9.9				Not applicable
durar	Joint Stength	$\boxtimes$	ESCC 3401 Para. 9.15	2021	4	0	
End	Engage/Separ. Forces	$\boxtimes$	ESCC 3401 Para. 9.28	2021	4	0	
	Oversize Pin Exclusion	×	ESCC 3401 Para. 9.29	2021	4	0	
	Probe Damage	×	IEC Publication No. 512-8	2021	4	0	= = =
ā							
Additional							
A,							



CONNECTORS, ELECTRICAL, CIRCULAR, BAYONET COUPLING, SCOOP-PROOF, REMOVABLE CRIMP CONTACTS, BASED ON TYPE MIL-C-38999, SERIES I Component title:

Executive Member: Date: 02/08/2022 Appl. No.

Page 6

220L

### NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.