Component Title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte,

Page 1

Appl. No. Low equivalent series resistance based on type TES. Executive Member: Date: 29/09/2023 327E 1 Components (including series and families) submitted for Extension of Qualification Approval: FSCC. BASED TEST COMPONENT COMPONENT VARIANTS RANGE OF COMPONENTS VEHICLE / S SIMILAR ON NO. 3012/004 01 A - G16 ESCC 3012/004, issue 6 - page 7 TES See box 14 All other variants and values. 02 B - G16 1uF-470uF, 6V -50V 03 C - P17 04 D - P17 05 E - P17 2 3 4 Component Manufacturer Location of Manufacturing Plant(s) KYOCERA AVX Components s.r.o. Dvorakova 328 Date of original qualification approval: Lanskroun 10/12/2013 Date: Czech Republic Certificate Ref No. 327 \_6 7 5 ESCC Specifications used for Deviations to LVT testing and Detail Specification Qualification Extension Report Maintenance of qualification testing: reference and date: 3012 Extension of Valid Qualification, Customer Information Generic: Issue: 4 No  $\boxtimes$ Yes (supply details in Box Package, 27th September 2023 15) Detail(s): 3012 Issue: Deviation from current Specifications: (Supply details) 8 Summary of procurement or equivalent test results during current validity period in support of this application (those to ESCC listed first) Project Name Testing Level LAT Date code Quantity Delivered See box 22 PID changes since start of qualification 9 Current PID Verified by: 10 Denis Lacombe, ESA Name of Excutive Representative None Minor\*  $\boxtimes$ Ref No: Ad1) PID100, Ad2) PID 100/004 8 Date: 24.2.2023 Major\* \*Provide details in box: New issue of PiD100 and PiD100/004 Proposal has been sent to ESA before the extension of the qualification approval. Changes:

New Company name Rev Date: 26.9.2023 Organisation structure update ESCC Documents update
ESA tester added into the Test Lab Capability
New ESCC Deputy Chief Inspectors
Production Flow Chart, batch ticket FR has been reduced for size E 11 Current Manufacturing facilities surveyed by: L. Farhat, D. Lacombe, S. Hernandez, ESA 23/06/2015 (Name of Executive Representative) Satisfactory: X Explain Yes No AVXLAN-AUD-2015-1 Report Reference:

September 2023 Audit completed- awaiting report

	APPLICAT	ION FOR EXTENSION	OF ESCO QUALIFIC	SATION APPROVAL	Page 2
<b>ESCC</b>	Component title:		s Surface Mounted, Ta s resistance based on	antalum, Solid electrolyte, type TES.	Appl. No.
	Executive Member:	ESA	Da	ate: 29/09/2023	327E
					12
Failure Analysis, DPA, NCCS ava	ailable: Yes	□ No ⊠	(Supply data)		
Ref. No's and purposes:					
The undersigned hereby certifies on behalf that the appropriate documentation has bee (except as stated in box 15;) - that the repo ESA as the responsible Executive Member	en evaluated; - that ful orts and data are avail	II compliance to all ES0 able at the ESCC Exec	CC requirements is ev cutive and therefore ap	oplies on behalf of	13
Date:	Denis	Digitally signed by De Lacombe	nis		
l	Lacombe	Date: 2023.10.16 17:12 +02'00'	2:48	(Signature of the Executive	e Coordinator)
Continuation of Boxes above:					14
	ge of voltage capacitances and uses m last re-qualification  5KD2500 6KC0600 7KA0200 7KJ0035	d powders			

ESCC	1
The state of the s	•

Component title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.

Appl. No.

Page 3

The second secon	LXCCutive Wiethic	iei. ESA	Date. 29/09/2023	327E
Non compliance to ESCC	requirements:			15
	Specification	Paragraph	Non compliar	nce
		<b>3</b>	, and a second	
	-			
Additional tasks required to noncompliance:	o achieve full compliance for ESCC	qualification or rationale for accep	tability of	16
xecutive Manager Dispos	ition			
application Approval: Y	es ⊠ No □			17
ction / Remarks:				
			201	
			3.21	
ate:			B. Schade: Head of the Produ	uct Assurance
			and Safety Depart	

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES. Component Title:

Date: 29/09/2023 Executive Member:

Appl. No. 327E

Page 4

### ANNEX 1: LIST OF TESTS DONE TO SUPPORT EXTENSION OF QUALIFICATION

Tests conducted in compliance with:

ESCC 3012 generic specification; Chart V (for ESCC/QPL parts); (for ESCC/QML parts)

Tests vehicle identification/description:

Detail Specification reference: 3012/004

Chart F4	Test	Tick when done	Conditions	Date Code	Tested Qty	No. of Rejects	Comments if not performed. Comments on Rejection
Environmental / Mechanical Subgroup Group 1A	Mounting	⊠	IEC 60384-1	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Robustness of Terminations	×	ESCC 3012 issue 4, Para. 8.9	A2305 B2315 C2308 D2315 E2315	4x5	0	
ronmental / M Grou	External Visual Inspection	×	ESCC 20500	A2305 B2315 C2308 D2315 E2315	4x5	0	
Envir	Climatic Sequence		ESCC 3012 issue 4, Para. 8.10	A2305 B2315 C2308 D2315 E2315	4x5	0	
Environmental / Mechanical Subgroup Group 1B	Mounting		IEC 60384-1	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Rapid Change of Temperature	×	ESCC 3012 issue 4, Para. 8.2.2 IEC 60068-2-14	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Vibration		ESCC 3012 issue 4, Para. 8.11 IEC 60068-2-6	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Mechanical Shock		ESCC 3012 issue 4, Para. 8.12 IEC 60068-2-27	A2305 B2315 C2308 D2315 E2315	4x5	0	×

18

			T	A2305			
	External Visual Inspection	⊠	ESCC 20500	B2315 C2308 D2315 E2315	4x5	0	
	Climatic Sequence	⊠	ESCC 3012 issue 4, Para. 8.10	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Mounting	⊠	IEC 60384-1	A2305 B2315 C2308 D2315 E2315	4x5	0	
al Subgroup	High and Low Temperature Stability	⊠	ESCC 3012 issue 4, 8.13	A2305 B2315 C2308 D2315 E2315	4x5	0	
Environmental / Mechanical Subgroup Group 1C	Surge Voltage		ESCC 3012 issue 4, 8.14	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Damp Heat, Steady State		ESCC 3012 issue 4, 8.15 IEC 60068-2-78	A2305 B2315 C2308 D2315 E2315	4x5	0	
	External Visual Inspection	×	ESCC 20500	A2305 B2315 C2308 D2315 E2315	4x5	0	
Endurance Subgroup Group 2B (Operating life at 85 °C)	Mounting	×	IEC 60384-1	A2305 B2315 C2308 D2315 E2315	16x5	0	
	Operating Life at 85 °C	⊠	ESCC 3012 issue 4, Para. 8.16(b)	A2305 B2315 C2308 D2315 E2315	16x5	0	
	Intermediate and Final Measurements	⊠	ESCC 3012 issue 4, Para. 8.16(a) ESCC 3012/001 issue 8, Para. 2.4	A2305 B2315 C2308 D2315 E2315	16x5	0	
	External Visual Inspection	$\boxtimes$	ESCC 20500	A2305 B2315 C2308 D2315 E2315	16x5	0	



Component title:

Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES.

Page 5 Appl. No.

Executive Member:

Date: 29/09/2023

327E

Assembly Capability Subgroup Group 3	Permanence of Marking	⊠	ESCC 24800	A2305 B2315 C2308 D2315 E2315	4x5	0	
	Solderability	$\boxtimes$	IEC 60068-2-20 ESCC 3012 issue 4, Para. 8.18	A2305 B2315 C2308 D2315 E2315	4x5	0	



Capacitors, Leadless Surface Mounted, Tantalum, Solid electrolyte, Low equivalent series resistance based on type TES. Component title:

Executive Member: Date: 29/09/2023 Appl. No. 327E

Page 7

# NOTES ON THE COMPLETION OF THE APPLICATION FORM FOR ESCC QUALIFICATION EXTENSION APPROVAL

ENTRIES Form heading	shall indicate: - the title of the component as given in its detail specification or the name of the series, family; - the Executive Member; - the entering date; - the certificate number and its sequential suffix.
Box 1	shall provide details given in the table; in particular there shall be listed: - the variants or range of variants; - the range of components (the ESCC code is recommended to indicate the values or values range, the tolerance, the voltage, etc); the designation given in the detail specification as 'base on'; - under Test Vehicle enter either an ESCC code or the specific characteristic capable of identifying the component tested (e.g., voltage of coil for a relay); - under component similar enter a cross if relevant.
Box 2; 3 and 4	As per QPL entry; otherwise, an explanation of the changes must be supplied.
Box 5	Will show the ESCC Generic and Detail specifications, including issue number and revision letter, current at the time the tests reported were performed. If the specifications are different from those current on the date of the application, see Box 6.
Box 6	Will show the deviations from the Generic and Detail Specifications listed in Box 5, in particular deviations from testing. In case of deviations this must be listed in Box 15. In case the referenced specification in Box 5 have currently a different issue and/or revision indicate also whether the test data deviates or not from such current documents.
Box 7	Must reference the report(s) supplied in support of the application.
Box 8	Should provide the details of procurement to the full ESCC System, documentation of all of which should already have been delivered to the ESCC Executive under the terms of the relevant Generic Specification. An appropriate table has been drawn in this box.
Box 9	If the PID evolved after the Original Qualification or after the last Extension of Qualification, adequate details of such evolution shall be provided together with the reasons for the changes. Major changes shall be clearly marked.
Box 10	Identify the current PID issue status, date and actual date of verification. The date of verification of the current PID should be arranged as close as possible to the required date of extension.
Box 11	This box can be completed only after a physical visit to the plant to confirm that no unexplained changes occurred and that the practices, procedures, material, etc. used in manufacturing the components are as described in the PID. This survey shall be carried out in accordance with the requirements of ESCC Basic Specification No. 20200 and its findings shall be recorded.
Box 12	Provide details of, or reference to, any Destructive Physical Analysis (DPA) and Failure Analysis reports as well as any Nonconformance(s) (NCCS) occurred during the qualification validity period, stating if established corrective action have produced satisfactory results.
Box 13	Enter only the name of the Executive Member (i.e., CNES, DLR, ESTEC, etc.) and the signature of the responsible Executive Coordinator.
Box 14	To be used when there is a need to expand any of the boxes from 1 through 12. Identify box affected and reference the Box 14 in the relevant Box. Box 14 can be broken into 14a, 14b, etc. if several boxes have to be expanded.
Box 15	Fill in Table as requested.
Box 16	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 17	All Executive Manager recommendations on the application itself, special conditions or restrictions, modifications of the QPL or QML entry, letters to the manufacturer, etc. shall be entered clearly in Box 19, signed by the representative for ESA, and dated.
Box 18	Fill in Table as requested.
Box 19	Confidential Details of PID changes including those of a confidential nature, shall be provided.
Box 20	State noncompliance with reference to specification(s) and paragraph(s). To simplify reference in Box 16 each nonconformance shall be sequentially numbered. If relevant state 'None'.
Box 21	Any additional action deemed necessary by the Executive Member to bring the submitted data to a standard likely to be accepted by the ESCC Executive should be listed herein or the reason(s) to accept the noncompliance.
Box 22	Additional Comments.